

Garmin VHF 200 Marine Radio

- Extra large 3.2" display with adjustable backlighting.
- Up to 25W transmission output.
- LOCAL receiver mode for improving reception performance in areas with dense radio traffic.
- Full Class D Digital Selective Calling (DSC) with built-in DSC receiver.
- NMEA 2000 and NMEA 0183 interface options.
- Position tracking options.
- The VHF 200 is compatible with the GHS 10 and GHS 20.
- Knobs for adjusting volume, squelch and choice of channel.

Order No. Mfg. No. / Description Price
105000 (010-00755-10) Black **\$399.98 E**



ICOM IC-M604 VHF Marine Transceiver



- Built-in ITU Class-D DSC. The IC-M604 has two receivers, one for the radio and one to monitor channel 70 for DSC all the time. When a distress call is received, an escalating alarm sounds and the transceiver automatically switches to channel 16. The auto switch and auto tone timer functions allow you to control the timing to switch. Compliant to new DSC Class D regulations.
- Submersible construction (1m depth for 30 minutes).
- 30 Watt 2-way hailer capability.
- Large LCD with dot-matrix characters.
- Position request and position report. Over and above the DSC, your own and other ships' position data can be exchanged with the position request or position report functions.
- When connecting to an external GPS receiver, the GPS information indication function shows course and speed data as well as position, date and time on the display.
- Front and rear panel microphone connection.
- Favorite channel function. RX speaker function.
- Dual/tri-watch function for monitoring Ch. 16 and/or call channel.
- 7 levels adjustable backlit display and keypad.
- Weather channels with weather alert function.
- AquaQuake draining function.
- Up to two Commandmic III's can be connected - full control and intercom capability.
- Dimensions: 8-21/32" W x 4-11/32" H x 4-5/16" D.

Order No. Mfg. No. / Description Price
788100 (M604-41) Black **\$680.98 C**
788022 (MB-75) Flush Mount Kit, Stainless Steel **\$40.98 C**

ICOM IC-M506 VHF Marine Transceiver



- Built-in ITU Class-D DSC. The built-in DSC watch function monitors CH. 70 (DSC channel) activity, even while you are receiving another channel. DSC functions include: distress, individual, group, all ships, urgency, safety, position request/report, polling request and DSC test calls. Up to 100 DSC address IDs can be programmed.
- Integrated AIS Receiver - Shows AIS vessel traffic information of the display. The AIS target call function allows you to easily set up an individual DSC call.
- NMEA 0183 Connectivity.
- Submersible construction (1m depth for 60 minutes).
- Last call voice recording.
- Active noise cancelling.
- 25 Watt 2-way hailer capability.
- Large LCD and Intuitive Menu-Driven User Interface - The bottom line of the display shows the software key functions and the functions can be toggled with the left and right buttons.
- Foghorn and RX speaker functions.
- Weather channels with weather alert function.
- AquaQuake draining function emits a vibrating sound and clears water away from the speaker grill.
- Optional Commandmic for 2nd station capability for using the IC-M506 from a separate cabin or tower.
- Dimensions: 7.04" W x 4.48" H x 4.48" D.

Order No. Mfg. No. / Description Price
788028 (M506-01) Black **\$471.98 C**
788022 (MB-75) Flush Mount Kit, Stainless Steel **\$40.98 C**

ICOM IC-M424 VHF Marine Transceivers

- Intuitive user interface and white backlit LCD and keypad.
- Active noise cancelling for maximum clarity.
- 10 watt loud audio, public address and foghorn.
- Built-in Class-D DSC.
- Built-in GPS Receiver. The built-in GPS receiver shows your current position, date/time and can be used for DSC calls. The GPS data source is selectable from internal and external GPS.
- AIS Target Calls with MA-500TR.
- Simple remote control speaker-microphone, HM-205B/SW.
- NMEA 0183 connectivity.
- AquaQuake draining function.
- IPX7 submersible protection (1m depth for 30 minutes).
- Weather channels with weather alert function.
- Dual/tri-watch function. Priority and normal scan.
- Dimensions: 7.09" W x 3.23" H x 4.72" D.
- Command Mic IV remote 2nd station (HM195) optional.



Order No. Mfg. No. / Description Price
788039 (M424G21) Black **\$331.98 C**
788040 (M424G22) White **\$331.98 C**
788027 (MB-132) Flush Mount Kit, Stainless Steel **\$43.98 C**

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

ICOM IC-M324 VHF Marine Transceivers



780025



780030



780035



780040



788027

- Built-in Class D DSC. The built-in DSC watch function monitors Ch. 70 (DSC channel) activity, even while you are receiving another channel. DSC functions include: Distress, individual, group, all ships, urgency, safety, position request/report, polling request and DSC test calls.
- IPX7 Submersible Protection. The IC-M324/G withstands submersion in up to 1m depth of water for 30 minutes. It is equivalent to the IPX7 standard.
- 25 watt.
- Huge High Def DOT-Matrix display.
- Dual/Tri-watch channel monitoring function.
- Common NMEA Interface. When receiving DSC information from another vessel, the IC-M324/G can transfer it to a navigational device via NMEA 0183 connectivity.
- AquaQuake draining function emits a vibrating sound and clears water away from the speaker grill.

Order No.	Mfg. No. / Description	Price
780025	(M324-01) Black	\$228.98 C
780030	(M324-02) Super White	\$228.98 C

WITH INTERNAL GPS BUILT-IN

- Built-in GPS Receiver. The built-in GPS receiver shows your current position and time and can be used DSC calls. GPS data source is selectable from internal and external GPS (and GPS-OFF setting).

Order No.	Mfg. No. / Description	Price
780035	(M324G-21) Black	\$293.98 C
780040	(M324G-22) Super White	\$293.98 C

FLUSH MOUNT KIT - STAINLESS STEEL

Order No.	Mfg. No. / Description	Price
788027	(MB-132)	\$43.98 C

ICOM CommandMic II Complete Remote-Control Option



- For IC-M504 and IC-M604 Transceivers.
- Features as a sizable built-in LCD and a comprehensive 11-button housing, which team up to offer control of everything from channel selection to squelch adjustments to Dual Watch scanning.

Order No.	Mfg. No. / Description	Price
788013	(HM-157B-11) Black	\$161.98 C
788014	(HM157W) White	\$175.98 LQ

ICOM CommandMic IV Complete Remote-Control Option



- For IC-M424 and IC-M506 Transceivers
- 4th Generation Command and Control.
- IPX7 Submersible rating.
- Total control of all communications and Class D DSC functions.
- AquaQuake.

Order No.	Mfg. No. / Description	Price
788113	(HM195B) Black	\$260.98 E
788114	(HM195SW) White	\$260.98 E

ICOM MA-500TR Class B AIS Stand Alone Transponder with Display



- Class B AIS transponder for Non-SOLAS vessels such as pleasure craft, work-boat and small vessels.
- The MA-500TR receives dual AIS channels (Ch. 87B and Ch. 88B) simultaneously and receives both Class A and Class B AIS information.
- Transmitted information by MA-500TR is:

MMSI code	Vessel name	Call sign
Type of ship	GPS antenna position	Ship's position
SOG (Speed over ground)	COG (Course over ground)	UTC date and time
GPS antenna type	PA (Position Accuracy)	

Order No.	Mfg. No. / Description	Price
788030	(MA500TR KIT)	\$1,136.98 LQ

ICOM Flush Mount Kit for IC-M412 VHF Marine Transceiver



Order No.	Mfg. No. / Description	Price
788020	(MB-69)	\$42.98 LQ

Standard Horizon Quantum GX5500S Class D DSC VHF Marine Radio

STANDARD HORIZON



- Bluetooth capable headset.
- Class D DSC.
- 25 Watt transmit power.
- 30 Watt PA, FOG, Bells and Whistles with listen back.
- Audio tone control.
- Dot matrix LCD display.
- Submersible JIS-7/IPX7 (3.3 feet for 30 minutes).
- Noise canceling speaker mic with channel selection and 16/9 key.
- Large rotary knobs and oversized display.
- Second station capable with optional RAM+, RAM3 or VH-310.
- Front panel microphone can be remoted to rear panel and extended to 20 feet using MEK-4.
- Features a large alpha numeric keypad.
- Dimensions: 3.5" H x 9.1" W x 5.9" D.

Order No.	Mfg. No. / Description	Price
607061	(GX5500S) Black	\$459.98 C
607079	(MMB84) Flush Mounting Bracket	\$19.98 E

Standard Horizon Explorer GPS VHF Marine Radios

STANDARD HORIZON



- Integrated 12 Channel WAAS GPS Receiver.
- GPS antenna built-in to the front panel allows reception when bracket or flush mounted.
- Ultra thin and compact rear case design (3.5" depth).
- Meets ITU-R M493-13 Class D DSC (Digital Selective Calling).
- Navigation to a DSC Distress Call with compass page.
- DSC test call and Auto DSC channel change selection.
- Automatically poll the GPS position of up to 4 ships using DSC.
- Enter, Save, and Navigation to waypoint with Compass page.
- GPS Compass display.
- Navigation (LAT/LON, Time, SOG, and COG) information shown on display.
- Submersible JIS-8 1.5m (4.92 ft.) for 30 minutes.
- Noise canceling microphone with channel UP/DOWN, 16/9 and H/L keys.
- NOAA weather channel selection with alert.
- Programmable Scan, Priority Scan, and Dual Watch.
- Preset Key (Maximum 10 channels).
- Oversized display with customizable channel names.
- NMEA Input and Output GPS information when connected to another NMEA device.
- Capable of connecting to a Second Station RAM3 Remote Access Microphone. Intercom between radio and Second Station RAM3 Remote Access Microphone.
- Die-cast chassis.
- 3 year waterproof warranty.

Order No.	Mfg. No. / Description	Price
607088	(GX1700B) Black	\$258.98 C
607089	(GX1700W) White	\$258.98 C

Standard Horizon Matrix Class D DSC VHF Marine Radio

STANDARD HORIZON



- Class D DSC.
- 30 Watt PA/loud hailer with pre-programmed fog signals.
- Local/Distance attenuator.
- Commercial grade 80dB receiver.
- Submersible JIS-7/IPX7 (3.3 feet for 30 min.)
- AIS (Automatic Identification System) receiver or transponder.
- AIS target display: MMSI, Call Sign, Ship Name, BRG, DST, SOG and COG.
- CPA (Closest Point of Approach) Alarm.
- ClearVoice noise canceling speaker microphone with channel selection and 16/9 key.
- Oversized rotary channel knob with push to enter, backlit display and keys.
- Capable of connecting an optional RAM3 second station remote microphone.
- Versatile user-programmable scanning, priority scan and Dual Watch.
- Independent Channel 70 receiver built-in for continuous DSC watch
- When connected to an optional GPS: Enter, Save and Navigate to waypoints with Compass page. Navigate to a DSC Distress Call.
- LAT/LON, SOG and COG shown on display when connected to GPS.
- Dimensions: 3.1" H x 7.1" W x 5.9" D.
- 3 year waterproof warranty.

Order No.	Mfg. No. / Description	Price
607064	(GX2000B) Black	\$243.98 C
607079	(MMB84) Flush Mounting Bracket	\$19.98 E

Standard Horizon Explorer Class D DSC VHF Marine Radios

STANDARD HORIZON



- Ultra thin and compact rear case design (3.5" depth).
- Meets ITU-R M.493-13 Class D DSC with Individual, All Ship, Position Report, Request and Distress.
- Navigation to a DSC Distress Call with compass page.
- Automatically poll the GPS position of up to 4 ships using DSC.
- Enter, Save and Navigate to waypoints with Compass page.
- GPS Compass display.
- Navigation (LAT/LON, SOG, and COG) information shown on display.
- Submersible JIS-8 (1.5m or 4.92 feet for 30 minutes).
- Noise canceling microphone with channel Up/Down, 16/9 and H/L keys.
- NOAA weather channel selection with alert.
- Programmable scan, priority scan and dual watch.
- GPS repeating of position, SOG, COG and time.
- Customizable channel names.
- Oversized dot matrix display.
- NMEA input and output.
- Programmable soft keys.
- Capable of connecting to a second station RMA3 Remote Access Microphone.
- Dimensions: 3.35" H x 5.91" W x 3.54" D.
- 3 year waterproof warranty.

Order No.	Mfg. No. / Description	Price
607067	(GX1600B) Black	\$171.98 C
607068	(GX1600W) White	\$171.98 C

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Standard Horizon Eclipse Class D DSC VHF Marine Radios



- Affordable ultra compact Class D fixed mount VHF radio.
- Meets ITU-R M493-13 Class D DSC.
- Ultra-compact rear chassis design (Only 5.9" deep).
- Easy to operate Icon/Menu System.
- Oversized full dot matrix display.
- Built-in separate receiver for CH70 (Receiving DSC Calls).
- DSC test call and Auto DSC channel change selection.
- GPS position and time shown on a full-dot matrix display when connected to a GPS Receiver.
- NMEA in and output connections to a compatible GPS Chart Plotter.
- Programmable soft keys.
- Automatically poll the GPS position of up to 4 ships using DSC.
- Submersible IPX8 waterproof rating (1.5m or 4.92 feet for 30 minutes).
- All USA/International and Canadian Marine Channels.
- Preset key used to recall up to 10 favorite channels.
- NOAA weather channel selection with Weather Alert.
- Programmable Scan, Priority Scan, and Dual Watch.

Order No.	Mfg. No. / Description	Price
607045	(GX1300B) Black	\$149.98 C
607046	(GX1300W) White	\$149.98 C

Standard Horizon Remote Control Microphone



- Full functioning second station.
- Submersible IPX7 - 3.3 ft. for 30 minutes.
- Full dot matrix display.
- Programmable soft keys for easy operation.
- Supplied with 23' of routing cable.
- External audio speaker connection.
- 3 year waterproof warranty.

Order No.	Mfg. No. / Description	Price
607090	(CMP30B) Black	\$117.98 C

Uniden Oceanus D UM415 VHF Marine Radios



- JIS8 Submersible.
- DSC (Digital Selective Calling).
- All USA/International/Canadian Channels.
- 1 Watt/25 Watt transmit power.
- DSC position send and request.
- Ultra compact rugged construction.
- Full dot matrix display with easy-to-use intuitive menus.
- Quik Command One-Touch Ch 16/9 Key on mic.
- S.A.M.E. Emergency/Weather Alert.
- Channel names.
- Backlit LCD display and keypad.
- Triple watch plus.
- Memory scan. Weather alert. Weather scan.
- 3 year waterproof protection warranty.

Order No.	Mfg. No. / Description	Price
776721	(UM415BLK) Black	\$141.98 D
776725	(UM415WHT) White	\$141.98 D

Uniden Oceanus D UM415 HF Marine Radio Package



- Package includes: Uniden **776725** (UM415WHT) Oceanus D VHF Marine Radio, Shakespeare **606561** (5240-R) Low Profile Antenna and Marpac **7-1330** Stainless Steel Ratchet Rail Mount.

Order No.	Mfg. No. / Description	Price
776723	(OCEANUS-PKG2) White	\$274.98 E

Uniden Oceanus D UM415 VHF Marine Radio Packages



- Package includes: Uniden Oceanus D UM415 VHF Marine Radio, Shakespeare **606701** (5101) Centennial Antenna and Shakespeare **744917** Stainless Steel Ratchet Mount.

Order No.	Mfg. No. / Description	Price
778932	(OCEANUSPKGBL) Black	\$253.98 E
778944	(OCEANUSPKGWH) White	\$253.98 E

Uniden Oceanus D UM415 VHF Marine Radio Package



- Package includes: Uniden **776725** (UM415WHT) Oceanus D VHF Marine Radio, Marpac **7-0127** VHF Antenna and Shakespeare **744917** Stainless Steel Ratchet Mount.

Order No.	Mfg. No. / Description	Price
776722	(OCEANUS-PKG1) White	\$253.98 E

Uniden Solara D UM380 VHF Marine Radios

Uniden

- JIS4/CRF46 Waterproof Level.
- Memory channel scan.
- Triple watch feature.
- Hi/Lo power switch.
- S.A.M.E. Weather Alert.
- Backlit keypad and display.
- Channel names.
- All USA/International/Canadian Channels.
- One Touch Channel 16/9 Key.
- DSC (Digital Selective Calling).
- DSC capability including distress and individual calling.
- DSC position send and request.
- 1 Watt/25 Watt transmit power.



Order No.	Mfg. No. / Description	Price
776739	(UM380 BLACK) Black	\$125.98 D
776740	(UM380 WHITE) White	\$125.98 D

Uniden Flush Mount Kit

Uniden



- Compatible with the following models: UM415, UM415BK, UM380, UM380BK, UM425, UM525, UM625, Oceanus, Oceanus-BK and Polaris-BK.

Order No.	Mfg. No. / Description	Price
557504	(FMB321)	\$14.98 G

Cobra MR F77 Class D DSC VHF Marine Radios with Built-In GPS Receiver

Cobra MARINE

- The latest in Class D Digital Selective Calling (DSC) Technology.
- 1 or 25 watts of power output.
- USA, Canada and International Channels.
- 10 NOAA Weather Channels.
- Rewind-Say-Again - Replay missed calls.
- Weather Alert.
- Automatic Radio Check.
- Instant Channel 16/9.
- GPS Inside.
- Tri-Watch.
- Scan/Memory Scan.
- Channel names.
- Signal strength meter.
- Illuminated keys. Illuminated LCD display - Super Large.
- Noise canceling speaker/microphone with controls.
- External speaker and PA.
- NMEA In and Out-NMEA in for GPS input. NMEA output to display other vessels and their information transmitted by DSC on your chart plotter.
- Submersible - Meets JIS7 standards (30 minutes in one meter deep water).
- External Alarm Input.
- 3 year warranty.



Order No.	Mfg. No. / Description	Price
788259	(MRF77BGPS) Silver	\$185.98 MAP
788260	(MRF77WGPS) White	\$185.98 MAP

Uniden Solara D UM380 VHF Marine Radio Package

Uniden



- Package includes: Uniden **776740** (UM380WHT) Solara D DSC VHF Marine Radio, Shakespeare **606573** (5244) Low Profile VHF Antenna and Marpac **7-1329** Nylon Rail Mount.

Order No.	Mfg. No. / Description	Price
776728	(SOLARA-PKG White)	\$199.98 E

Uniden Solara D UM380 VHF Marine Radio Packages

Uniden



- Package includes: Uniden Solara D UM380 VHF Marine Radio, Marpac **7-0126** VHF Antenna and Marpac **7-0435** Nylon Ratchet Mount.

Order No.	Mfg. No. / Description	Price
778906	(SOLARAPKGBLK) Black	\$204.98 E
778920	(SOLARAPKGWH) White	\$204.98 E

Cobra MR F77 Class D DSC VHF Marine Radio Packages

Cobra MARINE



- Package includes: Cobra MR F77 Class D DSC VHF Marine Radio, Marpac **7-0127** VHF Antenna and Marpac **7-0435** Nylon Ratchet Mount.

Order No.	Description	Price
788272	Silver	\$227.98 D
788273	White	\$227.98 D

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailerling

Misc.

Comm.

Cobra MR F57 Class D DSC VHF Marine Radios



- The latest in Class D Digital Selective Calling (DSC) Technology.
- USA, Canada and International Channels
- Rewind-Say-Again - Replay missed calls.
- 10 NOAA Weather Channels.
- Weather Alert.
- Automatic Radio Check.
- Instant Channel 16/9.
- GPS Capability - Plug-and-Play using the new C.P.S. (Cobra Positioning Systems) external GPS.
- Tri-Watch.
- Scan/Memory Scan.
- Channel names.
- Signal strength meter.
- Illuminated keys. Illuminated LCD Display: Large.
- Noise canceling speaker/microphone with controls.
- External speaker and PA.
- NMEA In and Out - NMEA in for GPS input. NMEA output to display other vessels and their information transmitted by DSC on your chart plotter.
- Submersible - Meets JIS7 standards (30 minutes in one meter deep water).
- External Alarm Input.
- 3 year warranty.

Order No.	Mfg. No. / Description	Price
788225	(MRF57B) Black	\$157.98 MAP
788226	(MRF57W) White	\$157.98 MAP

Marpac VHF External Speaker



- 6 watt, water-resistant white speaker.
- Housing-cyclac case.
- Compatible with all VHF Radios.
- Includes: Cable, plug, stainless mounting brackets & hardware.

Order No.	Description	Price
7-0371	VHF External Speaker	\$28.98 G

Marpac Microphone Clip



- Stainless steel.
- Dimensions: 1-7/8" x 1".
- Sold 2 per card.

Order No.	Description	Price
7-0140	Microphone Clip	\$2.99 G

Cobra MR F45-D Class D DSC VHF Marine Radio



- The latest in Class D Digital Selective Calling (DSC) Technology.
- DSC call log.
- 10 NOAA Weather Channels.
- Weather Alert.
- GPS position display capability.
- 1 or 25 watts of power output.
- USA, Canada and International Channels.
- Instant Channel 16/9. Dual Watch. Scan.
- Signal strength meter.
- Illuminated function keys. Illuminated LCD Display: Large.
- Noise cancelling speaker/microphone with controls.
- External speaker jack.
- Submersible - Meets JIS7 standards (30 minutes in one meter deep water).

Order No.	Mfg. No. / Description	Price
788234	(MRF45-D) White	\$119.95 MAP

MR F45-D CLASS D DSC VHF MARINE RADIO PACKAGE



- Package includes: Cobra MR F45-D Class D DSC VHF Marine Radio (788234), Marpac VHF Antenna (7-0126) and Marpac Nylon Ratchet Mount (7-0435).

Order No.	Mfg. No. / Description	Price
788235	(F45D-PKG) White	\$194.98 D

Deck Horns/Hailers



- Clear, distortion free, waterproof deck horns.
- High impact plastic with hook-up wire provided.
- 8 Ohm.
- Assembled with stainless steel hardware.
- White.

Order No.	Mfg. No. / Description	Price
699199	(SPC-5P) 8 Watts Nominal 12 Watts Peak	\$18.98 E
699213	(PA-30/20) 30 Watts Nominal 20 Watts Peak	\$50.98 E
699249	(PA40/30) 40 Watts Nominal 30 Watts Peak	\$78.98 E
699255	(PA-60/40) 60 Watts Nominal 40 Watts Peak	\$241.98 E

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Standard Horizon Loud Hailer



- 30W PA output.
- Dual zone output forward, aft or all.
- Noise canceling microphone.
- Easy push button control.
- Loud speaker audio.
- 2 Intercom Station capable with the MLS-300i intercom speaker.
- 3 year waterproof warranty.

Order No. Mfg. No. / Description Price
607078 (VLH-3000) Black **\$274.98** C

Garmin Rino® 650t Handheld GPS/Radio



- FRS/GMRS radio and touchscreen GPS navigator.
- Preloaded TOPO U.S. 100K maps and included 1-year BirdsEye Satellite Imagery subscription.
- 5 watt transmit power.
- High-sensitivity GPS receiver.
- 3-axis electronic compass and barometric.

Order No. Mfg. No. / Description Price
105006 (010-00928-10) **\$550.98** B

Garmin Rino® 650 Handheld GPS/Radio



- FRS/GMRS radio and a touchscreen GPS navigator.
- 5 watt transmit power.
- High-sensitivity GPS receiver.
- 3-axis electronic compass.
- Barometric altimeter.
- MicroSD Card for expanded memory.
- Supports BirdsEye Satellite Imagery.
- Runs on rechargeable lithium-ion battery.
- Position Reporting capability lets you send your exact location to other Rino users.
- Communicates with other convention FRS/GMRS radio in range.

Order No. Mfg. No. / Description Price
105005 (010-00928-01) **\$500.98** C

RADIO PAGE



DETAILED TOPO MAPS




BIRDEYE SATELLITE IMAGERY



ELEVATION PLOT



3-AXIS COMPASS



- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

ICOM IC-M88 Handheld VHF Marine Radios



- Tough construction, superior waterproofing.
- Li-Ion battery for extra long battery life.
- Waterproof speaker/microphone.
- 22 Programmable channels for land use.
- Auto WX scan and WX Alert function.
- Simple Up/Down switches for operating channel selection.
- Instant access to Ch 16 or Ch 9.
- Simple add/delete TAG scanning operation.
- 5 Watt output power.
- 2-step power saver.
- 4 level battery life indicator.
- The self check function checks internal temperature, connected battery voltage and water intrusion.

Order No.	Mfg. No. / Description	Price
788004	(M88-01)	\$310.98 C
788005	(M88-11) Intrinsically Safe FCC Approved	\$395.98 C
788019	(HM-138) Speaker/Microphone	\$139.98 C
788105	(BP-227) Li-Ion Battery Pack	\$114.98 C
788031	(BP-227FM) Li-Ion Battery Pack, Intrinsically Safe Version	\$129.98 C

ICOM IC-M73 Handheld VHF Marine Radio



- Slim, hourglass body and wide viewing angle LCD.
- Submersible construction equivalent to IPX7 (1m depth for 30 minutes).
- 700mW Loud audio.
- 6 Watt RF output power.
- Active noise cancelling technology.
- Bass boost function. Last call voice recording.
- AquaQuake draining function.
- Dual/Tri-watch functions.
- 4 level battery indicator.
- Favorite channel and tag scan functions.
- Auto power save function. Weather alert.
- Dimensions: 2-1/8" W x 5" H x 1-3/16" D.
- Includes: Rapid desktop charger (BC-210), cigarette lighter cable (CP-25H), AC adapter, Battery pack, Belt clip, antenna and hand strap.

Order No.	Mfg. No. / Description	Price
788006	(M73-01) Black	\$218.98 C
788012	(HM-167) Speaker/Microphone - IPX8 Rugged Type	\$99.98 C
788101	(BP-245N) Battery Pack	\$93.98 C

ICOM IC-M36 Handheld VHF Marine Radio



- Clear voice + voice boost.
- Floats if dropped overboard.
- AquaQuake draining function.
- LOUD button gives full volume immediately.
- Noise cancelling microphone.
- Automatic volume adjustment.
- Low power consumption.
- Submersible construction equivalent to IPX7 (1m depth for 30 minutes).
- Dual/Tri-watch functions.
- 4-step battery life indicator.
- Weather channel with weather alert.
- Auto scan function.
- Instant access to Ch 16 or Ch 9.

Order No.	Mfg. No. / Description	Price
788002	(M36-01)	\$208.98 C
788111	(HM-165) Speaker/Microphone	\$89.98 C

ICOM IC-M25 Handheld VHF Marine Radio



- Slim, lightweight, high performance.
- Large LCD, simple user interface.
- USB Charging (Micro-B USB Type).
- Float'n Flash.
- 11 Hours of battery life.
- 550mW audio output.
- Submersible construction equivalent to IPX7 (1m depth for 30 minutes).
- 4-step battery life indicator
- Weather channel with weather alert.
- Instant access to Ch. 16 or programmable call channel.
- Favorite channel function.
- Monitor function opens noise squelch.
- Auto scan function. Dual/Tri-watch functions.
- LCD auto backlighting.
- AquaQuake draining function.

Order No.	Mfg. No. / Description	Price
780088	(M2501)	\$170.98 C
788021	(HM-213) Speaker/Microphone	\$128.98 C



Standard Horizon Floating Handheld VHF Marine Radio with Internal GPS Receiver



- Meets ITU-R M493-13 Class D DSC (Digital Selective Calling).
- Separate Receiver for CH70 (Receiving DSC Calls).
- Integrated 66 Channel WAAS GPS receiver.
- Oversized full dot matrix display.
- Easy to operate icon/menu system.
- Navigate to a DSC Distress Call with compass page.
- GM (Group Monitor) using DSC Group Position Call.
- DSC Test Call and Auto DSC Channel Change Selection.
- Automatically poll the GPS position of a ship using DSC.
- Enter, Save, and Navigate to a waypoint with Compass Page.
- MOB (man overboard) function.
- Water activated emergency strobe light.
- 6 Watt transmit power.
- NOAA Weather Channel with Weather Alert.
- Preset key used to recall up to 10 favorite channels.
- All USA, International and Canadian Channels.
- Programmable Scan, Priority Scan, and Dual and Tri Watch.
- Submersible IPX8 waterproof rating (1.5M or 4.92 feet for 30 minutes).
- Noise-canceling function for both transmit and receive audio.
- USB Data Port – NMEA Output DSC, DSE, GLL, RMC, GSA, GSV and GGA (9600 baud).
- Supplied with a 1800 mAh Li-Ion Battery, 110V AC and 12V DC 3-hour quick chargers Alkaline Battery Tray.



Order No. Mfg. No. / Description Price
607035 (HX870) **\$259.98 C**

Standard Horizon Floating Handheld VHF Marine Radio with GPS



- Floating.
- Built-in Parallel 12 Channel GPS Receiver.
- Submersible JIS-7 / IPX7 (3.3 feet for 30 minutes).
- 6 Watt Transmit power.
- Large easy to read LCD with Full dot matrix display (132 x 64 dot).
- DSC (SC-101) functions.
- Volume & Squelch indication on display.
- NMEA output on cradle of DSC, DSE, GLL, RMC, GSA, GSV and GGA.
- All USA/International and Canadian Marine Channels.
- NOAA Weather Channels with Alert.
- SOS Strobe light.
- 1150 mAh Rechargeable Lithium-ion battery.
- 120V AC and 12V DC chargers included.
- 3 Year waterproof warranty.



Order No. Mfg. No. / Description Price
607032 (HX850S) **\$269.98 LQ**

Standard Horizon Floating Handheld VHF Marine Radios



- Floating.
- Submersible IPX7 (3.3 feet or 1 meter for 30 minutes).
- Slim, form fitting case design.
- More than 7.5 hours of battery life.
- E20 (Easy To Operate) menu system.
- Huge channel display.
- All USA, International and Canadian Marine Channels.
- Programmable Scan, Priority Scan and Dual Watch.
- NOAA Weather channels and Weather Alert.
- Key lock.
- Squelch level on display.
- Battery life indicator.
- Supplied with battery, 110 VAC chargers and a charging cradle.
- 3 year waterproof warranty.



Order No. Mfg. No. / Description Price
607034 (HX100) Selectable 2.5 and 1 Watt **\$123.98 C**
607036 (HX150) Selectable 5 and 1 Watt **\$103.98 C**

Standard Horizon Floating Handheld VHF Marine Radio



- Floating.
- Submersible IPX8 (4.92 feet or 1.5 meters for 30 minutes).
- Slim, form fitting case design.
- Selectable 5 and 1 Watt transmit power output.
- Glow-In-the-Dark strip.
- Huge channel display.
- All USA, International and Canadian Marine Channels.
- Programmable Scan, Priority Scan and Dual Watch.
- NOAA Weather channels and Weather Alert.
- Key lock.
- Squelch level on display. Low battery indicator.
- Preset key used to recall up to 10 favorite channels.
- Optional speaker microphone or headset capable.
- Optional FBA-40 Alkaline battery tray available.
- Supplied with a 1140 mAh Li-Ion battery, AC and DC chargers and a charging cradle.
- 3 year waterproof warranty.



Order No. Mfg. No. / Description Price
607022 (HX290) **\$131.98 C**

Standard Horizon Floating Handheld VHF Marine Radio



- Floating.
- Submersible IPX8 (4.92 feet or 1.5 meters for 30 minutes).
- 5 Watt transmit power.
- Unique USB charging system.
- E20 (Easy To Operate) menu system.
- Volume and squelch indication on the display.
- Water activated LED light.
- Preset key used to recall up to 10 favorite channels.
- Preset channel scan function.
- 600 mW loud internal speaker audio.
- NOAA Weather channels.
- Programmable Scan, Priority Scan, Dual watch and Tri Watch.
- Supplied with 1560 mAh 3.7V Li-Ion Battery, AC USB Plug and charging cable.



Order No. Mfg. No. / Description Price
607038 (HX300) **\$124.98 C**

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety

Electronics

- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Standard Horizon Handheld VHF Marine Radios with LMR Channels



- Submersible IPX8/1.5m (4.92 feet for 30 minutes).
- Noise cancelling microphone.
- Selectable 5 or 1 Watt transmit power output.
- 40 Programmable Land Mobile Channels 134 MHz to 174 MHz with CTCSS and DCS signaling.
- Programmable channel names.
- NOAA Weather channels and Weather Alert.
- Low battery indicator.
- Built in Voice Scrambler for private communications.
- Programmable Scan, Priority Scan and Dual Watch.
- All USA, International and Canadian Marine Channels.
- Preset key used to recall up to 10 favorite channels.
- Key lock.
- Supplied with 2400 mAh Li-Ion battery, 110 VAC and 12V DC 3-hour quick chargers.

Order No.	Mfg. No. / Description	Price
607031	(HX400)	\$219.98 C
607026	(HX400IS) Intrinsically Safe (I.S.) Version	\$325.98 C

Standard Horizon Submersible Handheld VHF Marine Radio



- Selectable 5/1 watt transmit power output.
- 700 mW loud speaker audio.
- IPX7 Submersible to 1 meter for 30 minutes.
- Huge channel display.
- Programmable Scan and Dual Watch.
- NOAA Weather Alert.
- Low battery indicator.
- Preset key used to recall up to 10 favorite channels.
- 40 Dealer Programmable LMR (Land Mobile Radio) channels with CTCSS or DCS signalling (Appropriate license is required).
- Supplied with 1650 mAh Li-Ion Battery.

Order No.	Mfg. No. / Description	Price
607023	(HX380)	\$121.98 C

Standard Horizon Submersible Noise-Canceling Speaker Microphone



- For use with HX370SAS and HX400IS Handheld VHF Marine Radios.

Order No.	Mfg. No. / Description	Price
607085	(CMP460)	\$74.98 E

Standard Horizon Submersible Speaker Microphone



- For use with HX290, HX370S, HX370SAS, HX400, HX400IS and HX851 Handheld VHF Marine Radios.

Order No.	Mfg. No. / Description	Price
607027	(MH-66D4B)	\$84.98 E

Standard Horizon Rubber Duck Antenna



- For use with HX280S, HX290, HX300, HX370S, HX400, HX500S, HX750S, HX760S, HX850S and HX851 Handheld VHF Marine Radios.

Order No.	Mfg. No. / Description	Price
607019	(CAT460)	\$20.98 E

Standard Horizon Submersible Speaker Microphone



- For use with HX290, HX370S, HX400 and HX851 Handheld VHF Marine Radios.

Order No.	Mfg. No. / Description	Price
607070	(MH-73)	\$63.98 E

Standard Horizon Battery



- For use with HX370SAS Handheld VHF Marine Radio.
- For Intrinsically Safe Version.

Order No.	Mfg. No. / Description	Price
607092	(FNB-V57AIS)	\$100.98 E

Uniden Atlantis 250 Handheld VHF Marine Radios

Uniden



- All USA, International and Canadian Marine Channels.
- JIS4/CFR46 waterproof level.
- 1W/5W switchable.
- NiMH and Alkaline battery capability.
- Instant Channel 16/9/Triple watch.
- Backlit LCD display.
- Backlit keypad.
- All NOAA Weather Channels.
- Weather alert.
- Memory channel scan.
- Flexible rubber antenna.
- 3 year warranty.

Order No.	Mfg. No. / Description	Price
776733	(ATLANTS250G) White/Gray	\$109.98 LQ
776735	(ATLANTS250BK) Black/Charcoal	\$109.98 LQ
577200	(BZAG0147001) Speaker/Microphone	\$30.98 E
557064	(BBTY00498001) Battery Pack for 776733	\$46.98 E

Cobra Handheld VHF Marine Radio



- 1 or 3 watts of power output.
- USA, Canada and International Channels.
- 10 NOAA Weather Channels. Weather alert.
- Instant Channel 16/9. Scan.
- Signal strength meter. Button/key lock.
- Battery charge jack. Speaker/microphone jack.
- Illuminated LCD display and keys.
- Waterproof (to JIS4 standards).
- 1 year warranty.
- Includes: Rechargeable batteries, spring loaded belt clip, wrist clip and 12 volt accessory charger.



Order No.	Mfg. No. / Description	Price
788200	(MRHH125)	\$55.98 MAP

Cobra CWR Emergency and Weather Alert Radio



- NOAA Weather and Emergency Radio.
- S.A.M.E Specific Area Message Encoding.
- 3 Level Alert LED Indicator.
- TORNADO MODE Button.
- Silent monitoring mode.
- 1 to 25 - User Programmable Locations (FIPS) Modes.
- Reviewable alert memory.
- USB Smartphone charging.
- LED Flashlight. Alarm clock with snooze. Rubberized grips.
- Desktop charger and rechargeable batteries.
- AA Alkaline battery capable.
- Includes: 3AA NiMH rechargeable batteries, A/C wall adapter with Micro-USB output, desktop charger, wrist strap (lanyard) and belt clip.



Order No.	Mfg. No. / Description	Price
788295	(CWR200)	\$44.98 LQ

Uniden Atlantis 270 Floating Handheld VHF Marine Radio

Uniden

- Floating design.
- IPX7 submersible waterproof level.
- 10-hour battery life.
- Selectable 1/2.5/6 watt transmit power.
- Display size: 18mm x 37mm.
- Large easy-to read backlit LCD.
- Memory scan.
- All NOAA Weather Channels.
- All USA, International and Canadian Marine Channels.
- One Touch Channel 16/9 Key.
- Power boost key.
- Includes: AC & DC adapters, belt clip and charging cradle.
- Glow seals.



Order No.	Mfg. No. / Description	Price
776736	(ATLANTIS270) Black	\$109.98 E

Uniden Speaker/Mic for Handheld VHF Marine Radios

Uniden



- Gray Speaker/Mic.
- For use with HH978XL, HH980 and HH955 Handheld VHF Marine Radios.

Order No.	Mfg. No. / Description	Price
556968	(SPMG)	\$66.98 LQ

Cobra Floating All-Terrain Handheld VHF/GMRS Marine Radios



- All-Terrain Radio.
- Rewind-Say-Again.
- Floating design and orange core makes retrieving radio easy.
- Noise-canceling microphone.
- 6 watt VHF and High Power GMRS.
- USA, Canada and International Channels.
- All NOAA Weather Channels.
- Weather alert with S.A.M.E.
- BURP - Vibrates water out of the speaker grill.
- Patented VibrAlert.
- VOX.
- Advanced GMRS Scan.
- Rated submersible - Meets JIS7 (IPX7) standards.
- External speaker/microphone jack.
- Instant Channel 16.
- Unlimited memory channels.
- Tri-Watch. Scan. Advanced Memory Scan.
- Signal strength meter.
- Button/key lock.
- Battery with charge contacts.
- Illuminated function keys.
- Selectable key tone beep.
- Large, illuminated LCD display.
- 3 year warranty (on radio).
- Includes: Rechargeable battery, locking desktop charger, AC adapter, 12 volt accessory plug, replacement dual band antenna (VHF/GMRS) and spring-loaded belt clip.



Order No.	Mfg. No. / Description	Price
788218	(MRHH450 DUAL) Grey	\$139.95 MAP
788219	(MRHH450 CAM) RealTree Max 4 Camo	\$149.95 MAP

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Cobra Floating Handheld VHF Marine Radios



- Floating design and orange core makes retrieving radio easy.
- Noise-canceling microphone.
- 6 watts - Select between 1, 3 and 6 watts.
- USA, Canada and International Channels.
- All NOAA Weather Channels.
- Weather alert.
- BURP - Vibrates water out of the speaker grill.
- Rated submersible - Meets JIS7 (IPX7) standards.
- External speaker/microphone jack.
- Instant Channel 16.
- Tri-Watch. Scan. Memory Scan.
- Signal strength meter.
- Button/key lock.
- Battery with charge contacts.
- Illuminated function keys.
- 3 year warranty.
- Includes: Rechargeable battery, locking desktop charger, AC adapter, 12 volt accessory plug, replacement antenna and spring loaded belt clip.



- Fun & Flotation
- Anchor & Dock
- Safety

Electronics

- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Order No.	Mfg. No. / Description	Price
788216	(MRHH350 FLT) Grey	\$99.95 MAP
788217	(MRHH350W FLT) White	\$99.95 MAP

Cobra Floating Handheld VHF Marine Radio with Bluetooth



- Bluetooth Wireless Technology.
- Rewind-Say-Again - Reply missed VHF calls.
- Floating design and orange core makes retrieving radio easy.
- Noise-canceling microphone.
- 6 watts - Select between 1, 3 and 6 watts.
- USA, Canada and International Channels.
- All NOAA Weather Channels.
- Weather alert.
- BURP - Vibrates water out of the speaker grill.
- Rated submersible - Meets JIS7 (IPX7) standards.
- External speaker/microphone jack.
- Instant Channel 16.
- Tri-Watch. Scan. Memory Scan.
- Signal strength meter.
- Button/key lock.
- Battery with charge contacts.
- 3 year warranty.
- Illuminated function keys.
- Includes: Rechargeable battery, locking desktop charger, AC adapter, 12 volt accessory plug, replacement antenna and spring loaded belt clip.



Order No.	Mfg. No. / Description	Price
788220	(MRHH500FLTBT)	\$159.98 MAP

Cobra VHF and GMRS Lapel Speaker/Mic Accessory



- Features: Compact design, screw-in audio connector, rotating spring loaded clip and earpiece output jack.
- Compatible with all Cobra Marine radios and Cobra GMRS and PMR (using included adapter).

Order No.	Mfg. No. / Description	Price
788264	(CM330-001)	\$49.98 MAP

Cobra Waterproof Cellular Handset with Bluetooth Wireless Technology



- Cobra Exclusive MicroBlue Technology - Pairs with Bluetooth enabled mobile phones.
- Loud and Clear Non-Emergency Communications.
- Submersible to JIS7 Specifications. Noise-canceling microphone.

Order No.	Mfg. No. / Description	Price
788262	(MR F300 BT)	\$123.98 LQ

Newmar Waterproof Handheld VHF Marine Radio Cover



- Made of super-tough, UV resistant PVC.
- Even total immersion will not harm the radio.
- Certified waterproof to a depth of 33 ft.
- Transparent design allows easy reading.
- Sound is virtually unimpeded and RF transmission is unaffected.
- A quick release clip allows easy insertion and removal of the radio and a handy lanyard provides extra security when hands are wet.

Order No.	Mfg. No. / Description	Price
699188	(AQ-20L/R)	\$56.98 E

Jensen AM/FM/iPod/iPhone and Sirius Satellite Radio Ready Stereo



- Two-piece modular design (commander and tuner/amplifier module).
- Waterproof commander (IPX6) and module (IPX5).
- Bluetooth interface capability (A2DP/AVRCP).
- Seven-channel NOAA weatherband.
- AM/FM electronic tuner (US/Euro).
- USB jack for connection of digital media devices (requires JENAUX audio input jack).
- Full iPod/iPhone controls and charging via USB.
- SiriusXM (tuner and subscription required).
- AUX line-level audio input (RCA).
- Four-channel line-level audio output (RCA, front & rear).
- EQ Presets.
- Two-wire power system with non-volatile memory.
- Wired remote control capable (JWR250).
- Low battery warning.
- UV-resistant (ASTM D4329). Corrosion resistant (ASTM B117).



Order No. Mfg. No. / Description
570030 (JMS2214BT)

Price
\$322.98 LQ

Jensen Waterproof Wired Remote



- Compatible with Jensen **570030** (JMS2214BT) Stereos only.
- Waterproof design (IPX6 rated).
- Conformal coated circuit boards.
- Removable chrome trim ring.
- Full function sunlight readable display (positive type LCD).
- UV resistant finishes/materials (meets ASTMD4329).
- Corrosion resistant materials (meets ASTMB117).
- Ignition protection certified.
- Surface or in-panel mounting options.
- Dimensions: 4.125" W x 2.625" H x 1" D.



Order No. Mfg. No. / Description
570035 (JWR250)

Price
\$88.98 LQ

Jensen Extension Cable



- The perfect option for the **570035** (JWR250) wired remote.
- If you are in the market for a new cable for your JMS stereo or JWR remote, then look no further!

Order No. Mfg. No. / Description
570040 (JWREXT)

Price
\$17.98 LQ

Jensen Remote Control Adapter



- A remote Y adapter that allows two remotes to be connected to a single radio.
- This remote Y adapter works with the **570035** (JWR250) wired remote.

Order No. Mfg. No. / Description
570045 (JWRYCBL)

Price
\$17.98 E

Jensen AM/FM/USB Waterproof Stereo with Bluetooth



570015

- Maximum power output: 160 watt (40W x 4).
- Bluetooth interface capabilities with A2DP/AVRCP technology.
- IPX5 waterproof rated.
- AM/FM electronic tuner (US/Euro Selectable).
- USB input allows for playback of MP3/WMA files from compatible flash drives.
- Low Battery Warning. Zero current memory draw.
- Rear auxiliary input (RCA). Pre-amp line out audio (RCA).
- EQ presets.
- Conformal coated circuit boards.
- Solid top chassis. Standard DIN chassis.
- UV resistant materials - ASTMD4329 compliant.
- Corrosion resistant finish - ASTMB117.

Order No. Mfg. No. / Description
570050 (MS2013BTR)

Price
\$198.98 LQ

AM/FM/USB BLUETOOTH STEREO AND FOUR 6.5" SPEAKERS

- Includes: **570050** (MS2013BT) AM/FM/USB Waterproof Stereo with Bluetooth, Auxiliary Input and (4) 6-1/2" Dual Cone Speakers (AMS602W).

Order No. Mfg. No. / Description
570015 (CPM200)

Price
\$268.98 E

Jensen AM/FM/USB Bluetooth Stereo with App Control



- Maximum power output: 160 watt (40W x 4).
- Bluetooth interface capabilities with A2DP/AVRCP technology.
- IPX5 waterproof rated.
- AM/FM electronic tuner (US/Euro Selectable).
- Low Battery Warning.
- Rear auxiliary input (RCA). Pre-amp line out audio (RCA).
- EQ presets.
- Conformal coated circuit boards.
- Solid top chassis. Standard DIN chassis.
- UV resistant materials - ASTMD4329 compliant.
- Corrosion resistant finish - ASTMB117.
- iPod/iPhone ready (via USB).
- Wired remote control capable (MWR75/MWR100/MWR150).
- App ready (jControl).

Order No. Mfg. No. / Description
570057 (MS2ARTL)

Price
\$198.98 E

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Jensen AM/FM/USB Bluetooth Compact Stereo with App Control



- Maximum power output: 160 watts.
- App Ready (iControl).
- Bluetooth streaming audio (A2DP/AVRCP).
- Waterproof (IPX6).
- AM/FM tuner.
- USB input for MP3 enabled devices.
- Rear AUX input (RCA). Rear line-out audio (RCA).
- Compact 3.5" diameter. Fits a 3" gauge hole.
- Daylight readable segmented LED display.
- Audio settings (Bass/Treble/Balance/Fade).
- Blue backlit controls (LED illumination).
- Zero current memory draw.
- Conformal coated circuit boards.
- UV resistant finishes/materials. Corrosion resistant materials.

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Order No.	Mfg. No. / Description	Price
570058	(MS3ARTL)	\$178.98 E

Jensen 2-Channel Bluetooth Amplifier



- Maximum power output: 80 watts (40 watt RMS).
- Bluetooth streaming audio (A2DP).
- Waterproof (IPX6).
- Illuminated program button.
- 4 Ohm ~ 8 Ohm stable.
- Operating voltage: 10 - 18VDC. Frequency response: 20 Hz - 20 KHz.
- 10 amp fuse in waterproof holder.
- Corrosion resistant (ASTM B117). UV resistant (ASTM D4329).

Order No.	Mfg. No. / Description	Price
570020	(JAHD240BTR)	\$126.98 E

BLUETOOTH AMPLIFIER AND A PAIR OF 5" WATERPROOF SPEAKERS

- Includes: 570020 (JAHD240BT) 2 Channel Bluetooth Amplifier and a pair of 5" Waterproof Speakers (MS5006W).

Order No.	Mfg. No. / Description	Price
570005	(CPM50)	\$142.98 E

Jensen AM/FM/USB Bluetooth Compact Stereo and a Pair of 6.5" Speakers



- Maximum power output: 160 watts.
- Bluetooth (A2DP/AVRCP).
- Waterproof (IPX6).
- AM/FM tuner.
- Blue backlit controls (LED illumination).
- Rear USB input for MP3 enabled devices.
- Rear AUX input (RCA). Rear line-out audio (RCA).
- Compact 3.5" diameter. Fits a 3" gauge hole.
- Daylight readable segmented LED display.
- Audio settings (Bass/Treble/Balance/Fade).
- Zero current memory draw.
- UV resistant finishes/materials. Corrosion resistant materials.
- Includes: AM/FM/USB Compact Stereo with Bluetooth and a pair of Coaxial Two-Way Speakers (AMS602W).

Order No.	Mfg. No. / Description	Price
570010	(CPM150)	\$207.98 E

Jensen SiriusXM Satellite Tuner



- For use with SiriusXM Ready Stereos.
- Connect, control and enjoy SiriusXM through in-dash audio systems.
- Compact size hides discreetly behind the dash for a fully integrated look.
- Single interface cable connection to SiriusXM ready stereo simplifies installation.
- Subscription required.

Order No.	Mfg. No. / Description	Price
570100	(SXX300V1M)	\$81.98 E

Infinity AM/FM Bluetooth Multimedia Receiver



- Bluetooth Audio Streaming.
- USB input.
- Auxiliary input.
- Waterproof faceplate.
- 50 watts x 4 amplifier.
- US and European tuning.
- Charging through USB port.
- 1 pair of RCA output.
- Solid aluminum chassis.
- Portable-media ready.
- ASTM 117 Salt fog.
- Comes with flush-face mounting kit.
- RF remote/wired remote ready (remotes sold separately).
- Dimensions: 6" W x 4" H x 2-1/2" D.

Order No.	Mfg. No. / Description	Price
558980	(INFPV250)	\$239.98 F

Boss In-Dash Bluetooth MP3 Player with Detachable Front Panel



- Bluetooth App Control.
- Bluetooth Hands-Free.
- 240 watts (60w x 4).
- SD Port (Behind face panel).
- Pre-amp outputs (front & rear).
- Wireless remote control.
- Tuner Preset: 18 FM/12 AM.
- ID3-Tag Information.
- Chassis Type: Single-DIN.
- One Bit D/A Converter.
- Switchable Tuner Frequencies: USA, EUROPE.
- Bluetooth Audio Streaming.
- Profiles: A2DP, AVRCP, HFP, SPP.
- USB Port (front).
- Aux-in (front).
- Last position memory.
- RDS Tuner.
- Selectable Preset EQ.
- Clock Display.
- Detachable Front Panel.
- E.S.P. (Electronic Skip Protection).

Order No. Mfg. No. / Description Price
589385 (MR762BRGB) White **\$159.98** F

PACKAGE SYSTEM

- Package includes: **589385** (MR762BRGB) Detachable CD/USB/SD/MP3/WMA, FM/AM, Smart Phones plus Bluetooth, One Pair (MRGB65) 6.5" 2-Way Marine Speakers and MRANT10 Dipole Hideaway Marine Antenna.

Order No. Mfg. No. / Description Price
589390 (MR762BRGB.6) White **\$272.98** F

Boss In-Dash Bluetooth MECH-LESS Player with Detachable Front Panel



- Bluetooth Audio Streaming.
- Profiles: A2DP, AVRCP, HFP.
- USB Port (front).
- Aux-in (front).
- Last position memory.
- Switchable Tuner Frequencies: USA.
- Selectable Preset EQ.
- Clock Display.
- Detachable Front Panel.
- Bluetooth Hands-free.
- 200 watts (50w x 4).
- SD Port (Behind face panel).
- Pre-amp outputs (front).
- Wireless remote control.
- Tuner Preset: 18 FM/12 AM.
- ID3-Tag Information.
- Chassis Type: Single-DIN.

PACKAGE SYSTEM

- Package includes: (MR1308UAB) Detachable USB/SD/MP3/WMA/FM/AM, Smart Phones plug Bluetooth, One Pair (MR6W) 6.5" Marine Speakers and MRANT10 Dipole Hideaway Marine Antenna.

Order No. Mfg. No. / Description Price
559301 (MCK1308WB.6) **\$129.98** E

Boss In-Dash Bluetooth MP3 Player with Detachable Front Panel



- Bluetooth APP Control.
- Bluetooth Hands-free.
- 240 watts (60w x 4).
- SD Port (behind face panel).
- Pre-amp outputs (front and rear).
- Wireless remote control.
- Tuner Preset 18FM/12AM.
- ID3-Tag Information.
- Chassis Type: Single-DIN.
- One Bit D/A Converter.
- Switchable Tuner Frequencies: USA, EUROPE.
- Bluetooth Audio Streaming.
- Profiles: A2DP, AVRCP, HFP.
- USB Port (front).
- Aux-in (front).
- Last position memory.
- RDS Tuner.
- Selectable Preset EQ.
- Clock Display.
- Detachable Front Panel.
- E.S.P. (Electronic Skip Protection).

PACKAGE SYSTEM

- Package includes: (MR752UAB) Detachable CD/USB/SD/MP3/FM/AM, Smart Phones plug Bluetooth, One Pair (MR6W) 6.5" Marine Speakers and MRANT10 Dipole Hideaway Marine Antenna.

Order No. Mfg. No. / Description Price
559320 (MCK752WB.6) White **\$169.98** E

Boss n-Dash Gage MECH-LESS Player



- Bluetooth Audio Streaming.
- 240 watts (60w x 4).
- Aux-in (rear cable).
- Subwoofer control.
- Tuner Preset 12FM/6AM.
- Chassis Type: Gage.
- Mounting hole: 3".
- Profiles: A2DP, AVRCP.
- USB Port (rear cable).
- Pre-amp outputs (front, rear, sub).
- RDS Tuner.
- Selectable Preset EQ.
- Switchable Tuner Frequencies: USA, EUROPE, ASIA, AUST.

Order No. Mfg. No. / Description Price
559373 (MGR350B) **\$142.98** F

PACKAGE SYSTEM

- Package includes: **559373** (MGR350B) In-Dash Gage USB/MP3/WMA/FM/AM, Smart Phones plus Bluetooth, One Pair (MR6W) 6.5" Marine Speakers and MRANT10 Dipole Hideaway Marine Antenna.

Order No. Mfg. No. / Description Price
559397 (MCKGB350W.6) **\$177.98** F

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Polk AM/FM/WB/USB/SiriusXM Ready/iPod & iPhone Ready with Bluetooth



- 200 watts max. (50W x 4).
- Two-piece modular design.
- Waterproof commander (IPX6) and module (IPX5).
- Bluetooth (A2DP/AVRCP).
- SiriusXM Ready (requires SXV200B tuner).
- Full iPod/iPhone controls and charging (via USB).
- USB jack for connection of digital media device.
- AM/FM electronic tuner (US/Euro selectable).
- White backlit illumination. EQ presets. Low battery warning.
- NOAA seven-channel weatherband.
- Auxiliary line level audio input (RCA).
- Four-channel line level audio output (RCA, front + rear).
- Wired remote capable (optional PRC100BC, PRC200BC).
- Two-wire power system with non-volatile memory.
- Detachable chrome trim ring.
- Silicone rubber face cover.
- Conformal coated circuit boards.
- Corrosion resistant materials/finishes. UV resistant.

Order No. Mfg. No. / Description Price
570200 (PA4A) **\$412.98** E

Milennia AM/FM/USB Bluetooth Multimedia Receiver



- Bluetooth Audio streaming.
- 45w x 4.
- AM/FM.
- 2 Aux-inputs.
- USB input.
- All weather face plate.
- UV stable.
- Dimensions: 6" W x 4" H x 3" D.

Order No. Mfg. No. / Description Price
559257 (MILPRV21) **\$169.98** F

Polk Wired Remote Control



- A compact, round design with Blue backlight illumination.
- 2" diameter mounting hole.
- Spin-on mounting clamp.
- Waterproof (IPX6). Corrosion resistant materials/finishes. UV resistant.

Order No. Mfg. No. / Description Price
570215 (PRC100BC) **\$90.98** E

Polk Remote Control Extension Cable



- 18' extension cable for your Polk remote control.

Order No. Mfg. No. / Description Price
570225 (PRCEC18) **\$18.98** E

Polk Remote Y Cable



- This unique "Y" cable allows for the connection of multiple Polk remote controls when just one won't do.

Order No. Mfg. No. / Description Price
570230 (PRCYC1) **\$18.98** E

Milennia AM/FM/USB Bluetooth Multimedia System



- Includes: **559257** (MILPRV21) AM/FM/USB Bluetooth Multimedia Receiver and (2) **559264** (MILSPK652BB) 6-1/2" 150 watts, Round Speakers.

Order No. Mfg. No. / Description Price
559268 (MILMPK21) **\$234.98** F

JBL Portable Media Receiver with Bluetooth



- Bluetooth Audio Streaming. AM/FM.
- 45W x 4 Internal Amplifier. USB Input. Auxiliary input.
- 2 pair of pre-outs. RF remote ready.
- Waterproof faceplate. U.S. and European tuning.

Order No. Mfg. No. / Description Price
558978 (JBL-PRV175) **\$188.98** E

PACKAGE SYSTEM

- Package includes: **558978** (JBL-PRV175) Portable Media Receiver with Bluetooth and One Pair (MS-6200) 6.5" Marine Speakers.

Order No. Mfg. No. / Description Price
558981 (JBL-MPK175) **\$300.98** E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

JBL Black Box Technology

- The black box system reduces the potential problem of water intrusion in a marine stereo by including a waterproof faceplate as well as a separate box that functions as the "brain" of the unit that can be placed anywhere.
- This box allows the user to put it in an area that is protected from water.
- The black box chassis is a corrosion proof, molded poly chassis.
- Rather than including a CD player as standard equipment with these units, they feature media options so that users can bring along an MP3 player or a variety of other types of portable media such as USB, cell phones and iPods.

JBL Bluetooth Black Box System

- Bluetooth Audio Streaming.
- 4 x 50 watts.
- AM/FM tuner. Aux-in. E-prom.
- 3 pair RCA outputs including subwoofer.
- U.S. and European tuning.
- USB input and control.
- Built in RF remote receiver (transmitter, MILRF9, is purchased separately).
- Implements RS485 communication protocol x 2 ports.
- Includes: 559235 (JBLMC20BL) gloss black remote control.
- Dimension of box (excluding mounting feet): 6-1/2" W x 1-1/4" H x 6-1/2" L.

Order No. Mfg. No. / Description Price
559243 (JBLMBB2120) **\$309.98** F



JBL Digital Display Controller



LIMITED QUANTITIES

- Meets or exceeds IPX-65.
- Controller for use with iPod.
- Unique two-line display.
- Can be used with Black Box Systems or selected JBL CD receivers.
- Backlit silicone rubber membranes.
- Displays Sirius text: Artist, Song, Channel Name and Category info.
- Can adjust bass, treble, fader and balance by using the select button.
- Overall size: 6-3/4" W x 4" H.

Order No. Mfg. No. / Description Price
559233 (JBLMC19BK) Black **\$89.98** LQ

JBL Remote Control



LIMITED QUANTITIES

- Weatherproof remote.
- 2-line display matches radio.
- Can adjust bass, treble, fader and balance by using the select button.
- Sealed tack switches.
- Backlit silicone rubber membranes.
- Dimensions: 4" W x 2-1/4" H x 3/4" D.

Order No. Mfg. No. / Description Price
558417 (JBLKSREM50) Black **\$88.98** LQ

JBL Mini Plug with USB



- Auxiliary input with USB to play through the stereo system.
- Can be used to plug in: MP3 Player, Laptop computer, VHF Radios and Satellite Radio.
- Has 36" cord.
- Installation depth: 1-9/16", cutout diameter: 1-5/16".

Order No. Mfg. No. / Description Price
558913 (PSAP-2) **\$23.98** Q

JBL Mini Plug



- Plugs into the back of most JBL, Millennia and SeaWorthy radios.
- Can be used to plug in: iPod/MP3 Player, Laptop computer, VHF Radio and Satellite Radio.
- Has 72" cord.

Order No. Mfg. No. / Description Price
547974 (SEAMINI-2) **\$19.98** I

JBL Remote Extensions for Use with REM35



LIMITED QUANTITIES

Order No. Mfg. No. / Description Price
858862 (JBLREX15-13) Length 15', 13 pin **\$25.98** LQ
858863 (JBLREX25-13) Length 25', 13 pin **\$35.98** LQ

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Milennia Multimedia Stereo Receiver



- AM/FM Multi Media Receiver 4 x 40 Watts Aux In Portable.
- Media Ready USB Input.
- IP 66 Waterproof Face.
- 3" Hole Cutout.

Order No. **559253** Mfg. No. / Description (MIVPRV16BLIS) Price **\$109.98** LQ

Milennia Multimedia Stereo Receiver



- 4 x 40 watts.
- Solid aluminum chassis.
- Aux-in.
- Portable media ready. USB.
- ASTM 117 Salt fog. IP 66 Waterproof Face.
- Fits in a 3-1/8" standard tachometer opening.
- Installation depth: 2-3/8" not including wires. Installation cut out: 3-1/8". Outside dimensions: 4-1/8".

Order No. **559250** Mfg. No. / Description (MILPRV17) Price **\$109.98** F

Milennia Multimedia Stereo Receiver Kit with 6" Speakers



- Contains: **559250** (MILPRV16) Multimedia Stereo Receiver and (2) **7-0369B** - 6-1/2" 2-way, 150 watts, Round Speakers.

Order No. **559251** Mfg. No. / Description (MILPRV15KIT) Price **\$159.98** F

JBL AM/FM/CD Receiver



- Power output: 180 watts (4 x 45).
- Fixed face.
- ESP (Electronic Shock Protection).
- Positive display.
- Single line output terminal.
- Wired/wireless remote ready.
- Random/repeat play.
- Intro scan.
- European tuning.
- Installation size: 7-1/8" W x 2-1/8" H x 6-3/4" D.
- Overall size: 7-5/16" W x 2-1/4" H x 7-3/4" D.

Order No. **559029** Mfg. No. / Description (JBLMR145.3) Silver Price **\$148.98** E

Jensen AM/FM/USB Compact Waterproof Stereo



- A self-contained AM/FM/USB compact 3.5" round waterproof stereo.
- This stereo features 160 watts, a USB input along with an auxiliary input and a line out (RCA).
- The MS30 has a large, daylight readable LCD display with blue backlit controls to offer boaters a user-friendly interface.
- This economical stereo fits a 3" gauge hole and has UV resistant finishes and corrosion resistant materials to guarantee it withstands life in a rough aquatic environment.
- Full four channel output.
- Audio tone, balance and fader controls.
- Zero current memory draw.
- Conformal-coated circuit boards.

Order No. **2000013** Mfg. No. / Description (MS30RTL) Price **\$139.98** Q

Jensen AM/FM/USB Stereo and 6.5" Speakers with AUX Input



- Includes: **2000013** (MS30) AM/FM/USB Compact Waterproof Stereo, a pair of Coaxial Two-Way Speakers (AMS602W) and Auxiliary Audio Input.

Order No. **570007** Mfg. No. / Description (CPM100) Price **\$171.98** E

JBL AM/FM/CD Receiver



- Power output: 180 watts (4 x 45).
- Waterproof faceplate.
- Auxiliary input.
- 1 pair of pre-outs.
- RF remote ready.
- Flip down faceplate (fully gasketed when closed).
- Installation size: 7" W x 2" H x 6-1/2" D.
- Faceplate size: 8-1/8" W x 2-3/4" H x 1-1/8" D.

Order No. **559046** Mfg. No. / Description (JBLMR18.5) Silver Price **\$251.98** LQ

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Boss In-Dash CD/USB/MP3 Player Receiver with Flip-Down Front Panel

- 320 watts (80w x 4).
- USB Port (rear cable).
- Aux-in (rear cable).
- Pre-amp outputs (front).
- Wireless remote control.
- Last position memory.
- Chassis type: 1.5 DIN.
- Tuner Preset: 18 FM/12 AM.
- ID3-Tag Information.
- One Bit D/A Converter.
- Flip-down front panel.
- Switchable Tuner Frequencies: USA.
- RDS Tuner.
- Selectable Preset EQ.
- Clock Display.
- E.S.P. (Electronic Skip Protection).

Order No. Mfg. No. / Description Price
559351 (MR2180UA) White **\$217.98 F**

Boss In-Dash USB/SD/MP3 Player Receiver with Detachable Front Panel

- 200 watts (50w x 4).
- SD Port (Behind face panel).
- Pre-amp outputs (front).
- Wireless remote control.
- Tuner Preset: 18 FM/12 AM.
- ID3-Tag Information.
- Chassis Type: Single-DIN.
- USB Port (front).
- Aux-in (front).
- Last position memory.
- Switchable Tuner Frequencies: USA.
- Selectable Preset EQ.
- Clock Display.
- Detachable Front Panel.

Order No. Mfg. No. / Description Price
559329 (MR1306UA) White **\$89.98 E**

PACKAGE SYSTEM

- Package includes: **559329** (MR1306UA) Detachable USB/SD/MP3/WMA/FM/AM, Smart Phones, One Pair (MR6W) 6.5" Marine Speakers and MRANT10 Dipole Hideaway Marine Antenna.

Order No. Mfg. No. / Description Price
559300 (MCK1306W.6) **\$118.98 E**

Boss In-Dash CD/USB/SD/MP3 Player Receiver with Detachable Front Panel

- 240 watts (60w x 4).
- SD Port (Behind face panel).
- Pre-amp outputs (front).
- Wireless remote control.
- Tuner Preset: 18 FM/12 AM.
- ID3-Tag Information.
- Chassis Type: Single-DIN.
- One Bit D/A Converter.
- USB Port (front).
- Aux-in (front).
- Last position memory.
- Switchable Tuner Frequencies: USA.
- Selectable Preset EQ.
- Clock Display.
- Detachable Front Panel.
- E.S.P. (Electronic Skip Protection).

Order No. Mfg. No. / Description Price
559450 (MR648W) White **\$142.98 F**

Boss In-Dash CD/USB/SD/MP3 Player Receiver with Detachable Front Panel

- 240 watts (60w x 4).
- SD Port (Behind face panel).
- Pre-amp outputs (front, rear, sub).
- Wireless remote control.
- Selectable Preset EQ.
- Clock Display.
- Flip-Down Front Panel.
- One Bit D/A Converter.
- USB Port (front).
- Aux-in (front).
- Last position memory.
- Tuner Preset: 18 FM/12 AM.
- ID3-Tag Information.
- Chassis Type: Single-DIN.
- Detachable Front Panel.
- E.S.P. (Electronic Skip Protection).

PACKAGE SYSTEM

- Package includes: (MR1440U) Detachable CD/USB/SD/MP3/FM/AM, Smart Phones, One Pair (MR6W) 6.5" Marine Speakers and MRANT10 Dipole Hideaway Marine Antenna.

Order No. Mfg. No. / Description Price
559325 (MCK1440W.6) **\$159.98 E**

Boss RF Floating Waterproof Wireless Remote

- IPX6 Rated.
- Compatible with MR2180UA, MR1650UA and MR1630UA.
- UV and element resistant plastic and lens.
- Rust resistant mounting hardware.
- Includes: Two mounting brackets.

Order No. Mfg. No. / Description Price
559372 (MRF90) **\$87.98 LQ**

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Millenia iPod, AMP and Speaker Kit



- Takes input from most iPod or MP3 players.
- Great for limited space applications.
- Kit includes: Milenia AMP (MIL-MA100), Seaworthy (SEA-5582B) 5" Black 75 watts speakers and 547974 (SEAMINI-2) mini plug.
- Milenia AMP (MIL-MA100) - Fully marinated circuit boards to keep salt and corrosion away from the critical circuit path, onboard high low filter, great for adding another pair of speakers, 45 watts, 20W RMS.

Order No. Mfg. No. / Description Price
547983 (MILMA100PKG) **\$124.98** LQ

Boss Bluetooth Amplifier, Speaker and Phone Pouch Package



- Weatherproof MC900B has 500 watt max./150 watt RMS power. 4 channel amp with multi-function remote.
- Bluetooth audio streaming lets you play your favorite music or apps wirelessly.
- Since the amplifier has built-in Bluetooth audio streaming and aux RCA inputs, no head unit is needed to play your music.
- Includes flush mount bezel for remote, mounting bracket, 10' USB cable and protective phone pouch.
- Two pairs of MR6W 6.5" full range speakers with poly carbon cone and butyl rubber surround.

Order No. Mfg. No. / Description Price
559395 (ASK904B.64) **\$272.98** F

- Fun & Flotation
- Anchor & Dock
- Safety

Electronics

Audiopipe Jet Ski Radio Kit



- Kit contains: (2) 4" coaxial 2-way marine speakers and 2 channel amplifier.
- 200 watts power (P.M.P.O.).
- 100 watts power (R.M.S.).
- Frequency response: 45-20KHz.
- Sensitivity: 90 dB.
- Rubber surround piano black IMPP cone.
- Titanium dome diaphragm high performance tweeter.
- Mounting depth: 2-1/4" (56mm).
- Impedance: 4 Ohms.
- 15 oz. magnet.

Order No. Mfg. No. / Description Price
559700 (APSW-250JS) **\$290.98** LQ

- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Audiopipe 5-Channel Marine Amplifier



- 1,600 watts.
- Multi-channel amplifier.
- Compact sized dimensions.
- 2ohm/1 ohm (sub ch).
- Variable low pass filter.
- Variable high pass filter.
- 12dB Variable bass boost.
- 4 ways protection circuit.
- Frequency response: 20Hz - 20kHz.
- Input sensitivity: 6V - 0.2V.
- RMS power @ 4 ohm: 60W x 4 ch + 200W x 1 ch.
- RMS power @ 2 ohm: 90W x 4 ch + 310W x 1 ch.
- Dimensions: 16.93" L x 6.496" W x 2.244" H.
- Wired remote control.
- Double sided printed circuit board.
- Signal to noise ratio: 105dB.

Order No. Mfg. No. / Description Price
559359 (APMK-5600) **\$305.98** LQ

Polk 5-Channel Class D Power Amplifier



- MOSFET switching power.
- 100W x 4, 400W x 1 RMS @ 2 ohms; 70W x 4, 200W x 1 RMS @ 4 ohms; 200W x 2 RMS bridged @ 4 ohms; 500W x 1 RMS @ 1 ohm (sub).
- Frequency response: 20Hz - 20kHz.
- Signal-to-noise ratio: 105 dBA.
- Distortion at rated power: <0.1%.
- Max. sensitivity: 200mV - 6V dB.
- 12 volt and ground cable gauge: 4AWG.
- Protection: Thermal, DC offset, reverse DC voltage and short circuit protection.
- Nickel-plated wire terminals and RCA connectors. Stainless steel hardware.
- Dimensions: 1-13/16" H x 13-5/16" W x 6-3/4" D.

Order No. Mfg. No. / Description Price
570210 (PAD50005) **\$538.98** E

Polk 4-Channel Class D Power Amplifier



- 125W x 4 @ 4 ohms; 200W x 4 @ 2 ohms; 400W x 2 @ 4 ohms (bridged).
- Frequency response: 20Hz - 20kHz.
- MOSFET switching power.
- Signal-to-noise ratio: 105 dBA.
- Distortion at rated power: <0.1%.
- Max. sensitivity: 200mV - 6V dB.
- 12 volt and ground cable gauge: 4AWG.
- Protection: Thermal, DC offset, reverse DC voltage and short circuit protection.
- Nickel-plated wire terminals and RCA connectors. Stainless steel hardware.
- Dimensions: 1-13/16" H x 10-15/16" W x 6-3/4" D.

Order No. Mfg. No. / Description Price
570205 (PAD40004) **\$412.98** E

Jensen 200 Watt 2-Channel Power Amplifier



- MOSFET power supply.
- 2 x 100W @ 2 ohms;
2 x 75W @ 4 ohms;
1 x 200W @ 4 ohms (bridged).
- Frequency response: 5Hz - 60kHz.
- Signal-to-noise ratio: >100dB.
- Sensitivity: 4000mV - 5V.
- Full range operation.
- Pass-thru RCAs.
- 25x1 ATO fusing.
- LED status indicator.
- Thermal overload protection.
- Dimensions: 9" W x 2-1/2" H x 9-1/2" L.

Order No. Mfg. No. / Description Price
570095 (POWER402) **\$99.98** E

Jensen 760 Watt 4-Channel Power Amplifier



- MOSFET power supply.
- Max. power output: 760 watts.
- Full range option.
- Designed to meet CEA-2006 test standards.
- High current bi-polar output transistors.
- Compact design allows great flexibility in mounting.
- Built-in low-pass and high-pass crossover filters for bi-amplifying.
- Channel mode selector switch- 4, 3 and 2 channel.
- Green operation and red protection LEDs.
- Protection circuit that safeguards against short circuits, DC-offset and thermal overload.
- Variable bass EQ 0 - 12 dB at 45 Hz.
- Dimensions: 9" W x 2-1/2" H x 12-1/2" L.

Order No. Mfg. No. / Description Price
570090 (POWER760) **\$117.98** E

Boss Chaos Epic Full Range Class A/B Amplifier



- RCA Inputs.
- High level inputs.
- Thermal/overload/short protection.
- Fully marinated.
- 2-Channel.
- Total power out: 200 watts.
- Dimensions: 9-7/8" W x 2-3/4" H x 6" L.

Order No. Mfg. No. / Description Price
559357 (MR1002) **\$58.98** G

Pioneer 4-Channel Amplifier



- 600 watts maximum power.
- Continuous power bridged (4 ohm): 150W x 2.
- Frequency response: 10Hz ~ 50kHz.
- Continuous power (4 ohm): 60W x 4.
- Continuous power (2 ohm): 75W x 4.
- Signal-to-noise ratio: 95dB.
- Load impedance capability: 2-8 Ohm (Stereo); 4-8 Ohm (Bridged).
- Dimensions: 11-13/16" x 2-3/8" x 13-1/8".

Order No. Mfg. No. / Description Price
559164 (PIOGM6300F) **\$289.98** LQ

Boss Full Range Class A/B Amplifiers



2000113



559344

- MOSFET Power Supply.
- Remote subwoofer control.

2-CHANNEL. TOTAL POWER OUT: 800 WATTS

Order No. Mfg. No. / Description Price
559344 (MR800) **\$148.98** F

4-CHANNEL. TOTAL POWER OUT: 1,000 WATTS

Order No. Mfg. No. / Description Price
559327 (MR1000) **\$212.98** F

4-CHANNEL. TOTAL POWER OUT: 1,200 WATTS

- Built-In PA System, Microphone.

Order No. Mfg. No. / Description Price
2000113 (MR1200PA) **\$318.98** F

JBL Amplifiers



559191



559186

- Fully marinated circuit boards to keep salt and corrosion away from the critical circuit path.
- Onboard 12dB electronic crossovers to provide tuning options for systems of any size.
- Variable bass-boost circuit provides additional bass tuning to optimize performance, regardless of location.
- Low-profile heatsink allows for installation in tight spaces.

Order No. Mfg. No. / Description Price
559186 (JBLMA6002) 160 Watts at 2 ohms, 60W RMS x 2 Channels **\$169.98** LQ
559191 (JBLMA6004) 320 Watts at 2 ohms, 60W RMS x 4 Channels **\$193.98** E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Infinity 6" x 9" Marine Speakers



- 300 watts handling power.
- Sensitivity: 96dB.
- Rubber surrounds.
- UV & water resistant construction.
- Installation size: 5-9/16" x 8-9/16".
- Frequency response: 36-20,000 Hz.
- Polypropylene woofer cone.
- Integrated grille assembly.
- Mounting depth 3-1/16".
- Sold per pair display pack.

Order No. **558974** Mfg. No. / Description (INF6912M) Price **\$249.98 LQ**

Boss 6" x 9" 2-Way Marine Full Range Speakers



- 6" x 9" 2-way speakers.
- Peak power handling: 400 watts.
- Tweeter size: 1".
- Mounting depth: 3.375".
- 40 Hz to 18 kHz Frequency Response and 90dB Sensitivity.
- Polypropylene woofer cone and rubber surround.
- Sold per pair.



Order No. **559371** Mfg. No. / Description (MR695) White Price **\$119.98 LQ**

Milennia 5" Coaxial Marine Speakers



- 100 watts (50 watts RMS).
- 4 ohm.
- 20mm tweeter.
- All molded waterproof.
- UV protected.
- Cut out size: 4-1/4", depth 2".

Order No. **559260** Mfg. No. / Description (MILSPK552B) Black Price **\$52.98 LQ**
 Order No. **559262** Mfg. No. / Description (MILSPK552W) White Price **\$52.98 LQ**

JBL 6" Marine Audio Loudspeakers



- Peak power handling: 180 watts.
- 6" Coaxial.
- Plus One Woofer Cones and Balanced Dome Tweeters.
- Designed to take on the sun, sea spray and scrub downs, these powerful speakers feature waterproof motor structure, a one-piece cast-polymer basket, a sealed magnet and rubber surrounds.
- Sold per pair.

Order No. **559063** Mfg. No. / Description (JBLMS6520) White Price **\$138.98 F**

6" x 9" Marine Coaxial Speakers



- 6" x 9".
- Power handling: 150 watts.
- Poly woofer with aluminum tweeter.
- Composite basket with grill mounted tweeter for extreme durability.
- Sensitivity: 94 dB. Frequency response: 55Hz - 20kHz.

Order No. **559588** Mfg. No. / Description (MAC6903W) White Price **\$129.98 LQ**

Boss 6" x 9" 2-Way Marine Full Range Speakers



- 6" x 9" 2-way speakers.
- Peak power handling: 350 watts.
- Tweeter size: 1".
- 60 Hz to 20 kHz Frequency Response and 92dB Sensitivity.
- Polypropylene woofer cone and treated cloth surround.
- Sold per pair.

Order No. **559326** Mfg. No. / Description (MR690) White Price **\$80.98 F**

Boss 5-1/4" 2-Way Marine Full Range Speakers



- 5-1/4" 2-way speakers.
- Peak power handling: 150 watts.
- Tweeter size: 1".
- 120 Hz to 18 kHz Frequency Response and 90dB Sensitivity.
- Sold per pair.

Order No. **559385** Mfg. No. / Description (MR50W) White Price **\$35.98 R**
 Order No. **559386** Mfg. No. / Description (MR50B) Black Price **\$35.98 R**

JBL 6" Marine Audio Loudspeakers



- Plus One Woofer Cones and Balanced Dome Tweeters.
- Designed to take on the sun, sea spray and scrub downs, these powerful speakers feature waterproof motor structure, a one-piece cast-polymer basket, a sealed magnet and rubber surrounds.
- 6" Dual Cone.
- Peak power handling: 150 watts.
- Sold per pair.

Order No. **559062** Mfg. No. / Description (JBLMS6510) White Price **\$92.98 F**

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac 6-1/2" 2-Way Round Speaker



- White.
- 6-1/2".
- Water and UV resistant.
- Integrated grill for simplified installation.
- 150 watt, 20 mm tweeter.
- Sold each per bulk.

Order No.	Description	Price
7-0369B	2-Way Round Speaker	\$34.95 LQ

Audiopipe 6-1/2" Coaxial 2-Way Marine Speaker



- 6.5" coaxial 2-way marine speaker.
- Power (max): 200 watts.
- Power (RMS): 100 watts.
- Frequency response: 45-20 KHz.
- Sensitivity: 90 dB.
- Rubber surround piano black IMPP cone.
- Titanium dome diaphragm high performance tweeter.
- Mounting depth: 2-3/4".
- 15 oz. Magnet.

Order No.	Mfg. No. / Description	Price
559335	(APSW-6032) White	\$76.98 LQ

Jensen 6-1/2" Coaxial Waterproof Speakers



- Max. power handling: 60 watts.
- Waterproof.
- Frequency response: 79Hz - 20kHz.
- Tweeter type: Titanium/Dome.
- Sensitivity: 91dB.
- Magnet weight: 9.8 oz.
- ASTM B117 Salt spray exposure standard compliant.
- ASTM D4329 UV exposure standard compliant.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
570065	(MS6007BR) Black	\$63.98 E
570070	(MS6007WR) White	\$63.98 E

JBL 6-1/2" Marine Speakers



- Power handling: 30 watts RMS, 105 watts Peak.
- Sensitivity: 90 dB.
- Polypropylene woofer cone.
- Frequency response: 55Hz - 18kHz.
- Integrated grille assembly.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
559077	(JBLMS6100) White	\$99.98 LQ

Milennia 6-1/2" Coaxial Marine Speakers



- 150 watts (75 watts RMS).
- 4 ohm.
- 20mm tweeter.
- All molded waterproof.
- UV protected.
- Cut out size: 5-1/4", depth 2-1/2".

Order No.	Mfg. No. / Description	Price
559264	(MILSPK652B) Black	\$59.98 F
559266	(MILSPK652W) White	\$59.98 LQ

Jensen 6-1/2" Coaxial Speakers



- Max. power handling: 75 watts.
- Frequency response: 65Hz - 20kHz.
- Bridged/suspended tweeter.
- Polypropylene cone.
- Rubber suspension/surround.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
570080	(MSX60CPR) Chrome	\$93.98 E
570082	(MSX60BR) Black	\$93.98 E

Jensen 6-1/2" Coaxial Waterproof Speakers



- Max. power handling: 150 watts.
- Snap style grille.
- Frequency response: 65Hz - 20kHz.
- Rubber suspension and surround.
- Woofer material: Poly-propylene.
- Tweeter type: Dome.
- Includes both white and chrome grills.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
570085	(MSX65R)	\$90.98 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Jensen 6-1/2" Coaxial Speakers



- Max. power handling: 50 watts.
- Frequency response: 50Hz - 20kHz.
- Polypropylene woofer cone.
- Nominal impedance: 4 ohm.
- Grille diameter: 6.5". Mounting hole: 5". Mounting depth: 2.4".
- Tweeter type: Dome. Tweeter material: Mylar. Protected magnet/rear cone design.
- Corrosion resistant materials/finishes (ASTM B117).
- UV resistant materials/finishes (ASTM D4329).
- Sold per pair.

Order No.	Mfg. No. / Description	Price
570084	(MS650RTL)	\$135.98 E

Boss 6-1/2" 2-Way Marine Full Range Speakers



- 6-1/2" 2-way speakers.
- Peak power handling: 200 watts.
- Tweeter size: 1".
- Mounting depth: 2.625".
- Wireless remote allows you to control the built-in LED lights. Choose to have one constant color or rotate between multiple colors in a strobe or fade mode. Choose from 20 multi-color options, 19 Dynamic Patterns, adjust the speed and brightness.
- 70 Hz to 20 kHz Frequency Response and 88dB Sensitivity.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
559393	(MRGB65S) Silver	\$118.98 R
559401	(MRGB65W) White	\$118.98 R

Boss 6-1/2" 2-Way Marine Full Range Speakers



- 6-1/2" 2-way speakers.
- Peak power handling: 200 watts.
- Tweeter size: 1".
- Mounting depth: 2.44".
- 80 Hz to 20 kHz Frequency Response and 90dB Sensitivity.
- Polypropylene woofer cone and treated cloth surround.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
559381	(MR60W) White	\$49.98 R

Boss 6-1/2" Dual Cone Marine Full Range Speakers



- 6-1/2" dual cone speakers.
- Peak power handling: 180 watts.
- Mounting depth: 2.18".
- 80 Hz to 20 kHz Frequency Response and 89dB Sensitivity.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
559364	(MR6B) Black	\$39.98 Q
559366	(MR6W) White	\$39.98 Q

MB Quart Nautic Speakers



- Baskets and grilles are made of UV-resistant Fiber-reinforced ABS plastic.
- Insert injection-molded magnet systems for optimized protection against humidity and mechanical influences.
- Titanium dome .75" and 1" tweeters.
- Crossovers utilize a special protective sealing lacquer and gold plated terminals to resist corrosion.
- Voice coils are protected against direct water spray.
- Sealed solder joints.
- Stainless steel V4A mounting screws included.
- Sold per pair.

6.5" COAXIAL, POWER RATING: 60 WATTS, PEAK POWER: 120 WATTS

Order No.	Mfg. No. / Description	Price
558905	(NK1-116) Non-Illuminated	\$117.98 F
558910	(NK1-116L) Illuminated	\$193.98 F

8" COAXIAL, POWER RATING: 70 WATTS, PEAK POWER: 140 WATTS

Order No.	Mfg. No. / Description	Price
558915	(NK1-120) Non-Illuminated	\$238.98 LQ

Boss 7-1/2" 2-Way Marine Full Range Speakers



- 7-1/2" 2-way speakers.
- Peak power handling: 400 watts.
- Tweeter size: 1".
- Mounting depth: 2.76".
- 40 Hz to 20 kHz Frequency Response and 90dB Sensitivity.
- Polypropylene woofer cone and rubber surround.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
559363	(MR752C)	\$112.98 R

Audiopipe 8" Coaxial 2-Way Marine Speaker / ATV Speaker




- 8" coaxial 2-way marine/ATV speaker.
- Power (max): 350 watts.
- Power (RMS): 175 watts.
- Sensitivity: 90 dB.
- Frequency response: 45-25 KHz.
- Rubber surround piano black IMPP core.
- Mounting depth: 3-1/2".
- 22 oz. Magnet.



Order No.	Mfg. No. / Description	Price
559340	(APSW-8502BK) Black	\$191.98 LQ

S & M Marine L.E.D. Speaker Rings



- 6 Blue LED's housed inside a durable acrylic with no sharp edges.
- Easy installation no matter speaker design or number of screws attaching it.
- Connects through electrical system with an inside harness.

Order No.	Mfg. No. / Description	Price
326330	(LMP1024) 6-1/2"	\$32.98 H
326331	(LMP1029) 10"	\$36.98 H
326332	(LMP1030) 12"	\$45.98 H

S & M Marine Chrome L.E.D. Speaker Ring



- Uses a stainless steel frame backlit with the LED System to replace the current speaker cover.
- 6 Blue LED's housed inside a durable acrylic with no sharp edges.
- Easy installation no matter speaker design or number of screws attaching it.
- Connects through electrical system with an inside harness.

Order No.	Mfg. No. / Description	Price
326333	(LMP1031) 6-1/2"	\$60.98 H

T-H Marine Speaker Ring



- Light up your boat speakers.
- Lights up any 6" round speaker enclosure or bezel.
- Fits right behind speaker - easy installation.
- Ring contains 30 attractive blue LEDs.

Order No.	Mfg. No. / Description	Price
642281	(LEDSMSKRBDP)	\$31.98 H

Boss Wireless, Bluetooth Enabled, Weatherproof Speaker



599399



559396

- Bluetooth hands-free calling with built-in Microphone (Up to 33 ft. range).
- 3.5 mm Aux input, on/off switch, track/volume/play/pause/phone controls.
- Lithium ion rechargeable battery for up to 8 hours of play back with micro USB charging port.
- Includes: 3.5 mm audio cable, USB micro charging cable and carabineer clip.
- USB charging.
- Marine IPX 4 rated.
- 7" x 3" speaker single.

Order No.	Mfg. No. / Description	Price
559396	(MRBT200) Blue Speaker Grills	\$85.98 LQ
599399	(MRBT140) Silver Speaker Grills	\$74.98 F

Cobra Airwave™ Box Rugged Waterproof Bluetooth Speaker



- Bluetooth wireless technology.
- Waterproof - Floats when dropped in the water.
- HD Hands-free speakerphone.
- Rugged design
- Rechargeable lithium-ion battery - Keep the party going all day and night with 10 hours of music playback (also includes an aux input).
- Includes: USB-to-Micro USB cable.

Order No.	Mfg. No. / Description	Price
788290	(CWABT310)	\$79.95 D

Boss 3-Way Marine Enclosed System Speaker



- Weatherproof enclosed system.
- Peak power handling: 200 watts.
- Woofer size: 4".
- Midrange size: 1.5".
- Tweeter size: 1".
- 80 Hz to 18 kHz Frequency Response and 85dB Sensitivity.
- Polypropylene woofer cone and rubber surround.
- Swivel brackets.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
559365	(MR4.3W) White	\$47.98 F

Boss 8" 2-Way Marine Waketowers



- Weatherproof enclosed system.
- Total power: 700 watts.
- 1" Bullet Tweeter.
- Fully marinized.
- 40 Hz to 20 kHz Frequency Response and 96dB Sensitivity.
- Poly injection woofer cone and SANTOPREME surround.
- Dimensions: 13.5" x 10" x 13.4".
- Sold individually.

Order No.	Mfg. No. / Description	Price
559387	(MRWT8B) Black	\$299.98 G
559388	(MRWT8C) Chrome	\$279.98 F
559391	(MRWT8W) White	\$299.98 LQ

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Boss 6-1/2" 2-Way Marine Waketower



- Weatherproof enclosed system.
- Total power: 500 watts.
- 1" Bullet Tweeter.
- Fully marinated.
- 60 Hz to 20 kHz Frequency Response and 94dB Sensitivity.
- Poly injection woofer cone and SANTOPREME surround.
- Dimensions: 12" x 8-1/2" x 11-1/4".
- Sold individually.

Order No. Mfg. No. / Description Price
559404 (MRWT6W) White **\$210.98** F

Boss 6" x 9" 4-Way Marine Waketower



- 6" x 9".
- Total power: 550 watts.
- Fully marinated.
- Frequency response: 40 Hz to 20 Hz.
- Voice coil material: Aluminum.
- Midrange - Size: 2.5". Material: Mylar cone.
- Tweeter 1 and 2 - Size: 1"; Material: Mylar Dome.
- Dimensions: 9.25" x 12.5" x 11.63".
- Sold individually.

Order No. Mfg. No. / Description Price
2000159 (MRWT69W) White **\$165.98** LQ

Boss 10" Subwoofer



- Audiophile Quality High Performance Marine.
- 10" Subwoofer.
- Peak power handling: 600 watts; RMS power handling: 300 Watts.
- Voice coil configuration: Single.
- Impedance: 4 Ohm.

Order No. Mfg. No. / Description Price
2000109 (MR101) White **\$61.98** LQ

Jensen 8" Amplified Subwoofer



- Max. power handling: 200 watts.
- Power system: 12 volt.
- Slim design. Built-in amplification.
- Frequency: 60Hz - 200Hz.
- Black anodized all aluminum enclosure.
- Mate-in-lock connectors for easy installation.
- Adjustable gain and crossover.
- Low (line) level inputs.
- Vertical and horizontal mounting provisions.
- Dimensions: 13.6" W x 10.4" H x 2.9" D.

Order No. Mfg. No. / Description Price
570025 (JMPSW800) Black **\$223.98** E

MB Quart Nautic Tower Speakers



- Titanium Tweeter: 1".
- Designed with a UV protected Thermal Formed Polypropylene Cone.
- These designs will deliver deep bass & high volume while being protected from sun, sand & water spray.
- The grills are integrated into the speaker to help seal the assembly which adds to the protection against the elements.
- The speaker frame and integrated grill are also UV protected which will help prevent color fade.
- The mounting system includes every conceivable tower and roll cage size option, no need to purchase extra equipment.
- Engineered to have less of the enclosure hanging below the mount, which means fewer friends bumping their heads on the speakers

6.5", POWER RATING: 60 WATTS, PEAK POWER: 120 WATTS

Order No. Mfg. No. / Description Price
558920 (NT1-116L) Illuminated **\$233.98** LQ

8", POWER RATING: 70 WATTS, PEAK POWER: 140 WATTS

Order No. Mfg. No. / Description Price
558924 (NT1-120) Non-Illuminated **\$176.98** LQ
558925 (NT1-120L) Illuminated **\$251.98** LQ

MB Quart 10" Nautic Subwoofer



- Power handling RMS 300 watts, max. power handling 600 watts.
- Baskets and grilles are made of UV-resistant Fiber-reinforced ABS plastic.
- Insert injection-molded magnet systems for optimized protection against humidity and mechanical influences.
- Polypropylenes cones to resist the elements.
- Crossovers utilize a special protective sealing lacquer and gold plated terminals to resist corrosion.
- Stainless steel V4A mounting screws included.
- Shallow Mount woofer has maximum mounting depth of 3".

Order No. Mfg. No. / Description Price
558930 (NW1-254) White **\$125.98** F

Jensen 10" Subwoofer



- Max. power handling: 300 watts.
- RMS power range: 150 watts.
- Surround material: Rubber.
- Woofer material: Polypropylene with brushed MICA.
- Mounting depth: 4.8". Mounting hole size: 9".
- Aluminum chassis with silver powder coated finish.
- ASTM B117 Salt spray exposure standard compliant.
- ASTM D4329 UV exposure standard compliant.

Order No. Mfg. No. / Description Price
570075 (MSW10S) **\$124.98** E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Boss Universal Marine Waterproof Radio Cover and Housing



- Poly-carbonate tinted front panel.
- UV-stabilized impact resistant ABS plastic housing.
- Sealed with heavy duty gasket.
- Adjustable universal mounting bracket.
- External wiring for power, speakers and preamp.
- Radio Source Not Included.

Order No.	Mfg. No. / Description	Price
559430	(MRH7)	\$65.98 R

Boss Universal Marine Waterproof Radio Cover



- Featuring spring activated flip-up cover.
- Poly-carbonate tinted front panel.
- UV-stabilized ABS plastic.
- Impact resistant ABS.
- Includes: Stainless steel, rust-proof mounting hardware.
- Sealed with an EVA gasket.

Order No.	Mfg. No. / Description	Price
559367	(MRC10)	\$27.98 Q

Jensen Retrofit Marine Housing Plate



- Retrofit marine housing plate.
- Covers housing installation hole while also providing mounting template for a new Jensen stereo.
- Compatible Jensen stereos include: MS30BT, MS3A, MS40BT, JHD40BT, MS2013BT, MS2A and JMS2214BT.

Order No.	Mfg. No. / Description	Price
570032	(JPLATE)	\$25.98 E

Boss Universal Marine Waterproof Radio Covers



559418



559370

- Poly-carbonate tinted front panel.
- UV-stabilized ABS plastic.
- Impact resistant ABS.
- Sealed with heavy duty gasket.

Order No.	Mfg. No. / Description	Price
559370	(MRC5B) Black	\$18.98 F
559418	(MRC5) White	\$19.98 G

SeaWorthy Radio Covers

SeaWorthy



558861



558873

- Auto-opening door flush mount.
- Lexan cover.
- Fits shaftless radio.
- Removable trim ring.
- Dimensions: 9-5/8" W x 4-1/4" H.

Order No.	Mfg. No. / Description	Price
558861	(SEARTR5200B) Black	\$38.98 Q
558873	(SEARTR5200W) White	\$38.98 Q

SeaWorthy Under Panel Mount Radio Housing

SeaWorthy



- Universal shafted or shaftless.
- Dimensions: 9-15/16" W x 9-1/4" D x 3-1/2" H.

Order No.	Mfg. No. / Description	Price
558859	(SEAHOS) Black	\$19.98 Q

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Davis SoliCharger-SP Solar Phone Charger with Speakers



- Solar charger, high output speakers, high Cordua carrying case.
- Recharge your cell phone or portable device on the go.
- Take along stored energy to recharge your cell phone, MP3 player, or digital camera while you're out and about.
- 3 watt stereo speakers.
- Output rate is 300-500 mA, and you can use your phone or device while it is charging.
- The LED charge indicator tells you how much charge is available.
- You can recharge the SoliCharger-SP's 2000 mAh internal battery using the sun or by plugging into your PC or any type of USB port.
- Includes adapters for 32 pin Apple, USB, USB Mini, USB Micro and USB Female (for iPhone 5 and beyond).

Order No.	Mfg. No. / Description	Price
323470	(3480)	\$51.98 E

Fun & Flotation
Anchor & Dock
Safety

Boater Sports Waterproof Pouches



- See-through, waterproof pouches for camera or phone.
- | Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|----------|
| 1-52040 | (52040) 4.4" x 6.5" | \$3.99 H |
| 1-52047 | (52047) 3.5" x 7.1" | \$4.95 H |

Dry Pak Cell Phone Cases



- The padded and lined TPU case has a stylus holder on the front and comes with an adjustable neck lanyard and anodized aluminum spring hook.
 - The 4" x 6" case has a sealing clip and maximum circumference of 7-1/4".
- | Order No. | Mfg. No. / Description | Price |
|-----------|--|---------|
| 596911 | (DP-46W) White Clip with Gray TPU Back | \$16.98 |
| 5960231 | (DP-46) Yellow Clip with Blue TPU Back | \$16.98 |

Dry Pak Cell Phone Case



- 4" wide x 8" long.
- Clear TPU front, blue TPU back, padded and lined.
- Adjustable neck lanyard and anodized aluminum spring hook.
- Yellow sealing clip for high visibility.
- For beach, pool, boating, snorkeling and more.
- Maximum circumference: 7-1/4".

Order No.	Mfg. No. / Description	Price
5960234	(DP-48)	\$16.98

Electronics
Trolling Motors
Lighting
Electrical
Topside Acc.
Cockpit & Deck
Instruments

Dry Pak Multi-Purpose Case



- 6" wide x 9" long.
- Clear heavy gauge vinyl.
- 2 D-rings sewn to corners.
- Yellow sealing clip for high visibility.
- For paddling, boating, camping, hiking.
- Holds wallets, registrations, maps, electronics, cameras, etc.
- Maximum circumference: 11".

Order No.	Mfg. No. / Description	Price
5960243	(DPC-69)	\$13.98

Steering, Controls
Perform.
Fuel System
Engine & Parts
Engine Care
Propellers
Seating & Pedestals

Dry Pak GPS/PDA/Smart Phone Case



- Convenient Stylus Holder.
- 5" wide x 6" long.
- Clear TPU front, blue TPU back, padded and lined.
- Adjustable neck lanyard and anodized aluminum spring hook.
- Yellow sealing clip for high visibility.
- For beach, pool, boating, paddling, etc.
- Maximum circumference: 9".

Order No.	Mfg. No. / Description	Price
5960236	(DP-56)	\$17.98

Audiopipe Weatherproof Multimedia Covers



- These weatherproof multimedia covers offer a safe docking station on your water vessel or off road vehicle.
- Made to keep you at ease and know that your multimedia device is safe and will not get wet.
- Small and compact making it very easy to install in the smallest consoles.

Order No.	Mfg. No. / Description	Price
559820	(I-PMC-TWH) White	\$44.98 LQ
559825	(I-PMC-TBK) Black	\$44.98 LQ

Pumps
Cleaning & Care
Paint & Paint Acc.
Hardware, Fasteners
Trailer
Misc.
Comm.

Audiopipe Weatherproof Multimedia Covers



- Offer a safe docking station on your water vessel or off road vehicle.
- Small and compact making it very easy to install in the smallest consoles.
- Includes: Four foam pads for different kinds of players: Model P for Telephones, Model N for Small Players, Model C for Classic Players and Model T for Photo Type Players.

Order No.	Mfg. No. / Description	Price
559361	(I-PMC-TWH) White	\$51.98 LQ
559368	(I-PMC BLACK) Black	\$51.98 LQ

Audiopipe 3 Position AGU Fuse Block



- Water resistant.
- Black finish screws.
- Accepts three AGU fuses.
- Black base precision machined.
- Inner steps ensure perfect recessed fit of 4 and 8 gauge power cable into block.
- One 3-way 4 gauge input and three 8 gauge outputs.

Order No. **559378** Mfg. No. / Description (IP-3438) Price **\$16.98** LQ

Millenia Bluetooth Plug



- Upgrades current 12 volt stereo (with rear aux input) to Bluetooth audio streaming.
- Install on stereo, connect Bluetooth enabled device, pair and stream music wirelessly.
- Plugs in to any input.

Order No. **528886** Mfg. No. / Description (MIL-BTREC) Price **\$48.98** H

Audiopipe Stereo Plug



- Connects your multimedia device.
- New right angle design.
- 3.5 mm stereo plug to 2.5 mm stereo plug.
- Length 6'.

Order No. **559382** Mfg. No. / Description (IP-2535-6) Price **\$2.98** LQ

Audiopipe Stereo Plug to RCA Plug



- New right angle design.
- 3.5 mm stereo plug to RCA plug.
- Length 6'.

Order No. **559383** Mfg. No. / Description (IP-35-6) Price **\$2.98** LQ


Audiopipe AM/FM Marine Antenna



- Application: AM/FM.
- Frequency: 550-1,600kHz, 88-108 mHz.
- Length 40"
- Motorola type connector attached.

Order No. **559499** Mfg. No. / Description (APMR-100ANT) Price **\$3.23** LQ

Jensen AM/FM Amplified Antenna



- Mounted indoors or outdoors in an unobstructed location, the AN150SR JENSEN Amplified AM/FM stereo antenna combines remarkable reception and installation ease.
- This long-range amplified antenna is designed for demanding AM/FM listeners.

Order No. **570000** Mfg. No. / Description (AN150SR) Chrome Price **\$14.98** E

Boss Rubber Ducky Type Marine Antenna



- Weatherproof.
- Length 19-3/4"

Order No. **559412** Mfg. No. / Description (MRANT12W) White Price **\$7.98** Q

SeaWorthy Rubber AM/FM Antenna

SeaWorthy



- Length 16-1/2" with 54" cable.
- 180° swivel base.

Order No. **558900** Mfg. No. / Description (SEAURB3S) Black Price **\$12.98** Q

SeaWorthy Dipole Antenna

SeaWorthy



- 17-5/8" antenna with plug.
- 24-1/2' wire extension.
- White.

Order No. **558885** Mfg. No. / Description (SEADP36AXT) Price **\$5.98** Q

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Shakespeare Centennial Style 5120 AM/FM Antenna



- 8' AM/FM stereo antenna.
- Chrome plated brass ferrule with standard 1"-14 thread.
- One section.
- Suggested mount: Style 366-H or 366-BH Ratchet mount.
- Frequency: 550-1600 KHz, 88-108 MHz.
- Impedance: 93 ohms.
- Polarization: Vertical.
- Radiation pattern: Omnidirectional.
- Includes: 15' RG-62 AM/FM cable and Motorola type plug.

Order No.	Mfg. No. / Description	Price
606737	(5120)	\$91.98 Q

Shakespeare AM/FM/VHF Marine Band Separator



- Eliminates the need for separate AM/FM and VHF antennas, enabling boaters to operate AM/FM and VHF radios simultaneously without interfering with VHF radio performance.
- Works with all types of marine VHF antennas.
- Includes: 10' RG-62 AM/FM cable, 3' RG-58 VHF cable and connector installed.

Order No.	Mfg. No. / Description	Price
608363	(4357-S)	\$94.98 Q

Shakespeare Galaxy Style SiriusXM Satellite Antenna



- Sleek ultra low-profile design, looks good on a boat, vehicle or home.
- Flexibility to choose from 4 ways to mount the SRA-50.
- White UV-stabilized housing that's resistant to discoloring.
- SiriusXM approved accessory, latest requirements for radios and docks on the Sirius and XM networks.
- Two year limited warranty.
- Kit includes: Antenna, mounting system, 25' coax cable, mounting screws and instruction sheet.

Order No.	Mfg. No. / Description	Price
606355	(SRA-50)	\$85.98 Q

Shakespeare 4350 AM/FM Antenna



- 3' AM/FM stereo antenna.
- White fiberglass with permanently sealed coil.
- A polycarbonate lift and lay mount with stainless steel hardware is included.
- Overall length 39".
- One section which lays down to 4".
- Frequency: (AM) 550-1, 600 KHz, (FM) 88-108 MHz.
- Impedance: 93 ohms.
- Polarization: Vertical.
- Includes: 15' RG-62 AM/FM cable and Motorola type plug.

Order No.	Mfg. No. / Description	Price
607956	(4350)	\$96.98 LQ

Shakespeare Galaxy Style Sirius Satellite Radio Antenna



- 3.5" diameter by 1.35" high.
- No separate power cable required.
- Single cable design for newer receivers.
- Style SRS-1 Adapter available for older, dual input, Sirius receivers.
- Attaches to surface up to 1" thick via a 9/16" diameter threaded shaft, or use the included SM-31 Pedestal Mounting Kit.
- Receiver and Sirius Satellite Radio service subscription required.

Order No.	Mfg. No. / Description	Price
606353	(SRA-40)	\$116.98 LQ

Rough Water Electronic Boxes



- Large rounded corners, 1/2" black acrylic door and frame.
- Average fiberglass thickness is 3/8".
- Gem stainless steel locking slam latch.
- Gas shocks holds door securely open to access electronics.
- Perfect for any size center console boat with a T-Top.

Order No.	Mfg. No. / Description	Weight	Price
723270	(RWEB24B) 10" H x 24" W x 15" D	21 lbs.	\$437.98 D
723272	(RWEB28B) 11.5" H x 28" W x 16" D	36 lbs.	\$474.98 D
723275	(RWEB30B) 11" H x 30" W x 16" D	40 lbs.	\$474.98 D
723277	(RWEB34B) 11" H x 34" W x 16" D	42 lbs.	\$566.98 D

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Shakespeare Electrical Data Chart for Antennas – All Shakespeare Antennas are Vertically Polarized



DMI #	MFG #	Frequency	Bandwidth	SWR Nominally	Impedance	Gain	Max Input	D.C.	Termination
FOR VHF MARINE ANTENNAS									
606648	396-1	VHF Marine Band	5MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	3 dB	50 watts	No	15' RG-58 Cable & PL-259 Conn.
606763	399-1	VHF Marine Band	5MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	100 watts	Yes	15' RG-58 Cable & PL-259 Conn.
606775	399-1M	VHF Marine Band	5MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	100 watts	Yes	15' RG-58 Cable & PL-259 Conn.
606624	420	VHF Marine Band	5MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	3 dB	50 watts	No	15' RG-58 Cable & PL-259 Conn.
606666	5206-C	VHF Marine Band	3MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	50 watts	No	15' RG-58 Cable & PL-259 Conn.
606665	5206-N	VHF Marine Band	3MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	50 watts	No	15' RG-58 Cable & PL-259 Conn.
606561	5250	VHF Marine Band	7MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	3 dB	50 watts	No	15' RG-58 Cable & PL-259 Conn.
606509	5911	VHF Marine Band	N/A	*	50 ohms	Unity	25 watts	Yes	12' RG-58 Cable & PL-259 Conn.
606701	5101	VHF Marine Band	5MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	50 watts	Yes	15' RG-58 Cable & PL-259 Conn.
FOR HIGH PERFORMANCE MARINE ANTENNAS									
608779	528-VW	VHF Marine Band	8MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	4.5 dB	100 watts	No	15' RG-8/X Cable w/mini & PL-259 Conn.
608781	529-VW	VHF Marine Band	8MHz within 2.0:1 VSWR	1.2:1 at 156.8 MHz	50 ohms	6 dB	100 watts	Yes	20' RG-8/X Cable w/mini & PL-259 Conn.
607006	5225-XT	VHF Marine Band	3MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	100 watts	Yes	20' RG-8/X Cable & PL-259 Conn.
607018	5226-XT	VHF Marine Band	3MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	100 watts	Yes	20' RG-8/X Cable & PL-259 Conn.
607044	5230	VHF Marine Band	3MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	8 dB	200 watts	Yes	20' RG-8/X Cable & PL-259 Conn.
606939	5400-XT	VHF Marine Band	5MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	3 dB	50 watts	No	20' RG-8/X Cable & PL-259 Conn.
FOR SINGLE SIDE BAND MARINE ANTENNAS									
607703	390	2-30 MHz with Tuner	Resonant Freq. 10.8 MHz	N/A	N/A	N/A	1,000 watts	N/A	Side Feed Termination Band
606866	393	2-30 MHz with Tuner	Resonant Freq. 10.8 MHz	N/A	N/A	N/A	1,000 watts	N/A	Side Feed Termination Band
FOR COMMERCIAL VHF MARINE ANTENNAS									
606903	476	VHF Marine Band	10 MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	10 dB**	350 watts	Yes	SO-239 Connector at the Base
606838	4018	VHF Marine Band	3MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	9 dB	50 watts	No	20' RG-58 Cable & PL-259 Conn.
606840	4018-M	VHF Marine Band	3MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	9 dB	50 watts	No	20' RG-58 Cable & PL-259 Conn.
FOR VHF SAILBOAT ANTENNAS									
606555	5215	VHF Marine Band	7MHz within 2.0:1 VSWR	1.5:1 at 156.8 MHz	50 ohms	6 dB	50 watts	No	SO-239 Connector
FOR AIS MARINE ANTENNAS									
608793	876-SW	AIS Marine Band	6MHz within 1.5:1 VSWR	1.2:1 at 159 MHz	50 ohms	4.5 dB	100 watts	Yes	SO-239 at Base (No Cable)

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

* Adequate across marine band. Precise SWR depends upon antenna location on boat.

** Gain (omnidirectional): 10 dB as compared to typical 1/4-wave installation; 5.5 dB as compared to EIA specification RS329.

Shakespeare Classic Style 5241-R VHF Marine Antenna



- 3' VHF Marine Band 2dB Gain.
- This Classic antenna fulfills the need of bass boats, center console fishing boats, or any vessels where compact size is most important.
- Sealed, tin-plated copper wire coil.
- Chrome plated brass canister minimizes de-tuning.
- Stainless steel whip.
- Requires mount with center hole for passage of the supplied cable.
- Includes: 15' RG-58 cable and a PL-259 connector.
- Mounting type. Style 4187, 5187, 4188-S or 4190 Ratchet Mounts.



Order No. Mfg. No. / Description Price
606570 (5241-R) **\$113.98 Q**

Metz Manta-6 VHF Marine Antenna



- Overall length 34".
- Stainless steel 17-7ph whip, housing and mounting bracket.
- Nickel plated brass whip post. UV resistant cap.
- SWR less than 1.2:1. Power output up to 250 watts.
- Frequency range: 156-163 MHz.
- No ground plane needed.
- Includes: SO-239 connector and stainless steel bracket.



Order No. Mfg. No. / Description Price
479027 (206) **\$78.98 LQ**

Shakespeare 5911 Stowaway™ Emergency VHF Flex Antenna



- Loaded 1/4 wave.
- Comes packed in a 12" weather resistant, plastic tube with velcro strips for stowing away.
- Includes: 12' RG-58 VHF cable, a PL-259 connector and rubber suction cup for fast, easy mounting to any smooth horizontal surface.
- Overall length 10".
- One section.

Order No. Mfg. No. / Description Price
606509 (5911) **\$77.98 Q**

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Style 5215 Squatty Body VHF Sailboat Antenna



- 36" VHF Marine Band 3dB Gain.
- End-fed 1/2 wave stainless steel whip.
- Sealed, tin-plated copper wire coil.
- Overall length: 36".
- One section.
- SO-239 connector.
- Stainless steel "L" shaped bracket supplied mounting.
- Not supplied with cable or connector.



Order No. Mfg. No. / Description Price
606555 (5215) **\$91.98 Q**

Marpac Premier VHF Antenna



- Sturdy fiberglass construction with a smooth white finish, the antenna is one section, 8' long with 6 db gain.
- Stainless steel ferrule fits standard 1"-14 thread bases.
- An extended brass center element provides extra durability and long life.
- PL259 connector included.

Order No. Description Price
7-0127 VHF Antenna **\$54.98 F**

Galaxy 5396-AIS Little Giant AIS Antenna



- 4' VHF/AIS 3dB Gain.
- Cruise with confidence and communicate reliably over the VHF band.
- Specifically designed to meet the broader bandwidth requirements of all popular AIS transceivers, this antenna features a commercial-grade fiberglass construction to ensure performance and durability.
- Brass and copper elements.
- High-gloss, non-yellowing polyurethane finish.
- Includes: 20' RG-8/X low-loss cable plus a PL-250 connector.
- Mounting type: Style 4187 or 5187.



Order No. Mfg. No. / Description Price
606451 (5396-AIS) **\$179.98 F**

Classic Style 420 Skipper VHF Marine Antenna



- Center-fed 1/2 wave coaxial sleeve antenna.
- The antenna has an integral polycarbonate Lift 'n Lay mount for deck mounting and comes with a leveling plate and installation hardware.
- White Shakespeare Fiberglass with brass and copper elements.
- Polycarbonate ferrule and mount.
- Includes: 15' RG-58 cable and a PL-259 connector.
- Overall length: 5'.
- One section, lays down 4".




Order No. Mfg. No. / Description Price
606624 (420) **\$144.98 Q**

Classic Style 396-1 VHF Marine Antenna



- 5' VHF Marine Band 3dB Gain.
- Center-fed 1/2 wave coaxial sleeve.
- Outstanding, basic 3 dB antenna designed to reduce signal fading in rough seas.
- White Shakespeare Fiberglass with brass and copper elements.
- Chrome plated brass ferrule with 1"-14 threads.
- Overall length: 5'.
- One section.
- Mounting type. Use a **744917** (4187) ratchet mount (self-supporting). Note: Mount not included.




Order No. Mfg. No. / Description Price
606648 (396-1) **\$153.98 Q**

Centennial 5102 VHF Marine Antenna



- 8' VHF Marine 6dB Gain.
- Center-fed collinear phased 5/8 wave.
- Larger brass and copper elements.
- Chrome plated brass ferrule with standard 1"-14 thread.
- Includes: 15' RG-58 cable, which can be cut to size and a PL-259 connector.
- Overall length 8'.
- Mounting type. Use a **744917** (4187) ratchet mount (self-supporting). Note: Mount not included.




Order No. Mfg. No. / Description Price
606713 (5102) **\$126.98 Q**

Style 5250 Skinny Mini™ VHF Marine Antenna



- 3' VHF Marine Band 3dB Gain.
- Sealed, tin-plated copper wire coil.
- Chrome plated brass canister minimizes de-tuning.
- Requires mount with center hole for passage of the supplied cable.
- Overall length: 3'.
- One section.
- Includes: 15' RG-58 cable and a PL-259 connector.
- Mounting type. Style 4187, 5187, 4188-S or 4190 Ratchet Mounts.



Order No. Mfg. No. / Description Price
606561 (5250) **\$75.98 Q**

Centennial 5104 VHF Marine Antenna



- 4', 3dB antenna with a great selection of high-end features.
- Brass and copper elements for performance, plus a smooth, high-gloss, polyurethane finish that won't turn yellow in the sun.
- Superb value, and excellent performance in a great looking antenna.
- Chrome plated brass ferrule with standard 1"-14 thread.
- Includes: 15' RG-58 cable, which can be cut to size and a PL-259 connector.



Order No. Mfg. No. / Description Price
606448 (5104) **\$85.98 Q**

Style 5244 High Quality 36" VHF Antenna



- The perfect choice for center console fishing boats or any vessel where compact size is most important.
- Low profile, end-fed 1/2 wave.
- Stainless steel whip.
- 3dB gain.
- Includes: 15' RG-58 VHF cable and a PL-259 connector.
- Overall length: 36".
- One section.



Order No. Mfg. No. / Description Price
606573 (5244) **\$52.98 Q**

Classic Style 399-1 VHF Marine Antenna



- Collinear phased 5/8-wave with two coaxial chokes to suppress cable radiation.
- White Shakespeare Fiberglass with brass and copper elements.
- Chrome plated brass ferrule with 1"-14 threads.
- Overall length: 9.5'.
- Two sections: Base 75", Tip 39".
- Mounting type. Use a **608460** (410-R) mounting kit for deck or side mounting. Note: Mount not included.



Order No.	Mfg. No. / Description	Price
606763	(399-1)	\$266.98 LQ

Classic Style 399-1M VHF Marine Antenna



- Same as **606763** (399-1), but with a special aluminum sleeve for mast mounting.
- An SO-239 connector at the base and 1-1/4" U-bolts are supplied.
- The 399-1M can be strapped to a larger mast using steel banding.



Order No.	Mfg. No. / Description	Price
606775	(399-1M)	\$278.98 Q

Centennial 5101 VHF Marine Antenna



- 8' VHF Marine Band 6dB Gain.
- End-fed with matching stub.
- White Shakespeare Fiberglass with brass and copper elements.
- Chrome plated brass ferrule with 1"-14 threads.
- Overall length: 8'.
- One section.
- Mounting type. Use a **744917** (4187) ratchet mount or **608460** (410-R) mounting kit and a **608250** (4008-4) 4' extension to form 12' antenna or a **608262** (4008) 8' extension to form 16' antenna (not self-supporting). Note: Mounts and supports not included.




Order No.	Mfg. No. / Description	Price
606701	(5101)	\$63.98 Q
606705	(5101-B) 25 Pack	\$1,572.98 Q

Classic Style 5206 VHF Marine Antennas



- Overall length: 8'.
- One section.
- Twin to 5205 CB Marine Antenna.
- End-fed with matching stub.
- An economical and lightweight, self-supporting antenna.
- White Shakespeare Fiberglass with brass and copper elements.
- Mounting type. Use a **744917** (4187) ratchet mount or **608460** (410-R) mounting kit and a **608250** (4008-4) 4' extension to form 12' antenna or a **608262** (4008) 8' extension to form 16' antenna (not self-supporting). Note: Mounts and supports not included.



Order No.	Mfg. No. / Description	Price
606665	(5206-N) White with Nylon Base	\$56.98 Q
606666	(5206-C) White with Chrome Plated Brass Base	\$53.98 LQ

Galaxy 5400-XT Little Giant VHF Marine Antenna



- Center-fed 1/2 wave coaxial sleeve.
- It's at home on T-tops, Hard-tops and other positions aloft, where its small size can deliver maximum range.
- Includes: 20' RG-8/X cable and a PL-259 connector.
- Galaxy white finish with brass and copper elements.
- Stainless steel ferrule with 1"-14 threads.
- Overall length: 4'.
- One section.
- Mounting type: Use a **744917** (4187) ratchet mount. Note: Mount not included.
- **606453** includes centerpin solderless connector.



Order No.	Mfg. No. / Description	Price
606939	(5400-XT)	\$166.98 F
606453	(5400XT-CP-G)	\$177.98 F

Galaxy 5225-XT and 5226-XT VHF Marine Antennas



- Collinear-phased 5/8 wave elements.
- It's extra tough for use on Hard-tops, T-tops, radar arches or wherever its extra resistance to high winds and high speeds is welcome.
- Includes: 20' RG-8/X cable and a PL-259 connector.
- Brass and copper elements.
- Stainless steel ferrule with 1"-14 threads.
- Overall length: 8'.
- One section.
- Mounting type: Use a **744917** (4187) ratchet mount. Note: Mount not included.
- **606450** includes centerpin solderless connector.



Order No.	Mfg. No. / Description	Price
607006	(5225-XT) White	\$153.98 E
607018	(5226-XT) Black	\$202.98 E
606450	(5225XT-CP-G)	\$208.98 F

Galaxy 5230 VHF Marine Antenna



- 5/8 wave over 1/2 wave dipole.
- Galaxy white finish with brass and copper elements.
- Stainless steel ferrule with 1"-14 threads.
- Overall length: 14'.
- Two sections: Base 94", Tip 74".
- Includes: 20' RG-8/X cable and a PL-259 connector.
- Mounting Type: Use **608460** (410-R) mounting kit. Not included.



Order No.	Mfg. No. / Description	Price
607044	(5230)	\$410.98 E

- Fun & Flotation
- Anchor & Dock
- Safety

Electronics

- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Fun & Flotation
Anchor & Dock
Safety

Electronics

Trolling Motors
Lighting
Electrical
Topside Acc.
Cockpit & Deck
Instruments
Steering, Controls
Perform.
Fuel System
Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer


Misc.

Comm.

Style 4018 Commercial VHF Marine Antenna



- Phased 1/2-wave elements in a collinear array with a coaxial choking sleeve to suppress cable radiation.
- This long-distance VHF antenna is rigid enough to stay erect in rough seas, yet exceptionally lightweight.
- White Shakespeare Fiberglass with brass and copper elements.
- Chrome plated brass ferrule.
- Overall length: 19'.
- Two sections: Base 162", Tip 66".
- Mounting type. Use **608460** (410-R) mounting kit for deck or side mounting. Note: Mount not included.



Order No.	Mfg. No. / Description	Price
606838	(4018)	\$382.98 E

Style 4018-M Commercial VHF Marine Antenna



- Same as **606838** (4018), the 4018-M has an aluminum sleeve for attaching to a mast.
- An SO-239 connector at the base and 1-3/4" U-bolts are supplied.
- The 4018-M can be strapped to a larger mast using steel banding.
- It is used primarily for land-based stations and on commercial vessels.




Order No.	Mfg. No. / Description	Price
606840	(4018-M)	\$422.98 E

Style 476 Commercial VHF Marine Antenna



- Phased 1/2-wave elements in a collinear array with a broadband matching section and a coaxial choking sleeve.
- For heavy duty seagoing applications, such as workboats, tugs, tidal well service boats, etc.
- Tapered Shakespeare Fiberglass with brass and copper internal elements.
- Overall length: 21'.
- One section.
- Mounting type. 2-3/4" diameter x 26" long aluminum sleeve may be strapped directly to a mast or used with **608553** (483) clamp set mounting brackets. Note: Mounts not included.



Order No.	Mfg. No. / Description	Price
606903	(476)	\$834.98 E
608553	(483) Mast Clamp Kit	\$160.98 Q

Style 390 Single Side Band Antenna



- Whip antenna with conductors running full length (no loading coil).
- White Shakespeare Fiberglass with permanently sealed conductors.
- Chrome plated brass ferrule with 1"-14 threads.
- Side feed termination band.
- Power input up to 1 kw.
- Overall length: 23'.
- Two sections: Base 162", Tip 112".
- Mounting type. Use **608460** (410-R) mounting kit for deck or side mounting. Note: Mount not included.



Order No.	Mfg. No. / Description	Price
607703	(390)	\$228.98 F

Style 393 Single Side Band Antenna



- Whip antenna with conductors running full length (no loading coil).
- This antenna is electrically the same as the industry standard Style 390, but it's designed in three sections.
- For use in calm to moderate seas.
- White Shakespeare Fiberglass with permanently sealed conductors.
- Chrome plated brass ferrule with 1"-14 threads.
- Side feed termination band.
- Power input up to 1 kw.
- Overall length: 23'.
- Three sections: Base 92", Center 92", Tip 92".
- Mounting Type. Use **608460** (410-R) mounting kit for deck or side mounting. Note: Mount not included.



Order No.	Mfg. No. / Description	Price
606866	(393)	\$322.98 F

Shakespeare Cellular Booster Kit



- The Aura Cellular Booster Kit enables you to optimize cellular coverage on your boat or in your home where reception is weak due to distance from cell tower, topography or building materials.
- This kit enhances 3G voice and data for all major US carriers and will support 5-10 simultaneous devices.

Order No.	Mfg. No. / Description	Price
608555	(CA-VAT)	\$772.98 LQ

Shakespeare SeaWatch® Marine TV Antennas



- System includes: Antenna with built-in preamp, AC/DC power supply, 30' of ultra low loss RG-59 coax cable, and gold-plated, screw-on F-type connectors.
- Built-in 1"-14 thread ferrule.
- Omnidirectional antennas capture VHF, UHF, and FM point of the compass without aiming the antenna.
- 110V AC or 12/24 DC power.
- Digital HDTV ready.

Order No.	Mfg. No. / Description	Price
606335	(3015) Diameter 15"	\$127.98 Q
606337	(3019) Diameter 19"	\$169.98 Q

Shakespeare SeaWatch® Flat HDTV Antenna



- This razor-thin, multi-directional amplified antenna is the most advanced dual band (VHF/UHF) antenna on the market.
- Low noise amplifier.
- Receives all local HD Broadcast signals.
- AC, DC and USB power adapter.
- Dimensions: 12" x 13".
- Designed with our revolutionary Clear Circuit Technology, the embedded amplifier is able to amplify 100% of the signal at the element to maximize channel reception and minimize pixilation and dropouts for the best viewing experience possible.

Order No.	Mfg. No. / Description	Price
606340	(2061)	\$44.98 Q

Shakespeare Extension Mast



- 1" diameter extension mast for light to moderate duty applications.
- White molded polycarbonate male upper and female lower 1"-14 threads.
- Excellent for Marine TV Antennas.
- Length 1'.

Order No.	Mfg. No. / Description	Price
607981	(4364)	\$36.98 Q

Marpac Ratchet Mount - Nylon



- 4-Way ratchet with handle.
- Deck or bulkhead mounting.
- Coax feed-thru hole.
- 1"-14 threads.
- Positive locking handle.
- Stainless steel hardware.

Order No.	Description	Price
7-0435	Ratchet Mount - Nylon	\$9.98 G

Shakespeare Ratchet Mount



- Solid nylon.
- 4-way ratchet design with handle for deck or side mounting.
- Not for use with antennas longer than 8' in self-supporting mode.
- Bolt holes: 5/16" diameter, 3" x 1-1/2" on center.
- Standard 1"-14 male thread.

Order No.	Mfg. No. / Description	Price
608301	(4186BP)	\$11.98 Q

Shakespeare Swivel Mount



- Stainless steel.
- For deck or side mounting when used with an upper support bracket.
- Base is dual joint, free-pivoting, and allows easy lowering of antenna for clearing overhead obstructions.
- Standard 1"-14 male thread.

Order No.	Mfg. No. / Description	Price
608349	(81-S)	\$79.98 Q

Shakespeare Heavy Duty Extension Masts



- A sturdy, lightweight 1-1/2" diameter extension mast.
- Chrome plated brass ferrules, male upper and female lower 1"-14 threads.
- Use 608460 (410-R) mounting kit.

Order No.	Mfg. No. / Description	Price
608250	(4008-4) Length 4'	\$118.98 Q
608262	(4008) Length 8'	\$148.98 Q

Boater Sports Surface Mount Ratchet



- Locking handle.
- Loran or GPS.
- 1" x 14 thread.

Order No.	Mfg. No. / Description	Price
1-52253	(52253)	\$10.98 H

Shakespeare Ratchet Mount



- Stainless steel.
- Quick-action handle makes operation easy.
- Versatile 4-way ratchet design for deck or side mounting.
- Bolt holes: 5/16" diameter, 3" x 1-1/2" on center.
- Special cable slot eliminates removal of most factory-installed connectors.
- Standard 1"-14 male thread.

Order No.	Mfg. No. / Description	Price
744917	(4187)	\$62.98 Q


Marpac Ratchet Rail Mount



- Marine grade nylon construction.
- Stainless steel hardware.
- Can be mounted on any standard 7/8" or 1" rail.
- Feed-through hole for coax cable.
- Standard 1"-14 male thread.

Order No.	Description	Price
7-1329	Ratchet Rail Mount	\$16.98 G

Digital Antenna Cell Phone Adapter Cable



- Universal inductive coupler adapter.
- This adapter allows any cell phone or aircard to be used with a PowerMax amplifier.
- Length 3'.

Order No.	Mfg. No. / Description	Price
608812	(DA97U)	\$18.98 LQ

Shakespeare Lift-n-Lay Mount



- White polycarbonate.
- Handles antennas up to 8'.
- Enables antenna to Lift-n-Lay with positive snap action.
- Levelling plate provided for mounting to a sloping deck.
- Has 3/8" - 24 thread brass insert.
- Standard 1"-14 male thread.

Order No.	Mfg. No. / Description	Price
608286	(495-B)	\$35.98 Q

Marpac Ratchet Rail Mount



- Heavy duty cast stainless steel.
- Fits 7/8" and 1" rails.
- Fits standard 1"-14 threaded antenna ferrules.
- Hole for antenna cable.

Order No.	Description	Price
7-1330	Ratchet Rail Mount	\$47.98 G

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Shakespeare Straight Mount



- 4" high, stainless steel mount.
- Standard 1"-14 male thread.
- Perfect for radar arches.
- May be used with **607981** (4364) extension mast.

Order No.	Mfg. No. / Description	Price
607993	(4365)	\$34.98 Q

Shakespeare Mounting Kit



- Combines **608349** (81-S) swivel mount with **608438** (408-R) upper bracket.
- The bracket features an insert to accept 1", 1-1/8" and 1-1/2" diameter antennas or extension masts.

Order No.	Mfg. No. / Description	Price
608460	(410-R)	\$107.98 Q

Marpac PL258 Coax Connector



- Double female barrel.
- Used to join (2) PL259 Coax Connectors.

Order No.	Description	Price
7-0137	Coax Connector	\$5.98 G

Sea Dog Fixed Mount Antenna Base



- Injection molded nylon.
- Will accept any standard antenna with 1"-14 male threads.
- Base width: 2-13/16".

Order No.	Mfg. No. / Description	Price
205642	(329500-1)	\$4.94 Q

Marpac Pre-Spliced Antenna Extension Cable - RG-58U



- White cable includes PL-259 coax connectors on each end.

Order No.	Description	Price
7-0141	Length 20'	\$21.98 R
7-0142	Length 100'	\$45.98 G

Marpac Coax Connector Kit



- Includes (1) each: PL259, UG175 and UG176.

Order No.	Description	Price
7-0130	Coax Connector Kit	\$4.99 H

Shakespeare Upper Bracket



- Corrosion resistant.
- Insulated stand-off bracket of white molded plastic.
- Easy-open for quick laydown.
- For use with **608349** (81-S) swivel mount and antennas of 1", 1-1/8" and 1-1/2" diameter.

Order No.	Mfg. No. / Description	Price
608438	(408-R)	\$24.98 Q

Shakespeare Centerpin® Connectors



- Gold-Plated.
- The perfect solution to the troublesome task of installing a PL-259 connector or splicing RG-58 A/U or RG-8/X coax cables.
- Solderless, fret-less and botchless.
- No measuring, no critical stripping of coax insulation, no fussing with the coax's braid and no "tinning".

Order No.	Mfg. No. / Description	Price
606232	(PL-258-CP-G)	\$19.98 Q
606244	(PL-259-CP-G)	\$16.98 Q

Coax Cable Adapter

- For R-1427, RG-59 and RG-8X Cables.



Order No.	Mfg. No. / Description	Price
420033	(#2-L(UG-176))	\$2.86 LQ

Newmar Ground Shoes



- Improves performance of Loran C receivers, SSB radios and hull bonding systems.
- Provide an excellent noise-free ground by making direct contact with the water.
- Porous copper construction magnifies contact area with the water.
- Large surface contact area in compact size.
- All shoes are 1/2" thick.
- Silicone bronze bolts are provided for easy installation and wiring.

Order No.	Mfg. No. / Description	Price
227606	(8A) 8.4" x 2.7" Ground Area Equivalent: 20 sq. ft.	\$153.98 D
227618	(12C) 11.8" x 3.1" Ground Area Equivalent: 40 sq. ft.	\$183.98 D
227610	(18E) 17.6" x 6.1" Ground Area Equivalent: 100 sq. ft.	\$660.98 D

Newmar Noise Filter



- Controls residual noise in electrical systems, eliminates noise in depth sounders, stereos and radio receivers.
- Heavy duty aluminum construction.
- Operate on 6-48 V DC systems.
- Integral mounting flanges for secure installation.
- Brass stud connectors on alternator filters accommodate high current cables and terminals.
- Installation location: In the + and - power leads close to affected equipment.

Order No.	Mfg. No. / Description	Price
699415	(PC-10) 10 amp	\$76.98 E

Newmar CS-201 Coax Switch



- Unused terminal is grounded.
- Die cast aluminum case.
- Two position switch allows manual selection of one or two antennas with a single radio or one of two radios with a single antenna.
- Impedance: 50 ohm. Power: 1.5 kW peak, 1 kW continuous.

Order No.	Mfg. No. / Description	Price
699800	(CS-201)	\$89.98 E

Garmin GPSMAP® 7616xsv GPS Fishfinder

GARMIN



- 16" multi-touch widescreen display (1366x768 WXGA) preloaded with both BlueChart g2 and LakeV HD coastal maps.
- Built-in dual CHIRP sonar plus CHIRP DownV and CHIRP SideV scanning sonar with the clearest images on the water (transducer sold separately).
- High-sensitivity internal 10 Hz GPS/GLONASS.
- Fully network capable for Garmin Marine Network and NMEA 2000 plus NMEA 0183 support.
- Supports premium GSD sonar module.
- The built-in sonar capabilities of the GPSMAP 7616xsv include 1 kW dual CHIRP sonar, the most sophisticated sonar technology available for the fishing and boating public.
- Also includes both CHIRP DownV and CHIRP SideV scanning sonar that provide nearly photographic sonar images of fish and structure that passes below and to the sides of the boat.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- One Panoptix Forward transducer provides 2 impressive views, even while your boat is stationary. It shows the bottom plus fish and bait swimming in the water column in front of your boat - in real time.
- 2 microSD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.

Order No. Mfg. No. / Description Price
105115 (010-01402-03) BlueChart g2 & LakeV HD Coastal Maps **\$5,999.98 B**

Garmin GPSMAP® 7612xsv GPS Fishfinder

GARMIN



- High-performance, high-resolution 12" multi-touch widescreen display (1280X800 WXGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Built-in high performance 1kW true dual CHIRP sonar solution (8,000W peak to peak).
- Built-in CHIRP SideV scanning sonar with the clearest images to the sides of your boat. Built-in CHIRP DownV scanning sonar with the clearest images below your boat. Built-in HD-ID sonar.
- Integrated sonar capabilities allow simultaneous sharing of all internal sonar.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 SD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.
- **Purchase transducer separately. Offer a wide variety of transducers for any type of installation.**

Order No. Mfg. No. / Description Price
105085 (010-01307-03) BlueChart g2 & LakeV HD Coastal Maps **\$3,999.98 B**

Garmin GPSMAP® 7612 GPS Fishfinder

GARMIN



- High-performance, high-resolution 12" multi-touch widescreen display (1280X800 WXGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Support for premium GSD black box sonar and GCV scanning sonar module.
- Advanced sailing and sail racing features.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 SD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.

Order No. Mfg. No. / Description Price
105080 (010-01307-01) BlueChart g2 & LakeV HD Coastal Maps **\$3,499.98 B**

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Garmin GPSMAP® 7610 GPS Fishfinder



- High-performance, high-resolution 10" multi-touch widescreen display (1280X800 WXGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Support for premium GSD black box sonar and GCV scanning sonar module.
- Advanced sailing and sail racing features.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 SD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.

Order No. Mfg. No. / Description Price
105070 (010-01306-01) BlueChart g2 & LakeV HD Coastal Maps **\$2,499.98 B**

- Fun & Flotation
- Anchor & Dock
- Safety

Electronics

Garmin GPSMAP® 7610xsv GPS Fishfinder



- High-performance, high-resolution 10" multi-touch widescreen display (1280X800 WXGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Built-in high performance 1kW true dual CHIRP sonar solution (8,000W peak to peak).
- Built-in CHIRP SideV scanning sonar with the clearest images to the sides of your boat. Built-in CHIRP DownV scanning sonar with the clearest images below your boat. Built-in HD-ID sonar.
- Integrated sonar capabilities allow simultaneous sharing of all internal sonar.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 SD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.
- **Purchase transducer separately. Offer a wide variety of transducers for any type of installation.**

Order No. Mfg. No. / Description Price
105075 (010-01306-03) BlueChart g2 & LakeV HD Coastal Maps **\$2,699.98 B**

- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Garmin GPSMAP® 7608xsv GPS Fishfinder



- High-performance, high-resolution 8" multi-touch widescreen display (1024X600 WSVGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Built-in high performance 1kW true dual CHIRP sonar solution (8,000W peak to peak).
- Built-in CHIRP SideV scanning sonar with the clearest images to the sides of your boat. Built-in CHIRP DownV scanning sonar with the clearest images below your boat. Built-in HD-ID sonar.
- Integrated sonar capabilities allow simultaneous sharing of all internal sonar.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 SD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.
- **Purchase transducer separately. Offer a wide variety of transducers for any type of installation.**

Order No. Mfg. No. / Description Price
105065 (010-01305-03) BlueChart g2 & LakeV HD Coastal Maps **\$2,199.98 B**

Garmin GPSMAP® 7608 GPS Fishfinder

GARMIN.



- High-performance, high-resolution 8" multi-touch widescreen display (1024X600 WSVGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Support for premium GSD black box sonar and GCV scanning sonar module.
- Advanced sailing and sail racing features.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 SD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.

Order No. Mfg. No. / Description

Price

105060 (010-01305-01) BlueChart g2 & LakeV HD Coastal Maps \$1,999.98 B

Garmin GPSMAP® 7607xsv GPS Fishfinder

GARMIN.



- High-performance, high-resolution 7" multi-touch widescreen display (800X480 WVGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Built-in high performance 1kW true dual CHIRP sonar solution (8,000W peak to peak).
- Built-in CHIRP SideV scanning sonar with the clearest images to the sides of your boat. Built-in CHIRP DownV scanning sonar with the clearest images below your boat. Built-in HD-ID sonar.
- Integrated sonar capabilities allow simultaneous sharing of all internal sonar.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 microSD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.
- **Purchase transducer separately. Offer a wide variety of transducers for any type of installation.**

Order No. Mfg. No. / Description

Price

105110 (010-01379-03) BlueChart g2 & LakeV HD Coastal Maps \$1,699.98 B

Garmin GPSMAP® 7607 GPS Fishfinder

GARMIN.



- High-performance, high-resolution 7" multi-touch widescreen display (800X480 WVGA).
- Preloaded BlueChart g2 charts for the coastal US and Bahamas and LakeV HD maps covering over 17,000 lakes of which over 5,700 are HD lakes with 1' contours shore to shore.
- Internal 10 Hz GPS updates position and heading 10 times per second.
- Fully network capable for Garmin Marine Network and NMEA 2000. Supports NMEA 0183.
- Supports radar, autopilot, instruments, multiple screens, FUSION-Link, sensors, black box sonar, digital switching, thermal cameras, GRID and more.
- Support for premium GSD black box sonar and GCV scanning sonar module.
- Advanced sailing and sail racing features.
- Built-in Wi-Fi/ANT for use with Garmin Helm and BlueChart Mobile.
- Bail Mount Included.
- FLIR thermal camera support. IP Camera support.
- Video input - 1 composite video. Ethernet ports - 2.
- Media integration - FUSION-Link.
- 2 microSD card slots makes it easy to add optional mapping.
- Supports optional mapping including BlueChart g2 Vision charts with exclusive Garmin Auto Guidance. Supports LakeV HD & LakeV HD Ultra with exclusive Garmin Auto Guidance. Supports User Data Sharing.

Order No. Mfg. No. / Description

Price

105105 (010-01379-01) BlueChart g2 & LakeV HD Coastal Maps \$1,499.98 B

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Garmin echoMAP™ CHIRP 94sv GPS Fishfinder



- 9" color display with keypad control.
- **Includes GT51-TM transducer with high wide CHIRP, 250W and Garmin CHIRP DownV/SideV, 455/800 and 500W transducer.**
- Panoptix all-seeing sonar support (transducer not included).
- **Preloaded BlueChart g2 charts for the coastal U.S.**
- Includes preloaded Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- NMEA 2000 support for engine data, sensors, autopilots and more.
- Tilting quick disconnect mount. Transom and trolling motor mount included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD maps or LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105205	(010-01580-01)	\$1,299.98 B

Garmin echoMAP™ CHIRP 74sv GPS Fishfinder



- 7" color display with keypad control.
- **Includes GT51-TM transducer with high wide CHIRP, 250 W and Garmin CHIRP DownV/SideV, 455/800 and 500W transducer.**
- Panoptix all-seeing sonar support (transducer not included).
- **Preloaded BlueChart g2 charts for the coastal U.S.**
- Includes preloaded Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- NMEA 2000 support for engine data, sensors, autopilots and more.
- Tilting quick disconnect mount. Transom and trolling motor mount included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD maps or LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105210	(010-01576-01)	\$1,099.98 B

Garmin echoMAP™ CHIRP 93sv GPS Fishfinder



- 9" color display with keypad control.
- **Includes GT52-TM transducer with high wide CHIRP, 250W and CHIRP DownV/SideV, 455/800, 500W transducer.**
- Panoptix all-seeing sonar support (transducer not included).
- **Preloaded with LakeV HD maps covering 17,000 total lakes, of which 13,000 are HD lakes with 1' contours shore to shore.**
- Includes preloaded Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- NMEA 2000 support for engine data, sensors, autopilots and more.
- Tilting quick disconnect mount. Transom and trolling motor mount included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 charts. Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105195	(010-01579-01)	\$1,199.98 B

Garmin echoMAP™ CHIRP 73sv GPS Fishfinder



- 7" color display with keypad control.
- **Includes GT52-TM transducer with high wide CHIRP, 250W and CHIRP DownV/SideV, 455/800, 500W transducer.**
- Panoptix all-seeing sonar support (transducer not included).
- **Preloaded with LakeV HD maps covering 17,000 total lakes, of which 13,000 are HD lakes with 1' contours shore to shore.**
- Includes Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- NMEA 2000 support for engine data, sensors, autopilots and more.
- Tilting quick disconnect mount. Transom and trolling motor mount included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 charts. Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105190	(010-01575-01)	\$849.98 B

Garmin echoMAP™ CHIRP 73dv GPS Fishfinder

GARMIN.



- 7" color display with keypad control.
- **Includes GT22-TM transducer with high wide CHIRP, 250 W and CHIRP DownV, 500 W transducer.**
- Supports Panoptix all-seeing sonar support (transducer not included).
- **Preloaded with LakeV HD maps covering 17,000 total lakes, of which 13,000 are HD lakes with 1' contours shore to shore.**
- Includes Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- NMEA 2000 support for engine data, sensors, autopilots and more.
- Tilting quick disconnect mount. Transom and trolling motor mount included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 charts. Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105185	(010-01571-01)	\$699.98 B

Garmin echoMAP™ CHIRP 53dv GPS Fishfinder

GARMIN.



- 5" color display with keypad control.
- **Includes GT22-TM transducer with high wide CHIRP, 250 W and CHIRP DownV, 500 W transducer.**
- **Preloaded with LakeV HD maps covering 17,000 total lakes, of which 13,000 are HD lakes with 1' contours shore to shore.**
- Includes Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- NMEA 2000 support for engine data, sensors, autopilots and more.
- Tilt/swivel quick disconnect mount. Transom and trolling motor transducer mount included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 charts. Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105180	(010-01567-01)	\$499.98 B

Garmin echoMAP™ CHIRP 44dv GPS Fishfinder

GARMIN.



- 4.3" color display with keypad control.
- **Includes GT22-TM transducer with high wide CHIRP, 250 W and Garmin CHIRP DownV, 500 W transducer.**
- **Preloaded BlueChart g2 charts for the coastal U.S.**
- Includes preloaded Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- Tilt/swivel quick disconnect mount. Transom and trolling motor mounts included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD and LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105200	(010-01564-01)	\$349.98 B

Garmin echoMAP™ CHIRP 43dv GPS Fishfinder

GARMIN.



- 4.3" color display with keypad control.
- **Includes GT22-TM transducer with high wide CHIRP, 250 W and CHIRP DownV, 500 W transducer.**
- **Preloaded with LakeV HD maps covering 17,000 total lakes, of which 13,000 are HD lakes with 1' contours shore to shore.**
- Includes Quickdraw Contours custom HD map creation software.
- Internal 5 Hz GPS updates position and heading 5 times per second.
- Tilt/swivel quick disconnect mount. Transom and trolling motor transducer mount included.
- microSD card slot makes it easy to add optional mapping.
- Supports optional mapping, including LakeV HD Ultra maps with exclusive Garmin Auto Guidance.
- Supports BlueChart g2 charts. Supports BlueChart g2 Vision charts with exclusive Garmin Auto Guidance.
- Auto Guidance 2.0 capable.

Order No.	Mfg. No. / Description	Price
105175	(010-01563-01)	\$299.98 B

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Garmin STRIKER™ 7dv GPS Fishfinder



- 7" CHIRP Fishfinder with GPS and DownV Scanning Sonar.
- Easy-to-use 7" color fishfinder with built-in, high-sensitivity GPS and Garmin CHIRP DownV scanning sonar.
- Find fish; mark and return to hot spots, docks and ramps.
- **Includes Garmin GT20 transducer with CHIRP (77/200 kHz); transmit power (300 W RMS)/(2,400 peak-to-peak) with 455/800 kHz CHIRP DownV (300 W power).**
- Upgrade to high-performance CHIRP with a GT22 or GT23 transducer (each sold separately).
- Share waypoints and routes with other STRIKER or echoMAP chartplotter combos.

Order No.	Mfg. No. / Description	Price
105165	(010-01553-00)	\$399.98 B

Garmin STRIKER™ 5dv GPS Fishfinder



- 5" CHIRP Fishfinder with GPS and DownV Scanning Sonar.
- Easy-to-use 5" color fishfinder with built-in, high-sensitivity GPS and Garmin CHIRP DownV scanning sonar.
- Find fish; mark and return to hot spots, docks and ramps.
- **Includes Garmin GT20 transducer with CHIRP (77/200 kHz); transmit power (500 W RMS)/(2,400 peak-to-peak) with 455/800 kHz CHIRP DownV (300 W power).**
- Upgrade to high-performance CHIRP with a GT22 or GT23 transducer (each sold separately).
- Share waypoints and routes with other STRIKER or echoMAP chartplotter combos.

Order No.	Mfg. No. / Description	Price
105160	(010-01552-00)	\$299.98 B

Garmin STRIKER™ 4 GPS Fishfinder



- 3.5" CHIRP Fishfinder with GPS.
- Easy-to-use 3.5" color fishfinder with built-in, high-sensitivity GPS.
- Find fish; mark and return to hot spots, docks and ramps.
- Convenient keypad operation.
- **Includes CHIRP (77/200 kHz) sonar transducer; transmit power (200 W RMS)/(1,600 W peak-to-peak).**
- Upgrade to high performance CHIRP with a GT8 or GT15 transducer (each sold separately).

Order No.	Mfg. No. / Description	Price
105150	(010-01550-00)	\$119.98 B

Garmin STRIKER™ 7sv GPS Fishfinder



- 7" CHIRP Fishfinder with DownV/SideV Scanning Sonar.
- Easy-to-use 7" color fishfinder with built-in, high-sensitivity GPS and CHIRP sonar, including Garmin CHIRP DownV and Garmin CHIRP SideV scanning sonars.
- Find fish; mark and return to hot spots, docks and ramps.
- **Includes Garmin GT52 transducer with high wide CHIRP 250 W, 455/800 kHz CHIRP DownV and CHIRP SideV with 500 W power.**
- Share waypoints and routes with other STRIKER or echoMAP chartplotter combos.
- Smooth Scaling™ software technology for depth range adjustments.

Order No.	Mfg. No. / Description	Price
105170	(010-01554-00)	\$499.98 B

Garmin STRIKER™ 4dv GPS Fishfinder



- 3.5" CHIRP Fishfinder with GPS and DownV Scanning Sonar.
- Easy-to-use 3.5" color fishfinder with built-in, high-sensitivity GPS and Garmin CHIRP DownV scanning sonar.
- Find fish; mark and return to hot spots, docks and ramps.
- **Includes Garmin GT20 transducer with CHIRP (77/200 kHz); transmit power (300 W RMS)/(2,400 peak-to-peak) with 455/800 kHz CHIRP DownV (300 W power).**
- Upgrade to high-performance CHIRP with a GT22 or GT23 transducer (each sold separately).

Order No.	Mfg. No. / Description	Price
105155	(010-01551-00)	\$179.98 B

Garmin Monterra® Handheld GPS

GARMIN



- 4" dual orientation, sunlight readable display with durable mineral glass for multi-touch interface.
- Android operating system for downloading Android apps from Google Play Store.
- 8 MP autofocus camera and 1080p HD video with automatic geotagging, LED flash/torch.
- High sensitivity GPS/GLONASS receiver tracks more satellites for better positioning.
- Unique 3D MapMerge capabilities lets you blend 24K with BirdsEye for a unique mapping experience.
- Dual battery system uses traditional AA batteries or included lithium-ion pack supported by internal charger.
- NOAA weather radio with SAME alerts.
- FM radio tuner.
- Connectivity via WiFi, ANT, Bluetooth 4.0, NFC (between compatible NFC devices).
- 3-axis compass with accelerometer and gyro.
- Barometric altimeter and UV sensor.
- Worldwide basemap with shaded relief (preloaded mapping on select models).
- Compatible upgrades: TOPO maps, BirdsEye Satellite Imagery, Custom Maps, and more.
- 8 GB of internal memory and microSD card slot.
- Rugged and waterproof (IPX7).

Order No. Mfg. No. / Description Price
105020 (010-01065-00) **\$650.98 B**

Garmin Montana® 610t Camo Handheld GPS

GARMIN



- Big, tough Camo-patterned GPS with Preloaded TOPO Maps.
- 4" dual-orientation, glove-friendly touchscreen display.
- Tracks both GPS and GLONASS satellites.
- Preloaded TOPO U.S. 100K maps; includes 1-year BirdsEye Satellite Imagery subscription.
- 3-axis compass with barometric altimeter.

Order No. Mfg. No. / Description Price
105135 (010-01534-11) **\$600.98 B**

Garmin Oregon® 650t Handheld GPS

GARMIN



- 3" sunlight-readable display.
- Rugged and waterproof (IPX-7).
- Preloaded TOPO 100K maps and basemap with shaded relief.
- 8MP autofocus camera with LED flash/torch.
- High-sensitivity GPS and GLONASS.
- Dual orientation - landscape or portrait.
- ANT, Bluetooth capable.
- 3-axis compass plus accelerometer, barometric altimeter sensors.
- Dual battery system - traditional AA batteries or included NiMH pack internal charger.
- microSD card slot for optional mapping and data storage.
- User-customizable button for convenience and ease of use.
- Responsive touchscreen that works with many gloves.
- Compatible with all Garmin spine mountable accessories.

Order No. Mfg. No. / Description Price
105040 (010-01066-30) **\$550.98 B**

Garmin Montana® 680t Handheld GPS

GARMIN



- Rugged GPS/GLONASS with 8 Megapixel Camera and Preloaded TOPO Maps.
- 4" dual-orientation, glove-friendly touchscreen display.
- 8 megapixel autofocus camera; automatically geotags photos.
- Tracks both GPS and GLONASS satellites.
- Preloaded TOPO U.S. 100K maps; includes 1-year BirdsEye Satellite Imagery subscription.
- 3-axis compass with barometric altimeter.

Order No. Mfg. No. / Description Price
105145 (010-01534-11) **\$600.98 B**

Garmin Montana® 680 Handheld GPS

GARMIN



- Rugged GPS/GLONASS with 8 Megapixel Camera and BirdsEye Subscription.
- 4" dual-orientation, glove-friendly touchscreen display.
- 8 megapixel autofocus camera; automatically geotags photos.
- Tracks both GPS and GLONASS satellites.
- 1-year BirdsEye Satellite Imagery subscription.
- 3-axis compass with barometric altimeter.

Order No. Mfg. No. / Description Price
105140 (010-01534-11) **\$600.98 B**

Garmin Montana® 610 Handheld GPS

GARMIN



- Big, tough GPS/GLONASS with Birdseye Subscription.
- 4" dual-orientation, glove-friendly touchscreen display.
- Tracks both GPS and GLONASS satellites.
- 1-year BirdsEye Satellite Imagery subscription.
- 3-axis compass with barometric altimeter.

Order No. Mfg. No. / Description Price
105130 (010-01534-11) **\$600.98 B**

Garmin Oregon® 650 Handheld GPS

GARMIN



- 3" sunlight-readable display.
- Rugged and waterproof (IPX-7).
- 8MP autofocus camera with LED flash/torch.
- High-sensitivity GPS and GLONASS.
- 3-axis compass plus accelerometer, barometric altimeter sensors.
- Dual battery system - traditional AA batteries or included NiMH pack internal charger.
- Dual orientation - landscape or portrait.
- ANT, Bluetooth wireless capable.
- Worldwide basemap with shaded relief.
- microSD card slot for optional mapping and data storage.
- User-customizable button for convenience and ease of use.
- Responsive touchscreen that works with many gloves.
- Compatible with all Garmin spine mountable accessories.

Order No. Mfg. No. / Description Price
105035 (010-01066-20) **\$480.98 B**

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

- Fun & Recreation
- Anchor & Dock
- Safety

Garmin Oregon® 600t Handheld GPS



- 3" sunlight-readable display.
- Preloaded TOPO 100K maps and basemap with shaded relief.
- High-sensitivity GPS and GLONASS.
- Sensors include a 3-axis compass plus accelerometer, barometric altimeter.
- Dual orientation - landscape or portrait.
- ANT, Bluetooth capable.
- Rugged and waterproof (IPX-7).
- Dual battery system - traditional AA batteries or included NiMH pack internal charger.
- microSD card slot for optional mapping and data storage.
- User-customizable button for convenience and ease of use.
- Responsive touchscreen that works with many gloves.
- Compatible with all Garmin spine mountable accessories.

Order No. **105030** Mfg. No. / Description (010-01066-10) Price **\$480.98 B**

Garmin Oregon® 600 Handheld GPS



- 3" sunlight-readable display.
- High-sensitivity GPS and GLONASS.
- Sensors including a 3-axis compass plus accelerometer, barometric altimeter.
- Dual orientation - landscape or portrait.
- ANT, Bluetooth capable.
- Rugged and waterproof (IPX-7).
- Dual battery system - traditional AA batteries or included NiMH pack internal charger.
- Worldwide basemap with shaded relief.
- microSD card slot for optional mapping and data storage.
- User-customizable button for convenience and ease of use.
- Responsive touchscreen that works with many gloves.
- Compatible with all Garmin spine mountable accessories.

Order No. **105025** Mfg. No. / Description (010-01066-00) Price **\$400.98 B**

Electronics

- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts

Garmin GPSMAP® 64st Handheld GPS



- Rugged, Full-featured Handheld with GPS, GLONASS and Wireless Connectivity.
- 2.6" sunlight-readable color screen.
- High-sensitivity GPS and GLONASS receiver with quad helix antenna.
- Preloaded TOPO U.S. 100K maps plus a 1-year BirdsEye Satellite Imagery subscription.
- 3-axis compass with barometric altimeter.
- Wireless connectivity via Bluetooth technology or ANT+.

Order No. **105055** Mfg. No. / Description (010-01199-20) Price **\$349.98 B**

Garmin GPSMAP® 64s Handheld GPS



- Rugged, Full-featured Handheld with GPS, GLONASS and Wireless Connectivity.
- 2.6" sunlight-readable color screen.
- High-sensitivity GPS and GLONASS receiver with quad helix antenna.
- 1-year BirdsEye Satellite Imagery subscription.
- 3-axis compass with barometric altimeter.
- Wireless connectivity via Bluetooth technology or ANT+.

Order No. **105050** Mfg. No. / Description (010-01199-10) Price **\$299.98 B**

Garmin GPSMAP® 64 Handheld GPS



- Rugged, Full-featured Handheld with GPS and GLONASS Combined.
- 2.6" sunlight-readable color screen.
- High-sensitivity GPS and GLONASS receiver with quad helix antenna.
- 4 GB of internal memory and a microSD card slot.
- 250,000 preloaded caches for paperless caching from Geocaching.com.

Order No. **105045** Mfg. No. / Description (010-01199-00) Price **\$249.98 B**

- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailerling
- Misc.
- Comm.

Garmin eTrex® Touch 35t Handheld GPS



- Preloaded TOPO US 100K maps.
- 2.6" color, capacitive touchscreen display.
- Easy-to-use navigation for multiple activities.
- 3-axis tilt-compensated electronic compass.
- Barometric altimeter for more accurate elevation and climb information.
- GPS and GLONASS satellite reception for faster positioning.
- 8 GB built-in memory to hold more maps.
- 250,000 preloaded geocaches from geocaching.com.
- Mounting spine.
- 16-hour battery life (AA Battery).
- Water rated IPX7.
- ANT+ connectivity to external sensors and compatible Garmin devices.
- Smart notification for text, email or notifications from your compatible smartphone.
- Compatible with other Garmin devices such as the VIRB action cameras.
- Garmin BaseCamp/BaseCamp Mobile.

Order No. **105100** Mfg. No. / Description (010-01325-13) Price **\$349.98 B**

Garmin eTrex® Touch 35 Handheld GPS



- 2.6" color, capacitive touchscreen display.
- GPS and GLONASS satellite reception for faster positioning.
- Worldwide basemap with shaded relief.
- 3-axis tilt-compensated electronic compass.
- Barometric altimeter for more accurate elevation and climb information.
- 4 GB built-in memory to hold more maps.
- Easy-to-use navigation for multiple activities.
- 250,000 preloaded geocaches from geocaching.com.
- Mounting spine.
- 16-hour battery life (AA Battery).
- Water rated IPX7.
- ANT+ connectivity to external sensors and compatible Garmin devices.
- Smart notification for text, email or notifications from your compatible smartphone.
- Compatible with other Garmin devices such as the VIRB action cameras.
- Garmin BaseCamp/BaseCamp Mobile.

Order No. **105095** Mfg. No. / Description (010-01325-10) Price **\$299.98 B**

Garmin eTrex® Touch 25 Handheld GPS

GARMIN.

- 2.6" color, capacitive touchscreen display.
- GPS and GLONASS satellite reception for faster positioning.
- Worldwide basemap with shaded relief.
- 3-axis tilt-compensated electronic compass.
- 4 GB built-in memory to hold more maps.
- 250,000 preloaded geocaches from geocaching.com.
- Easy-to-use navigation for multiple activities.
- Mounting spine.
- 16-hour battery life (AA Battery).
- Water rated IPX7.



Order No. Mfg. No. / Description Price
105090 (010-01325-00) **\$249.98 B**

Garmin eTrex® 30x Handheld GPS

GARMIN.

- Greater resolution with 240x320 display pixels for improved readability.
- Internal memory expanded to hold more maps.
- Worldwide basemap.
- 2.2" 65K color, sunlight-readable display.
- 3-axis compass and barometric altimeter.
- Wireless capability to share waypoints, routes and geocaches with other similar devices.
- GPS and GLONASS satellites for faster positioning.
- Supports paperless geocaching.



Order No. Mfg. No. / Description Price
105125 (010-01508-10) **\$299.98 B**

Garmin eTrex® 20x Handheld GPS

GARMIN.

- Greater resolution with 240x320 display pixels for improved readability.
- Internal memory expanded to hold more maps.
- High-Sensitivity, WAAS-enabled, GPS receiver with HotFix and GLONASS support.
- 2.2" color display.
- Worldwide basemap with shaded relief.
- Easy-to-use interface.
- Expandable memory allows for Garmin Custom Maps, BirdsEye Satellite Imagery and Photo navigation.
- Supports paperless geocaching.



Order No. Mfg. No. / Description Price
105120 (010-01508-00) **\$199.98 B**

Garmin eTrex® 10 Handheld GPS

GARMIN.

- High-Sensitivity, WAAS-enabled, GPS receiver with HotFix and GLONASS support.
- 2.2-inch monochrome display.
- Easy-to-use interface.
- Worldwide basemap.
- Supports paperless geocaching.
- Spine-mounted accessories.



Order No. Mfg. No. / Description Price
105007 (010-00970-00) **\$109.98 B**

Garmin quatix™ GPS Navigator Marine Watch

GARMIN.

- Designed for avid mariners of all types, from dingy racers and kayakers to big sail and power boaters, quatix is a high-sensitivity GPS navigator marine watch from Garmin - the world's most trusted name in GPS navigation. quatix is the only GPS-enabled device in existence to provide this range of marine navigation features, remote control of Garmin equipment, and streaming NMEA 2000 data to a marine watch.




Order No. Mfg. No. / Description Price
105008 (010-01040-50) **\$249.98 B**

Garmin microSD™/SD™ Card (U.S. LakeVü™ HD Ultra)

GARMIN.

- The Ultimate Freshwater Fishing Map.
- Includes 72 MaxDef lakes showing a level of detail unprecedented in Garmin maps.
- Auto Guidance shows the best path to a destination. Use in conjunction with Satellite imagery to provide enhanced situational awareness.
- High-resolution Relief Shading adds visual depth.
- Dynamic Lake Level setting adjusts maps based on current water levels.
- Depth Range Shading to view your target depth at a glance.



Order No. Mfg. No. / Description Price
105450 (010-C1110-00) **\$200.98 C**

Garmin BlueChart® g2 with High-Res Satellite Imagery

GARMIN.

- Navigate like you were born on the Louisiana Bayou. Combining on-screen navigation with the latest in high-resolution satellite imagery, this mapping product - with complete coverage on a single card - offers clear and current information regarding access to those backwaters, swamps and canals where standard government-issue marine charts may not accurately represent the shifting shorelines of navigable waterways.
- Navigate with a true and realistic "bird's eye" view of the channels and shorelines in your area by integrating 1 meter high-res color satellite imagery with your chartplotter's marine cartography.
- Quickly and easily superimpose satellite images over your displayed charts for real-life views of waterways, landmarks, obstructions, terrain features and more. View aerials of shorelines, roads, marinas, canals and channels, which help provide the extra situational awareness you need to clearly see the big picture when you're "up to your armpits in alligators."
- For added perspective, BlueChart g2 cartography offers a choice of standard 2-D direct overhead or 3-D "over-the-bow" map views to further enhance chart interpretation and orientation.

GARMIN.



Order No. Mfg. No. / Description Price
105455 (010-C1121-20) Louisiana Bayou **\$99.98 C**

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Garmin Panoptix™ PS30 Down Transducer



- With the Panoptix Down transducer, you can actually see fish and bait swimming around under your boat - in real time; even while stationary.
- You get 3 remarkable views:
 - LiveV Down provides real-time moving sonar images. You can see fish swimming toward or away from the boat. You can see small baitfish and large target fish swimming around, even your lure.
 - RealV 3-D Down Allows your boat to be stationary and still see things in 3-D around your boat. It shows history of only 1 sweep.
 - RealV 3-D Historical Used for finding fish while your boat is moving. This shows the entire water column you have passed over in 3-D, from the bottom of the surface and all of the fish in between.

Order No. Mfg. No. / Description Price
105280 (010-01284-00) **\$1,499.98 B**

Garmin Panoptix™ PS31 Forward Transducer



- With one Panoptix Forward transducer, you can actually see the bottom, structure and fish swimming around in front of your boat - in real time; even while stationary.
- You get 2 impressive views:
 - LiveV Forward - Updates the entire view with a single ping and has a more "live video" look, providing real-time moving sonar images. You can see fish swimming toward or away from the boat. You can see small baitfish and large target fish swimming around, even your lure as you reel it in.
 - RealV 3-D Forward - Updates a slice of the 3-D volume with each ping and take 1 to 4 seconds to update the entire volume. It shows the bottom and fish in the water column coming toward the boat. It sweeps forward, and the history on screen is only one sweep.

Order No. Mfg. No. / Description Price
105285 (010-01284-01) **\$1,499.98 B**

Garmin Panoptix™ PS21 LiveVü Forward Transducer



- LiveV forward is the single most impressive view of Panoptix, the most unique and innovative sonar on the water.
- Enjoy the unique ability to see ahead and around your boat in real time even when your boat is stationary.
- With Panoptix LiveV forward you see fish swimming, you see your lure being retrieved, and you see fish attack your lure all in real time.
- Compatible with echoMAP CHIRP 7 and 9-inch models, Garmin GPSMAP 7400/7600 series, GPSMAP 8000/8500 and GPSMAP 721/741/820/840/1020/1040 series chartplotters.
- Transducer trolling motor mounting kit included.

Order No. Mfg. No. / Description Price
105290 (010-01588-00) **\$999.98 B**

Garmin GT15M-IH Plastic, In-Hull Mid-Band CHIRP Transducer



- GT15M-IH transducer is ideal for boats that want to install the transducer inside a fiberglass hull and not on the transom where cavitation could cause issues.
- It can be used with a hull deadrise angle between 0 and 25 degrees and is excellent for boats traveling at high speeds that want to maintain accurate depth readings.
- The 8-pin transducer with 4 plastic tanks features mid-band CHIRP traditional sonar (85-165 kHz) and has a power rating of 600 W.
- It can be used in conjunction with a GT30-TM transducer and an adapter cable so you can maintain depth at high speeds and scanning capabilities at trolling speeds.

Order No. Mfg. No. / Description Price
105325 (010-12402-00) 85-165 kHz, 600W (8-pin) **\$200.98 C**

Garmin GT20-TM Transom Mount DownVü Transducer



- Get ultra-clear sonar pictures of objects, structure and fish that pass below your boat with this all-in-one 4-pin transducer.
- This 20 ft transducer cable with built-in fast response temperature sensor has a power rating of 500 W; a depth of 1,900 ft (traditional) and 750 ft (DownV); an operating frequency of 77/200 kHz (traditional) and 455 kHz (DownV); and a 0 to 70 transom angle.
- Transducer comes with transom and trolling motor mounts, and installation instructions.

Order No. Mfg. No. / Description Price
105350 (010-12087-00) **\$99.98 C**

Garmin GT20-TM Transom Mount DownVü Transducer



- Get ultra-clear sonar pictures of objects, structure and fish that pass below your boat with this all-in-one 8-pin transducer.
- This 20 ft transducer cable with built-in fast response temperature sensor has a power rating of 500 W; a depth of 1,900 ft (traditional) and 750 ft (DownV); an operating frequency of 77/200 kHz (traditional) and 455 (DownV); and a 0 to 70 transom angle.
- Transducer comes with transom and trolling motor mounts, and installation instructions.

Order No. Mfg. No. / Description Price
105355 (010-12087-01) **\$99.98 C**

Garmin GT21-TM Transom Mount DownVü Transducer



- This transom mount transducer provides ultra-clear sonar pictures of objects, structure and fish that pass below your boat.
- This traditional and CHIRP DownV transducer is optimized for depth performance and rough conditions.
- The CHIRP DownV element has a power rating of 500 W and operating frequencies of 260/455 kHz.
- The traditional sonar has a power rating of 600 W and operating frequencies of 50/200 kHz.
- Also includes a built-in fast response temperature sensor.
- GT21-TM includes an 8-pin transducer with mounting hardware and installation instructions.

Order No. Mfg. No. / Description Price
105295 (010-12219-00) **\$149.98 C**

Garmin GT21-TH Stainless Steel Thru-Hull DownVü Transducer



- This thru-hull transducer provides ultra-clear sonar pictures of objects, structure and fish that pass below your boat.
- This traditional sonar and CHIRP DownV transducer is optimized for depth performance and rough conditions.
- The CHIRP DownV element has a power rating of 500 W and operating frequencies of 260/455 kHz.
- The traditional sonar has a power rating of 600 W and operating frequencies of 50/200 kHz.
- Includes a built-in fast-response temperature sensor.
- For hull deadrisers less than 25 degrees.
- GT21-TH includes an 8-pin transducer with stainless steel stem, fairing block, isolation plate and bushings, mounting hardware and installation instructions.

Order No. Mfg. No. / Description Price
105300 (010-12219-10) **\$449.98 C**

Garmin GT51-TH Stainless Steel Thru-Hull DownVü/SideVü Transducer



- This thru-hull transducer provides ultra-clear sonar pictures of objects, structure and fish that pass below your boat.
- This traditional CHIRP sonar and CHIRP DownV/SideV transducer is optimized for depth performance and rough conditions.
- The CHIRP DownV/ SideV elements have a power rating of 500 W per element (1,500 W total) and operating frequencies of 260/455 kHz.
- The traditional CHIRP sonar has a power rating of 600 W and operating frequencies of mid-band CHIRP 80-160 kHz.
- It includes a built-in fast-response temperature sensor.
- For hull deadrisers less than 5 degrees.
- GT51M-TH includes a 12-pin transducer with stainless steel stem, fairing block, isolation plate and bushings, mounting hardware and installation instructions.

Order No. Mfg. No. / Description Price
105321 (010-12223-10) **\$899.98 C**

Garmin GT40-TM Transom Mount DownVü/SideVü Transducer



- This transom mount transducer provides ultra-clear sonar pictures of objects, structure and fish that pass below your boat.
- Optimized for clearer images at shallower depths.
- The traditional sonar has a power rating of 500 W and operating frequencies of 77/200 kHz.
- The CHIRP DownV/SideV elements have a power rating of 500 W per element (1,500 W total) and operating frequencies of 455/800 kHz.
- It also includes a built-in fast response temperature sensor.
- GT40-TM includes a 12-pin transducer with mounting hardware and installation instructions.

Order No. Mfg. No. / Description Price
105305 (010-12220-00) **\$259.98 C**

Garmin GT41-TM Transom Mount DownVü/SideVü Transducer



- This transom mount transducer provides ultra-clear sonar pictures of objects, structure and fish that pass below your boat.
- Optimized for depth performance and rough conditions.
- The traditional sonar has a power rating of 600 W and operating frequencies of 50/200 kHz.
- The CHIRP DownV/SideV elements have a power rating of 500 W per element (1,500 W total) and operating frequencies of 260/455 kHz.
- Also includes a built-in fast response temperature sensor.
- GT41-TM includes a 12-pin transducer with mounting hardware and installation instructions.

Order No. Mfg. No. / Description Price
105310 (010-12221-00) **\$299.98 C**

Garmin GT50-TM Transom Mount DownVü/SideVü Transducer



- This transom mount transducer provides ultra-clear sonar pictures of objects, structure and fish that pass below your boat.
- Optimized for clearer images at shallower depths.
- The traditional CHIRP sonar has a power rating of 300 W and operating frequencies of mid-band CHIRP 80-160 kHz.
- The CHIRP DownV/SideV elements have a power rating of 500 W per element (1,500 W total) and operating frequencies of 455/800 kHz.
- Also includes a built-in fast response temperature sensor.
- GT50M-TM includes a 12-pin transducer with mounting hardware and installation instructions.

Order No. Mfg. No. / Description Price
105315 (010-12222-00) **\$449.98 C**

Garmin GT51-TM Transom Mount DownVü/SideVü Transducer



- This transom mount transducer provides ultra-clear sonar pictures of objects, structure and fish that pass below your boat.
- Optimized for depth performance and rough conditions.
- The traditional CHIRP sonar has a power rating of 600 W and operating frequencies of mid-band CHIRP 80-160 kHz.
- The CHIRP DownV/SideV elements have a power rating of 500 W per element (1,500 W total) and operating frequencies of 260/455 kHz.
- It also includes a built-in fast response temperature sensor.
- GT51M-TM includes a 12-pin transducer with mounting hardware and installation instructions.

Order No. Mfg. No. / Description Price
105320 (010-12223-00) **\$599.98 C**

Garmin GT22HW-TM Plastic, Transom or Trolling Motor Mount Transducer

- GT22HW-TM transducer is perfect for freshwater fishermen who want CHIRP traditional sonar and CHIRP DownV scanning sonar.
- Consistently displays clear and crisp fish arches with superior target separation as well as clear definition of structure below the boat.
- The 8-pin transducer features high wide band CHIRP traditional sonar (150-240 kHz) and has a power rating of 250 W.
- The CHIRP DownV (455/800 kHz) element has a power rating of 350 W.
- Ideal for mounting to a trolling motor due to its compact size.

Order No. Mfg. No. / Description Price
105330 (010-12403-00) **\$179.98 C**



- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Garmin Transom Mount Transducer with Depth and Temperature



- This dual beam transducer replaces the one included with your echo series fishfinder.
- A 500 W 4-pin transducer; an operating frequency of 77 to 200 kHz; a beamwidth of 45 to 15 degrees; and mounts on a 0 to 70 degree transom.
- Transducer kit comes with installation instructions.
- When using with a 6-pin Garmin sounder, transducer adapter cable part number 010-11614-00 is required.
- When using with the echoMAP 50s/70s, transducer adapter cable part number 010-11948-00 is required.

Order No.	Mfg. No. / Description	Price
105335	(010-10249-20)	\$51.98 C

Garmin Transom Mount Transducer with Depth and Temperature



- This dual beam transducer replaces the one included with your echo series fishfinder.
- A 500 W 8-pin transducer, it has an operating frequency of 77/200 kHz; a beamwidth of 45/15 degrees; and mounts on a 0 to 70 degree transom.
- Transducer kit comes with installation instructions.
- When using with the echo fishfinders, transducer adapter cable, 010-11947-00, is required. Transducer, 010-10249-20, is preferred.

Order No.	Mfg. No. / Description	Price
105340	(010-10249-40)	\$58.98 C

Garmin Bronze Tilted Thru-Hull Transducer with Depth and Temperature



- This entry-level tilted bronze transducer accommodates deadrise angles of 16 to 24 degrees without a fairing.
- An excellent choice for fiberglass and wood hulls, this 600 W 8-pin transducer has a depth of 800 to 1,200 ft; an operating frequency of 50 to 200 kHz; and a beamwidth of 45 to 12 degrees.
- Transducer kit comes with installation instructions.
- Do not use on metal hulls.
- When using with a 6-pin Garmin sounder, a transducer adapter cable is required.

Order No.	Mfg. No. / Description	Price
105345	(010-10982-20) 20° Tilt, 8-pin - Airmar B60	\$280.98 C

Garmin Heavy Duty Transom Mount



- Easily attach your compatible 4-, 8- or 12-pin transducer to the transom of your boat with this mount, which provides excellent sonar returns at all speeds. Since the transducer is in the water at all times, the mount does not protect the transducer from underwater obstructions and some drag on the boat will occur.

Order No.	Mfg. No. / Description	Price
105360	(010-12006-10)	\$24.98 C

Garmin Transom/Trolling Motor Mount



- Easily attach your compatible transducer to the transom or trolling motor of your boat. The low-profile design of the mount provides ultimate protection from underwater obstructions and easy mounting.

Order No.	Mfg. No. / Description	Price
105365	(010-12006-20)	\$19.98 C

Garmin Trolling Motor Mount



- Easily attach your compatible scanning transducer to the trolling motor of your boat. The low-profile design of the mount provides ultimate protection from underwater obstructions and easy mounting.

Order No.	Mfg. No. / Description	Price
105370	(010-12105-20)	\$19.98 C

Garmin Transducer Spray Shield



- Reduces excessive water spray from your compatible transducer when your boat is running at high speeds.

Order No.	Mfg. No. / Description	Price
105430	(010-12406-00)	\$19.98 C

Garmin Kayak In-Hull Transducer Mount



- Our versatile in-hull transducer mounting solution for kayaks allows fishermen to get out on the water with their favorite Garmin equipment.
- The mount fits the Garmin dual beam transducer (77/200 kHz) and GT20-TM transducer (77/200 kHz/DownV), and is for use with compatible fishfinder and combo marine devices.
- It can withstand continuous water submersion without releasing, all while protecting your transducer (sold separately) within the kayak.
- The mount - a foam pad with adhesive - comes with installation instructions.
- No tools are required for installation.

Order No.	Mfg. No. / Description	Price
105425	(010-12357-00)	\$19.98 C

Garmin Extension Cables



- Extend the cable length of your compatible 12-pin transducer with these 10 feet (3 meters) or 30 feet (9 meters) cables.
- Supports 12-pin Airmar transducers with XID.

Order No.	Mfg. No. / Description	Price
105385	(010-11617-32) Length 10'	\$39.98 C
105395	(010-11617-42) Length 30'	\$49.98 C

Garmin Adapter Cable



- Connect a 12-pin Garmin scanning transducer and an in-hull mount traditional transducer to a compatible echoMAP chartplotter/sonar combo. This adapter cable allows the echoMAP to continue to display water depth from the in-hull transducer in instances when the transom mount transducer loses depth reading due to cavitation. The in-hull transducer must be installed in a fiberglass hull.

Order No.	Mfg. No. / Description	Price
105445	(010-12445-33)	\$24.98 C

Garmin Marine Network Cables



105460



105465

- Our marine network cables offer an additional 6 feet (1.83 m), 20 feet (6.1 m), 40 feet (12.19 m) or 500 feet (152.4 m) of cable length (each sold separately).

Order No.	Mfg. No. / Description	Price
105460	(010-10550-00) Length 6'	\$29.98 H
105465	(010-10551-00) Length 20'	\$44.98 H

Garmin 12-pin Transducer Y-Cable



- Connect a port/Starboard pair of thru-hull transducers to the sonar unit with this 12-pin Y-cable. The cable is approximately 10 meters (32.81 ft) long.

Order No.	Mfg. No. / Description	Price
105435	(010-12225-00)	\$49.98 C

Garmin Transducer Extension Cables (8-pin)



- Extend the cable length of your compatible transducer with this 10 ft (3 m) or 30 ft (9 m) cable.

Order No.	Mfg. No. / Description	Price
105400	(010-11617-50) Length 10'	\$39.98 C
105405	(010-11617-52) Length 30'	\$59.98 C

Garmin Transducer Extension Cable (4-pin)



- Connect your 4-pin transducer to your sonar unit with this 10 ft (3 m) extension cable.

Order No.	Mfg. No. / Description	Price
105380	(010-11617-10) Length 10'	\$35.98 E

Garmin Transducer Adapter (4-pin)



- Use this adapter cable to connect a compatible 4-pin Garmin fishfinder/GPS combo to a MotorGuide trolling motor transducer.

Order No.	Mfg. No. / Description	Price
105480	(010-11979-00)	\$34.98 C

Garmin 12-pin to Dual 4-pin Transducer Y-Cable



- Use this adapter cable when connecting a compatible 12-pin transducer to a compatible 4-pin Garmin device.

Order No.	Mfg. No. / Description	Price
105440	(010-12234-05)	\$29.98 C

Garmin Adapter Cable



- Use this adapter cable to connect a Garmin 8-pin single/dual beam transducer to a Garmin 4-pin echo series or STRIKER series fishfinder.

Order No.	Mfg. No. / Description	Price
105410	(010-11947-00)	\$16.98 G

Garmin Adapter Cable



- Use this adapter cable to connect a 4-pin transducer to a 8-pin sounder.

Order No.	Mfg. No. / Description	Price
105442	(010-11948-00)	\$16.98 H

Garmin Transducer Adapter (8-pin)



- Use this adapter cable to connect a compatible 8-pin fishfinder/GPS combo to a MotorGuide trolling motor transducer.

Order No.	Mfg. No. / Description	Price
105482	(010-11979-10)	\$34.98 C

Garmin User Data Sharing Cable



- Share user data such as waypoints and routes with other compatible Garmin devices.

Order No.	Mfg. No. / Description	Price
105470	(010-12234-06)	\$19.98 C



- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Garmin NEMA 2000® Backbone/Drop Cables



- Extend your NEMA 2000 backbone with our 6 feet (2 m) and 19 feet (6 m) backbone/drop cables (sold separately).

Order No.	Mfg. No. / Description	Price
105485	(010-11076-00) Length 6'	\$25.98 F
105490	(010-11076-01) Length 19'	\$30.98 F

Garmin NEMA 2000® T-Connector



- Add components to your NEMA 2000 network by installing our T-connector on your backbone cable.

Order No.	Mfg. No. / Description	Price
105495	(010-11078-00)	\$20.98 F

Garmin NEMA 2000® Power Cable



- Supply power to your NEMA 2000 network with our 6 foot (2 m) power cable.

Order No.	Mfg. No. / Description	Price
105500	(010-11079-00)	\$18.98 F

Garmin NEMA 2000® Terminators



- This standard male or female NEMA 2000 light cable connector provides termination resistance for one end of the backbone of the network.
- Each male or female connector sold separately.

Order No.	Mfg. No. / Description	Price
105505	(010-11080-00) Male	\$10.98 F
105510	(010-11081-00) Female	\$10.98 F

Garmin NEMA 2000® Inline Terminator



- Use our inline terminator between the backbone cable and your compatible device to correctly terminate the network.

Order No.	Mfg. No. / Description	Price
105515	(010-11096-00)	\$15.98 F

Garmin NEMA 2000® Power Isolator



- Use our NEMA 2000 power isolator to ensure sources that could power the bus are separated properly during installation of the NEMA 2000 network.

Order No.	Mfg. No. / Description	Price
105525	(010-11580-00)	\$20.98 F

Garmin NEMA 2000® Starter Kit



- Our starter kit has everything you need to build a basic NEMA 2000 network on your boat.
- The kit includes an NEMA 2000 drop cable (2 m), backbone cable (10 m), power cable (2 m), 2 T-connectors, and male and female terminator connectors.

Order No.	Mfg. No. / Description	Price
105520	(010-11442-00)	\$99.98 E


Garmin Bare Wire Transducer to 12-pin Sounder Wire Block Adapter



- Connect a compatible bare wire transducer to a Garmin 12-pin sounder connector with this wire block adapter.

Order No.	Mfg. No. / Description	Price
105535	(010-11613-10)	\$69.98 C

Garmin 6-pin Transducer to 8-pin Sounder Adapter Wire Block



- This adapter allows you to connect the wires on legacy 6-pin transducers with newer sonar that require a 8-pin connection.

Order No.	Mfg. No. / Description	Price
105530	(010-11613-00)	\$69.98 E

Garmin GMS™ 10 Network Port Expander



- The GMS 10 network port expander allows you to connect multiple chartplotters and sensors over the Garmin Marine Network.
- With this robust 100 MB switch, you can connect multiple multi-functional displays (MFDs) and sensors to the marine network and gain the benefit of Ethernet-like data transfer speeds up to 10 times faster than some competitive systems.

Order No.	Mfg. No. / Description	Price
105540	(010-00351-00)	\$250.98 C

Garmin VHF 200 Marine Radio

- Extra large 3.2" display with adjustable backlighting.
- Up to 25W transmission output.
- LOCAL receiver mode for improving reception performance in areas with dense radio traffic.
- Full Class D Digital Selective Calling (DSC) with built-in DSC receiver.
- NMEA 2000 and NMEA 0183 interface options.
- Position tracking options.
- The VHF 200 is compatible with the GHS 10 and GHS 20.
- Knobs for adjusting volume, squelch and choice of channel.



Order No. Mfg. No. / Description Price
105000 (010-00755-10) Black **\$399.98** E

Garmin Rino® 650t Handheld GPS/Radio



- FRS/GMRS radio and touchscreen GPS navigator.
- Preloaded TOPO U.S. 100K maps and included 1-year BirdsEye Satellite Imagery subscription.
- 5 watt transmit power.
- High-sensitivity GPS receiver.
- 3-axis electronic compass and barometric.

Order No. Mfg. No. / Description Price
105006 (010-00928-10) **\$550.98** B

Garmin Rino® 650 Handheld GPS/Radio



- FRS/GMRS radio and a touchscreen GPS navigator.
- 5 watt transmit power.
- High-sensitivity GPS receiver.
- 3-axis electronic compass.
- Barometric altimeter.
- MicroSD Card for expanded memory.
- Supports BirdsEye Satellite Imagery.
- Runs on rechargeable lithium-ion battery.
- Position Reporting capability lets you send your exact location to other Rino users.
- Communicates with other convention FRS/GMRS radio in range.

Order No. Mfg. No. / Description Price
105005 (010-00928-01) **\$500.98** C

RADIO PAGE




DETAILED TOPO MAPS



BIRDSEYE SATELLITE IMAGERY



ELEVATION PLOT



3-AXIS COMPASS



- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Garmin VIRB X Action Camera



- G-Metrix: Built-in Garmin GPS and sensors track your movements in real-time and display it as powerful gauges, graphs and more.
- Video: 1080p/30fps; 960p/30fps; 720p/60fps; 480p/120 and Zoom Levels.
- Photo: 12MP; Burst up to 10 frames per second; Time Lapse; Extended Time Lapse.
- Multi Camera Sync - Automatically synchronize footage using GPS.
- Custom, wide angle aspherical glass lens: maximum image sharpness, lowest distortion above and below water.
- Up to 120 fps slow-mo capability (480p).
- GPS - location, distance tracklog and speed.
- ANT+ - heart rate, cadence, power, speed, pace, temperature and more from compatible Garmin devices 2,3.
- Bluetooth connection to OBD-II car sensors, Garmin avionics and more to get vehicle-specific G-Metrix.
- Audio: Exposed microphone for extremely clear audio even underwater; Wireless HD Audio from Bluetooth-enabled headsets or microphones.
- Bluetooth Audio - add HD Audio from a wireless microphone or headset.
- Wi-Fi - Connects to smartphone for real-time viewing even while recording, control, edit, and share.
- 2-hour battery life at 1080p/30fps.
- Waterproof to 50 meters without a case.
- Simple, one-touch switch to wake up and start/stop recording.
- Weatherproof contacts allow for rugged charging and rugged powering (motorcycle, boat).
- Separate photo button to capture still images at any time.
- High-contrast 1" display offers fast, straightforward camera configuration.

Order No. **105215** Mfg. No. / Description (010-01363-01) Price **\$299.98 E**

Garmin Rugged Combo Cable - VIRB® X/XE



- This 3-to-1 combo cable allows you to power your VIRB X or XE action camera, providing 3.5 mm stereo input for an external mic, RCA composite video output and mini-USB port.
- The cable is great for rugged environments, such as adventures on ATVs, motorcycles and more.

Order No. **105475** Mfg. No. / Description (010-12256-16) Price **\$39.98 C**

Garmin Watersport Mount - VIRB® X/XE



- Mount VIRB X or XE to your favorite watersport and capture your entire adventure.
- The mount is perfect for capturing on-water adventures, including surfing, kayaking, boating, wakeboarding and more.

Order No. **105560** Mfg. No. / Description (010-12256-12) Price **\$24.98 C**

Garmin VIRB XE Action Camera



- G-Metrix: Built-in Garmin GPS and sensors track your movements in real-time and display it all in powerful gauges, graphs and more.
- Professional Video: 1440p30, 1080p60, 960p100, 720p120, and 480p240 with Image Stabilization and Zoom Levels.
- Pro Mode - for manual control of color, white balance, sharpness, sensitivity and exposure locking.
- Electronic Image Stabilization - Smooth video in rough conditions.
- Multi Camera Sync - Automatically synchronize footage using GPS.
- Custom, wide angle aspherical glass lens: maximum image sharpness, lowest distortion above and below water.
- GPS + Motion Sensors, location, elevation, tracklog and speed.
- ANT+ - heart rate, cadence, power, speed, grade, pace, distance, temperature and more from compatible Garmin devices 1,2.
- Bluetooth connection to OBD-II car sensors, Garmin avionics and more to get vehicle-specific G-Metrix.
- Audio: Exposed microphone for extremely clear audio even underwater; Wireless HD Audio from Bluetooth-enabled headsets or microphones.
- Wi-Fi - Connect to smartphone for real-time viewing even while recording, control, edit, and share.
- Up to 240 fps slow-mo capability (480p).
- Photo: 12MP; Burst up to 30 frames per second; Time Lapse; Extended Time Lapse.
- 2-hour battery life at 1080p@60fps.
- Waterproof to 50 meters without a case.
- Simple, one-touch switch to wake up and start/stop recording.
- Weatherproof contacts allow for rugged charging and rugged powering (motorcycle, boat).
- Separate photo button to capture still images at any time.
- High-contrast 1" display offers fast, straightforward camera configuration.

Order No. **105220** Mfg. No. / Description (010-01363-11) Price **\$399.98 E**

Garmin Mount Base Kit - VIRB® X/XE



- Place VIRB X or XE virtually anywhere with these 3 extra flat and 3 extra curved base mounts that firmly lock the action camera in position.

Order No. **105375** Mfg. No. / Description (010-12256-17) Price **\$19.98 C**



Garmin Pivoting Mount Base Kit - VIRB® X/XE

GARMIN.



- Place VIRB X or XE virtually anywhere with these heavy duty adhesive mounts for flat and curved surfaces.
- Easily pivot the mount base to capture a variety of angles. Includes 3 flat adhesive mounts, 3 curved adhesive mounts, pivoting mount adapter, long screw and wrench.

Order No. Mfg. No. / Description
105420 (010-12256-27)

Price
\$21.98 C

Garmin Large Tube Mount - VIRB® X/XE

GARMIN.



- Capture your entire adventure with this large tube mount that secures your VIRB X or VIRB XE to your bike or other large tube sporting equipment.
- Secure your device in the mount using the inserts.
- Adjustable arms provide flexibility to get the right shot.
- The mount can be used on large tubes from 0.75 inches to 1.5 inches (19 mm to 38 mm), including handlebars, seat posts, roll bars, shotgun barrels and more.

Order No. Mfg. No. / Description
105545 (010-12256-02)

Price
\$24.98 C

Garmin Archery Bow Mount - VIRB® X/XE

GARMIN.



- Capture your entire hunt.
- Replace your stabilizer with this archery/bow mount, screw on your bow and then your VIRB X or XE (sold separately) and let your camera roll.

Order No. Mfg. No. / Description
105565 (010-12256-20)

Price
\$14.98 C

Garmin Head Strap Mount with Ready Clip - VIRB® X/XE

GARMIN.



- Secure VIRB X or XE to your head and capture your entire adventure with this comfortable and adjustable mount that also may be worn over hats.
- Use the included ready clip to attach your camera to a variety of places (3 mm to 6 mm in thickness), including your hat or belt, backpack strap or pocket, while climbing, hiking, diving and more.

Order No. Mfg. No. / Description
105570 (010-12256-05)

Price
\$21.98 C

Garmin Adjustable Mounting Arm Kit - VIRB® X/XE

GARMIN.



- Mount VIRB X or XE virtually anywhere with this kit. It includes a variety of links and adhesive mounts, including a flat adhesive mount, curved adhesive mount, standard mount adapter, vertical mount adapter, short extension arm, long extension arm, short screw, 2 long screws and a wrench.
- Also includes pivoting mount adapter pieces for use with collared mounts (sold separately).

Order No. Mfg. No. / Description
105415 (010-12256-18)

Price
\$19.98 C

Garmin Tripod Mount - VIRB® X/XE

GARMIN.



- Firmly lock VIRB X or XE in position with this standard tripod (1/4-20 thread) mount.
- Once attached the camera locks firmly into any standard tripod stand (not included) so you can start filming.
- This mount is great for stationary shots, time-lapses and more.

Order No. Mfg. No. / Description
105550 (010-12256-07)

Price
\$6.98 C

Garmin Auto Dash Suction Mount - VIRB® X/XE

GARMIN.



- Keep your action camera rolling even while driving or flying with this suction mount that attaches to a windshield or any smooth, flat surface.

Order No. Mfg. No. / Description
105555 (010-12256-09)

Price
\$24.98 C

Garmin Dog Harnesses - VIRB®

GARMIN.



- Mount your action camera to your dog with this lightweight, fully adjustable harness.
- Available in 2 different sizes (based on the length of the dog), you must choose the size that fits your dog the best by measuring your dog's length.
- Measurements are from the base of the dog's neck between the shoulder blades to the base of the dog's tail.
- Dogs measuring 15 inches to 25 inches (38-64 cm) should wear the short harness, and dogs measuring 26 inches to 36 inches (66-92 cm) should wear the long harness.

Order No. Mfg. No. / Description
105270 (010-12256-24) Short Harness

Price
\$69.98 C

105275 (010-12256-25) Long Harness

\$74.98 C

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Garmin Alpha® 100 Dog Tracking and Training



105230

105016

- Track and Train up to 20 dogs/hunting buddies from up to 9 miles (105016 - TT 15) and 4 miles (105230 - TT 15 mini) away.
- 3" diagonal glove-friendly color touchscreen.
- 18 levels of continuous and momentary stimulation modes.
- Audible tone and vibration modes.
- Includes preloaded TOPO U.S. 100K mapping and a free one-year subscription for BirdsEye Satellite Imagery.
- Supports TOPO U.S. 24K, autorouting with City Navigator and Garmin Custom Maps (sold separately).
- 3-axis electronic compass and barometric altimeter.
- "Treed" & "On Point" notifications.
- Measure dog speed and distance traveled.
- Rechargeable/replaceable LI-ON batteries in Alpha and TT 15 collar.
- Emergency alert.
- TT 15 dog device includes long and short interchangeable stainless steel contact points with wrench for different coat thickness.
- Rescue mode preserves and extends battery life providing for more time to find your dog.
- Compatible with Garmin T 5 dog tracking device (provides tracking only).
- Unit-to-unit data transfer with compatible devices.
- Handheld and dog device each water-rated to 10 meters.

Order No.	Mfg. No. / Description	Price
105016	(010-01041-50) Includes: Handheld & TT 15 Dog Device	\$800.98 B
105230	(010-01486-30) Includes: Handheld & TT 15 mini Dog Device	\$800.98 B

Garmin TT 15 Mini Dog Device



- Dog tracking and training device created for smaller breeds with lighter design and neck sizes as small as 9.5".
- Compatible with both the Garmin Alpha 100 and the Astro 320 (tracking only).
- High-sensitivity GPS/GLONASS receiver with replaceable, rechargeable battery.
- Provides 18 levels of continuous and momentary stimulation, plus audible tone and vibration modes.

Order No.	Mfg. No. / Description	Price
105019	(010-01041-80)	\$299.98 5

Garmin Astro® 320 Dog Tracking and Training




105225

105016

- Track up to 10 dogs at a time, up to 9 miles (105017 - T 5) and 4 miles (105225 - TT 5 mini) away.
- Shows dog location, status and distance.
- Handheld with 2.6" color screen and high-sensitivity GPS/GLONASS.
- Supports TOPO U.S. 24K, BirdsEye Satellite Imagery, autorouting with City Navigator and Garmin Custom Maps (sold separately).
- Wirelessly share your dog's information with other Astro 320 handhelds.
- T 5 Dog Device and collar has top-mounted high-sensitivity GPS/GLONASS receiver with tough, flexible braided steel antenna.
- Mark special waypoints.
- Compatible with Garmin TT 15 Track and Train collars (provides tracking only).
- Unit-to-unit data transfer with compatible devices.
- 3-axis electronic compass.
- Emergency alert.
- LED Beacon Lights.
- Rescue mode preserves and extends battery life providing for more time to find dog.
- Replaceable collar strap, with additional colors available.
- Handheld and dog device each water-rated to 10 meters.

Order No.	Mfg. No. / Description	Price
105017	(010-01041-60) Includes: Handheld & T 5 Dog Device	\$599.98 B
105225	(010-01486-20) Includes: Handheld & T 5 mini Dog Device	\$600.98 B

Garmin T 5 Dog Device



- Dog device with collar are top-mounted, high-sensitivity GPS/GLONASS receivers that use LED beacon lights activated from Astro 320 and Alpha 100.
- The lights work in low-light conditions and at night, and are visible up to 100 yards away.
- Rugged and water-resistant to 10 meters, these tracking-only dog devices are tough enough to run wherever your dog runs, up to 9 miles away.
- Ships with a 1-inch blue collar strap.
- Replacement straps are available in multiple colors (sold separately).

Order No.	Mfg. No. / Description	Price
105018	(010-01041-70)	\$249.98 B

Garmin Magnetic Mount Antenna

GARMIN.



- This powerful remote antenna magnetically mounts to your vehicle and connects to the Astro so you can track your dogs with Astro while driving.

Order No.	Mfg. No. / Description	Price
105235	(010-10931-00)	\$39.98 H

Garmin PRO 550 Dog Training

GARMIN.



- 3 dog capability.
- 21 levels of continuous and momentary stimulation.
- Train with stimulation, vibration and tone setting.
- Up to 1 mile range.
- Remote operated beacon lights on dog device.
- Built-in BarkLimiter activated on the dog device.
- Built in upland beeper control (beeper separately).
- Easy one-hand operation.
- Compact, tough and dependable receiver.
- Uses a 3/4" collar strap.
- Water rating (IPX7 for handheld 1 ATM ((10m)) for dog device).
- Interchangeable contact points.

Order No.	Mfg. No. / Description	Price
105222	(010-01202-00) Includes: Handheld & Dog Device	\$400.98 B

Garmin BarkLimiter™

GARMIN.



- Accelerometer bark differentiating technology.
- Autorise automatic bark correction optimization.
- Bark Odometer™ counts number of barks while you're away.
- Virtually eliminates false corrections.
- User-replaceable, long lasting (10 month) CR2 lithium battery.
- Fits on all dog breeds, all coat lengths.
- Works right out of box.
- Vibration and manual settings.
- Waterproof (IPX7) design.

Order No.	Mfg. No. / Description	Price
105221	(010-01070-00)	\$79.98 B

Garmin PRO Trashbreaker™ Dog Training

GARMIN.



- Designed for multi-dog training.
- 9 dog capability.
- 6 levels of continuous stimulation.
- Train with stimulation and tone setting.
- Up to 4 mile range.
- Remote operated beacon lights on dog device.
- Built-in BarkLimiter activated on the dog device.
- Easy one-hand operation.
- Compact, tough and dependable receiver.
- Uses a 3/4" collar strap.
- Water rating (IPX7 for handheld 1 ATM ((10m)) for dog device).

Order No.	Mfg. No. / Description	Price
105223	(010-01202-00) Includes: Handheld & Dog Device	\$400.98 B

Garmin Collar Straps

GARMIN.



- Garmin's polyurethane-coated 1" collar is rugged and waterproof, just like the original collar that came with your dog tracking device.
- The 27" nylon collar has a nickel plated square buckle and collar keeper and has holes spaced to fit most dogs.

Order No.	Mfg. No. / Description	Price
105240	(010-11892-00) Orange	\$13.98 G
105245	(010-11892-01) Black	\$13.98 G
105250	(010-11892-02) Red	\$13.98 G
105255	(010-11892-04) Blue	\$13.98 G
105260	(010-11892-06) Green	\$13.98 G
105265	(010-11892-08) Yellow	\$13.98 C

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Humminbird Model Helix 12 Series GPS Fishing System



- Screen: 12.1" HD Color Screen. 1280H x 800V resolution. 1500 nit brightness.
- Full-Spectrum CHIRP with a 28 kHz to 540 kHz. Requires optional CHIRP transducer(s) to obtain full frequency range.
- AutoChart Live pre-loaded onto unit.
- SwitchFire Sonar.
- 1,500 ft. capability. Down Imaging to 350'. Side Imaging out to 240' left and 240' right.
- 500 watts (RMS)/4,000 watts (PTP).
- Internal precision GPS records up to 2500 waypoints and 47 routes.
- Two card slots accommodate Navionics, Humminbird LakeMaster and LakeMaster PLUS Maps, helping you find - and bring home - your next trophy.

Order No.	Mfg. No. / Description	Price
402325	(410000-1) DualBeam PLUS	\$1,699.99 B
402330	(410010-1) Down Imaging/DualBeam PLUS	\$1,799.99 B
402335	(410030-1) Side Imaging/Down Imaging/DualBeam PLUS	\$2,299.99 B
402340	(410030-1KVD) Kevin Van Dam Signature Version	\$2,299.99 B

Humminbird Model Helix 10 Series GPS Fishing System



- Screen: 10.1" HD Color Screen. 1024H x 600V resolution. 1500 nit brightness.
- AutoChart Live pre-loaded onto unit.
- SwitchFire Sonar.
- 1,500 ft. capability. Down Imaging to 350'. Side Imaging out to 240' left and 240' right.
- 500 watts (RMS)/4,000 watts (PTP).
- Internal precision GPS records up to 2500 waypoints and 47 routes.
- Two card slots accommodate Navionics, Humminbird LakeMaster and LakeMaster PLUS Maps, helping you find - and bring home - your next trophy.

Order No.	Mfg. No. / Description	Price
402305	(409960-1) DualBeam PLUS	\$999.99 B
402310	(409970-1) Down Imaging/DualBeam PLUS	\$1,099.99 B
402315	(409990-1) Side Imaging/Down Imaging/DualBeam PLUS	\$1,499.99 B
402320	(40990-1KVD) Kevin Van Dam Signature Version	\$1,490.99 B

Humminbird ONIX Series

Note: To use the external GPS receiver AS GRP or AS GPS HS with the ONIX Series this setup will require the AS GPS NMEA to make connection.
 *Optional 50 kHz transducers available for deepwater use.

*To obtain 1,000 watts, optional deepwater transducer required.
 **Optional SM3000 available for deepwater use to 10,000 ft., requires optional purchase of CHIRP Ethernet SONAR module

Humminbird Model ONIX10ci SI Combo Fishing System - Non Tactile



- Display size - diagonal: 10.4". Display pixel matrix: 1024H x 768V. Display colors grayscale: 16.7 mm colors. LED backlight
- Sonar standard: HD Side Imaging, HD Down Imaging, DualBeam PLUS and DSP (Digital Signal Processing) with SwitchFire with internal GPS Combo.
- Standard sonar coverage: 20°, 60°, 75°, 45°, (2) 86° and (2) 55° @ -10db (Total of 180°).
- Standard sonar frequency: 200/83/455/800/50* kHz.
- Power output: 1,000 watts* (RMS). 8,000 watts* (Peak to Peak).
- Depth capability: 150 ft. (SI), 350 ft. (DI), 1,500 ft.* and 10,000 ft.**
- GPS Chartplotting with Humminbird TriFuel Cartography that gives you access to world background maps from Navionics, C-MAP and Humminbird LakeMaster.
- Includes unit cover.

Order No.	Mfg. No. / Description	Price
404088	(409780-1) Side Imaging, DualBeam	\$2,699.99 MAP
403367	(740148-1) Indash Mounting Kit	\$49.99 E

Humminbird Model ONIX10ci Combo Fishing System - Non Tactile




- Display size - diagonal: 10.4". Display pixel matrix: 1024H x 768V. Display colors grayscale: 16.7 mm colors. LED backlight
- Sonar standard: DualBeam PLUS and DSP (Digital Sonar Processing) with SwitchFire.
- Standard sonar coverage: 20° and 60° @ -10db.
- Standard sonar frequency: 200/83/50* kHz.
- Power output: 1,000 watts* (RMS). 8,000 watts* (Peak to Peak).
- Depth capability: 1,500 ft., 5,000 ft.* and 10,000 ft.**
- GPS Chartplotting with Humminbird TriFuel Cartography that gives you access to world background maps from Navionics, C-MAP and Humminbird LakeMaster.
- Includes unit cover.

Order No.	Mfg. No. / Description	Price
404087	(409770-1) DualBeam	\$1,999.99 MAP
403367	(740148-1) Indash Mounting Kit	\$49.99 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Humminbird Model 1159ci HD Combo Fishing System



- Display size - diagonal: 10.4". Display pixel matrix: 800H x 600V. Display colors grayscale: 65,000 colors. LED Backlight.
 - Sonar standard: DualBeam PLUS with SwitchFire.
 - Standard sonar coverage: 20° and 60° @ -10db.
 - Standard sonar frequency: 200/83/50* kHz.
 - Power output: 1,000 watts* (RMS). 8,000 watts* (Peak to Peak).
 - Depth capability: 1,500 ft. and 3,000 ft.*
 - GPS Chartplotting with built-in Humminbird Contour XD maps and Ethernet networking capabilities.
 - Includes unit cover and in-dash mounting kit.
- * Optional 50 kHz transducers available for extreme deepwater use.
 * To obtain 1,000 watts, optional deepwater transducer required.

Order No.	Mfg. No. / Description	Price
404073	(409200-1)	\$1,700.05 LQ

Humminbird Model Helix 9 Series GPS Fishing System



- Screen: 9" HD Color Screen. 800H x 480V resolution. 1500 nit brightness.
- AutoChart Live pre-loaded onto unit.
- SwitchFire Sonar.
- 1,500 ft. capability. Down Imaging to 350'. Side Imaging out to 240' left and 240' right.
- 500 watts (RMS)/4,000 watts (PTP).
- Internal precision GPS records up to 2500 waypoints and 47 routes.
- Two card slots accommodate Navionics, Humminbird LakeMaster and LakeMaster PLUS Maps, helping you find - and bring home - your next trophy.

Order No.	Mfg. No. / Description	Price
402285	(409920-1) DualBeam PLUS	\$699.99 B
402290	(409930-1) Down Imaging/DualBeam PLUS	\$799.99 B
402295	(409950-1) Side Imaging/Down Imaging/DualBeam PLUS	\$999.99 B
402300	(409950-1KVD) Kevin Van Dam Signature Version	\$999.99 B
403368	(740150-1) Indash Mounting Kit	\$49.99 E
404093	(780030-1) Unit Cover	\$34.99 E

Humminbird ONIX Series

Note: To use the external GPS receiver AS GRP or AS GPS HS with the ONIX Series this setup will require the AS GPS NMEA to make connection.
 *Optional 50 kHz transducers available for deepwater use.

*To obtain 1,000 watts, optional deepwater transducer required.
 **Optional SM3000 available for deepwater use to 10,000 ft, requires optional purchase of CHIRP Ethernet SONAR module

Humminbird Model ONIX8ci SI Combo Fishing System



- Display size - diagonal: 8.4". Display pixel matrix: 1024H x 768V. Display colors grayscale: 16.7 mm colors. LED backlight
- Sonar standard: HD Side Imaging, HD Down Imaging, DualBeam PLUS and DSP (Digital Signal Processing) with SwitchFire with internal GPS Combo.
- Standard sonar coverage: 20°, 60°, (2) 86° and (2) 55° @ -10db (Total of 180°).
- Standard sonar frequency: 200/83/455/800/50* kHz.
- Power output: 1,000 watts* (RMS). 8,000 watts* (Peak to Peak).
- Depth capability: 150 ft. (SI/DI), 1,500 ft., 5,000 ft.* and 10,000 ft.**
- GPS Chartplotting with Humminbird TriFuel Cartography that gives you access to world background maps from Navionics, C-MAP and Humminbird LakeMaster.
- Includes unit cover.

Order No.	Mfg. No. / Description	Price
404084	(408860-1) Cross Touch Side Imaging, DualBeam	\$2,699.99 MAP
404086	(409750-1) Non Tactile Side Imaging, DualBeam	\$2,199.99 MAP
403365	(740147-1) Indash Mounting Kit	\$49.99 E

Humminbird Model ONIX8ci Combo Fishing System



- Display size - diagonal: 8.4". Display pixel matrix: 1024H x 768V. Display colors grayscale: 16.7 mm colors. LED backlight
- Sonar standard: DualBeam PLUS and DSP (Digital Sonar Processing) with SwitchFire.
- Standard sonar coverage: 20° and 60° @ -10db.
- Standard sonar frequency: 200/83/50* kHz.
- Power output: 1,000 watts* (RMS). 8,000 watts* (Peak to Peak).
- Depth capability: 1,500 ft., 5,000 ft.* and 10,000 ft.**
- GPS Chartplotting with Humminbird TriFuel Cartography that gives you access to world background maps from Navionics, C-MAP and Humminbird LakeMaster.
- Includes unit cover.

Order No.	Mfg. No. / Description	Price
404082	(408600-1) Cross Touch DualBeam	\$1,999.99 MAP
404085	(409740-1) Non Tactile DualBeam	\$1,499.99 MAP
403365	(740147-1) Indash Mounting Kit	\$49.99 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Humminbird Model 999ci HD SI Combo Fishing System



- Display size - diagonal: 8". Display pixel matrix: 800H x 480V. Display colors grayscale: 65,000 colors. LED Backlight.
- Sonar standard: HD Side Imaging, HD Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20°, 60°, (2) 86° and (2) 55° @ -10db (Total of 180°).
- Standard sonar frequency: 200/83/455/800/50* kHz.
- Power output: 1,000 watts* (RMS). 8,000 watts* (Peak to Peak).
- Depth capability: 150 ft. (SI/DI), 1,500 ft. and 3,000 ft.*
- GPS Chartplotting with built-in Humminbird Contour XD maps and Ethernet Networking capabilities.
- Includes unit cover, dual card reader and Instant Access Preset buttons.
- * Optional 50 kHz transducers available for extreme deepwater use.
- * To obtain 1,000 watts, optional deepwater transducer required.

Order No.	Mfg. No. / Description	Price
404072	(409190-1)	\$1,518.81 LQ

Humminbird Model 899ci HD SI Combo Fishing System



- Display size - diagonal: 7".
- Display pixel matrix: 800H x 480V.
- Display colors grayscale: 65,000 colors. LED Backlight.
- Sonar standard: Side Imaging, Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20°, 60° and (2) 85° @ -10db (Total of 180°).
- Standard sonar frequency: 200/83/455 kHz.
- Power output: 1,000 watts (RMS). 8,000 watts (Peak to Peak).
- Depth capability: 150 ft. (SI/DI), 1,500 ft. and 3,000 ft.
- Features: Selective Fish ID+. Internal GPS Receiver 10Hz. GPS Speed Included. Dual SD Card Slots. Upgradable Software. Ethernet Networking.
- Options: Navionics Gold/HotMaps; 360° Imaging; QuadraBeam Plus; 5-Port Expansion Module. Minn Kota i-Pilot Link; Radar; NMEA 2000; and AIS compatibility.
- Comes standard with XHS-9-HDSI-180-T transducer.

Order No.	Mfg. No. / Description	Price
404062	(409150-1)	\$1,019.12 LQ

Humminbird Model 959ci HD Combo Fishing System



- Display size - diagonal: 8". Display pixel matrix: 800H x 480V. Display colors grayscale: 65,000 colors. LED Backlight.
- Sonar standard: DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20° and 60° @ -10db.
- Standard sonar frequency: 200/83/50* kHz.
- Power output: 1,000 watts* (RMS). 8,000 watts* (Peak to Peak).
- Depth capability: 1,500 ft. and 3,000 ft.*
- GPS Chartplotting with built-in Humminbird ContourXD maps and Ethernet networking capabilities.
- Includes a unit cover, dual card reader and Instant Access Preset Buttons.
- * Optional 50 kHz transducers available for extreme deepwater use.
- * To obtain 1,000 watts, optional deepwater transducer required.

Order No.	Mfg. No. / Description	Price
404071	(409160-1)	\$984.38 LQ

Humminbird 898c HD SI Combo Fishing System



- Display size - diagonal: 7".
- Display pixel matrix: 800H x 480V.
- Display colors grayscale: 16:9 color. Backlight.
- Sonar standard: HD Side Imaging, HD Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20°, 60° and 180° @ -10db.
- Standard sonar frequency: 200/83/455/800/50 kHz.
- Power output: 1,000 watts (RMS). 8,000 watts (Peak to Peak).
- Depth capability: 150 ft. (SI), 1,500 ft. and 3,000 ft.
- Memory: Waypoints: 2,750, Routes: 45, Tracks: 50 w/20,000 points each.
- Features: Precision GPS. Trackplotting. Chartplotting. GPS Speed. Humminbird Contour XD. Navionics Compatibility. LakeMaster Compatibility.
- Network Modules: 360 Imaging (optional), WeatherSense (optional), CannonLink (optional), InterLink (optional).

Order No.	Mfg. No. / Description	Price
403399	(408890-1)	\$1,583.98 LQ

Humminbird Model 859ci HD Combo Fishing System



- Display size - diagonal: 7". Display pixel matrix: 800H x 480V. Display colors grayscale: 65,000 colors. LED Backlight.
- Sonar standard: DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20° and 60° @ -10db.
- Standard sonar frequency: 200/83/50 kHz.
- Power output: 1,000 watts (RMS). 8,000 watts (Peak to Peak).
- Depth capability: 1,500 ft. and 3,000 ft.
- Features: Selective Fish ID+. Internal GPS Receiver 10Hz. GPS Speed Included. Dual SD Card Slots. Upgradable Software. Ethernet Networking.
- Options: Navionics Gold/HotMaps; 5-Port Expansion Module; Minn Kota i-Pilot Link; Radar; NMEA. 2000; and AIS.
- Comes standard with XNT-9-20-T transducer.

Order No.	Mfg. No. / Description	Price
404054	(409120-1)	\$611.47 LQ

Humminbird Model Helix 7 Series GPS Fishing System



- Display size - diagonal: 7".
- Display pixel matrix: 800H x 480V.
- Display colors grayscale: 256 colors. LED backlight
- SwitchFire Sonar.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capacity: 1,500 ft., 100 FT. (SI), 350 ft. (DI) and 600 ft. (2D).
- Temperature: Built in transducer.
- GPS Speed included.
- GPS Receiver. GPS Tracking. GPS Chartplotting. Precision GPS.
- Split screen zoom. Split screen bottom lock. Large digits view. Wide/narrow cone split screen. Custom view selections. Custom digital readout. Temperature alarm. Freeze frame. Instant image update. Selective Fish ID+. Real time sonar. X-Press menu system.
- Screen snap shot. Sonar recording. Upgradable internal software. 3D chart view. Mark structure on sonar. Triplog.
- (1) Card slot.

Order No.	Mfg. No. / Description	Price
402274	(409820-1) DualBeam PLUS	\$449.99 B
402276	(409830-1) Down Imaging/DualBeam PLUS	\$499.99 B
402278	(409850-1) Side Imaging/Down Imaging/DualBeam PLUS	\$699.99 B
402280	(409850-1KVD) Kevin Van Dam Signature Version	\$699.99 MAP
403364	(740145-1) Indash Mounting Kit	\$38.99 E
403366	(740146-1) Gimbal Mount	\$29.99 E
404091	(780029-1) Unit Cover	\$19.99 E

Humminbird Model Helix 7 Series Fishing System



- Display size - diagonal: 7". Display pixel matrix: 800H x 480V. Display colors grayscale: 256 colors. LED backlight
- SwitchFire Sonar.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capacity: 1,500 ft., 100 FT. (SI), 350 ft. (DI) and 600 ft. (2D).
- Temperature: Built in transducer.
- Split screen zoom. Split screen bottom lock. Large digits view. Wide/narrow cone split screen. Custom view selections. Custom digital readout. Temperature alarm. Freeze frame. Instant image update. Selective Fish ID+. Real time sonar. X-Press menu system.

Order No.	Mfg. No. / Description	Price
402270	(409790-1) DualBeam PLUS	\$349.99 B
402272	(409800-1) Down Imaging/DualBeam PLUS	\$399.99 B
403364	(740145-1) Indash Mounting Kit	\$38.99 E
403366	(740146-1) Gimbal Mount	\$29.99 E
404091	(780029-1) Unit Cover	\$19.99 E

Humminbird Model 798ci HD SI Combo Fishing System



- Display size - diagonal: 5". Display pixel matrix: 640H x 640V. Display colors grayscale: 256 colors. Backlight.
- Sonar standard: Side Imaging, Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20°, 60° and 180° @ -10db.
- Standard sonar frequency: 200/83/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 100 ft. (SI) and 1,500 ft.
- Features: Internal GPS. Trackplotting. Chartplotting. GPS Speed. Humminbird ContourXD. Dual SD Card Slots. Upgradable Software.
- Water Temperature and GPS Speed included.

Order No.	Mfg. No. / Description	Price
404004	(407970-1)	\$1,108.98 LQ
402891	(710201-1) Transom Mount Transducer	\$269.99 E

Humminbird 788ci HD DI Combo Fishing System



- Display size - diagonal: 5". Display pixel matrix: 640H x 640V. Display colors grayscale: 256 colors. Backlight.
- Sonar standard: Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 16°, 28°, 45° and 75° @ -10db.
- Standard sonar frequency: 455/800/200/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 350 ft. (DI) and 600 ft.
- Features: Precision GPS. Humminbird ContourXD. Dual SD Card Slots. Upgradable Software.

Order No.	Mfg. No. / Description	Price
403352	(408130-1)	\$844.98 LQ

Humminbird Model 788ci HD Combo Fishing System



- Display size - diagonal: 5". Display pixel matrix: 640H x 640V. Display colors grayscale: 256 colors. Backlight.
- Sonar standard: DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20° and 60° @ -10db.
- Standard sonar frequency: 200/83 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 1,500 ft.
- Features: Internal GPS. 50 Channel GPS. Humminbird ContourXD. Dual SD Card Slots. Upgradable Software.

Order No.	Mfg. No. / Description	Price
404002	(407950-1)	\$738.98 LQ
402589	(407950-1CHO) Without Transducer	\$686.98 LQ

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Humminbird Model 698ci HD SI Combo Fishing System



- Display size - diagonal: 5". Display pixel matrix: 480H x 640V. Display colors grayscale: 256 colors. LED Backlight.
- Sonar standard: Side Imaging, Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20°, 60° and (2) 85° @ -10db (Total of 180°).
- Standard sonar frequency: 200/83/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 100 ft. (SI/DI) and 1,500 ft.
- Features: Internal GPS. Upgradable Software. Chartplotting with built-in Humminbird UniMap. Single SD Card Slot. Quick Disconnect mounting system.
- It also has three programmable preset buttons to save your favorite views.

Order No.	Mfg. No. / Description	Price
404048	(409470-1)	\$713.38 LQ
404049	(409510-2KVD) Kevin Van Dam Signature Version	\$708.77 LQ

Humminbird Model 688ci HD DI Combo Fishing System



- Display size - diagonal: 5". Display pixel matrix: 480H x 640V. Display colors grayscale: 256 colors. LED Backlight.
- Sonar standard: Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 16°, 28°, 45° and 75° @ -10db.
- Standard sonar frequency: 455/800/200/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 350 ft. (DI) and 600 ft.
- Features: Internal GPS. Upgradable Software. Chartplotting with built-in Humminbird UniMap. Single SD Card Slot. Quick Disconnect mounting system.
- It also has three programmable preset buttons to save your favorite views.

Order No.	Mfg. No. / Description	Price
404046	(409460-1)	\$509.55 LQ

Humminbird Model 678c HD DI Fishfinder - Sonar Only



- Display size - diagonal: 5". Display pixel matrix: 480H x 640V. Display colors grayscale: 256 colors. LED Backlight.
- Sonar standard: Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 16°, 28°, 45° and 75° @ -10db.
- Standard sonar frequency: 455/800/200/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 350 ft. (DI) and 600 ft.
- Features: Upgradable Software. Tilt and Swivel Mounts. Quick Disconnect mounting system.

Order No.	Mfg. No. / Description	Price
404040	(409430-1)	\$407.64 LQ

Humminbird Model 678c HD XD Fishfinder - Xtreme Depth - Sonar Only



- Display size - diagonal: 5". Display pixel matrix: 480H x 640V. Display colors grayscale: 256 colors. LED Backlight.
- Sonar standard: XD DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20°, 60° and 74° @ -10db.
- Standard sonar frequency: 200/83/50 kHz.
- Power output: 1,000 watts (RMS). 8,000 watts (Peak to Peak).
- Depth capability: 3,000 ft.
- Features: Upgradable Software. Quick Disconnect mounting system.
- It also has three programmable preset buttons to save your favorite views.

Order No.	Mfg. No. / Description	Price
404038	(409420-1)	\$407.64 LQ

Humminbird Model 678c HD Fishfinder - Sonar Only



- Display size - diagonal: 5". Display pixel matrix: 480H x 640V. Display colors grayscale: 256 colors. LED Backlight.
- Sonar standard: DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20° and 60° @ -10db.
- Standard sonar frequency: 200/83 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 1,500 ft.
- Features: Upgradable Software. Quick Disconnect mounting system.
- It also has three programmable preset buttons to save your favorite views.

Order No.	Mfg. No. / Description	Price
404036	(409410-1)	\$356.68 LQ

Humminbird Model 541 Fishfinder



- LCD Matrix 240H x 240V.
- Sonar standard: DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20° and 60° @ -10db.
- Standard sonar frequency: 200/83 kHz.
- Power output: 300 watts (RMS). 2,400 watts (Peak to Peak).
- Depth capability: 800 ft.
- Target separation 2-1/2".

Order No.	Mfg. No. / Description	Price
402553	(409700-1)	\$139.99 B

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Humminbird Helix 5 SI Fishfinder - GPS



- Display size - diagonal: 5". Display pixel matrix: 800H x 480V. Backlight.
- Sonar standard: Side Imaging, Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 20°, 60° and 180° @ -10db.
- Standard sonar frequency: 200/83/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 100 ft. (SI/DI) and 1,500 ft.
- Features: Upgradable Software. Precision GPS. Built-In Cartography: Humminbird UniMap.

Order No.	Mfg. No. / Description	Price
402244	(409640-1)	\$499.99 B
402246	(409640-1KVD) Kevin Van Dam Signature Version	\$499.99 MAP
402815	(740142-1) Indash Mounting Kit	\$39.99 E
402816	(740143-1) Gimbal Mount	\$29.99 E
404090	(780028-1) Unit Cover	\$19.99 E

Humminbird Helix 5 Fishfinder - GPS



- Display size - diagonal: 5". Display pixel matrix: 800H x 480V. Backlight.
- Sonar standard: DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 120° and 60° @ -10db.
- Standard sonar frequency: 200/83 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 1,500 ft.
- Features: Upgradable Software. Precision GPS. Built-In Cartography: Humminbird UniMap.

Order No.	Mfg. No. / Description	Price
402238	(409610-1)	\$299.99 B
402815	(740142-1) Indash Mounting Kit	\$39.99 E
402816	(740143-1) Gimbal Mount	\$29.99 E
404090	(780028-1) Unit Cover	\$19.99 E

Humminbird Helix 5 Fishfinder

- Display size - diagonal: 5". Display pixel matrix: 800H x 480V. Backlight.
- Sonar standard: DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 120° and 60° @ -10db.
- Standard sonar frequency: 200/83 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 1,500 ft.

Order No.	Mfg. No. / Description	Price
402232	(409590-1)	\$199.99 B
402815	(740142-1) Indash Mounting Kit	\$39.99 E
402816	(740143-1) Gimbal Mount	\$29.99 E
404090	(780028-1) Unit Cover	\$19.99 E

Humminbird Helix 5 DI Fishfinder - GPS



- Display size - diagonal: 5". Display pixel matrix: 800H x 480V. Backlight.
- Sonar standard: Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 16°, 28°, 45° and 75° @ -10db.
- Standard sonar frequency: 455/800/200/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 350 ft. (DI) and 600 ft.
- Features: Upgradable Software. Precision GPS. Built-In Cartography: Humminbird UniMap.

Order No.	Mfg. No. / Description	Price
402242	(409620-1)	\$349.99 B
402815	(740142-1) Indash Mounting Kit	\$39.99 E
402816	(740143-1) Gimbal Mount	\$29.99 E
404090	(780028-1) Unit Cover	\$19.99 E

Humminbird Helix 5 DI Fishfinder



- Display size - diagonal: 5". Display pixel matrix: 800H x 480V. Backlight.
- Sonar standard: Down Imaging and DualBeam PLUS with SwitchFire.
- Standard sonar coverage: 16°, 28°, 45° and 75° @ -10db.
- Standard sonar frequency: 455/800/200/455 kHz.
- Power output: 500 watts (RMS). 4,000 watts (Peak to Peak).
- Depth capability: 350 ft. (DI) and 600 ft.

Order No.	Mfg. No. / Description	Price
402236	(409600-1)	\$249.99 B
402815	(740142-1) Indash Mounting Kit	\$39.99 E
402816	(740143-1) Gimbal Mount	\$29.99 E
404090	(780028-1) Unit Cover	\$19.99 E

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Humminbird PiranhaMAX 197c DI Fishfinder



- Display size - diagonal: 3.5".
Display pixel matrix: 240H x 320V.
Display colors grayscale: 256 Colors.
- Sonar standard: Down Imaging and Dual Beam.
- Standard sonar coverage: 16°, 28° and 74° @ -10db.
- Standard sonar frequency: 455/200 kHz.
- Power output: 300 watts (RMS).
2,400 watts (Peak to Peak).
- Depth capability: 320 ft. (DI) and 600 ft.

Order No. Mfg. No. / Description Price
402230 (409690-1) **\$154.68** B

Humminbird PiranhaMAX 197c Fishfinder



- Display size - diagonal: 3.5".
Display pixel matrix: 240H x 320V.
Display colors grayscale: 256 Colors.
- Sonar standard: Dual Beam.
- Standard sonar coverage: 16° and 28° @ -10db.
- Standard sonar frequency: 455/200 kHz.
- Power output: 300 watts (RMS).
2,400 watts (Peak to Peak).
- Depth capability: 600 ft.

Order No. Mfg. No. / Description Price
402228 (409670-1) **\$103.12** B

Humminbird PiranhaMAX 197c Fishfinder - Portable



- Display size - diagonal: 3.5".
Display pixel matrix: 240H x 320V.
Display colors grayscale: 256 Colors.
- Sonar standard: Dual Beam.
- Standard sonar coverage: 16° and 28° @ -10db.
- Standard sonar frequency: 455/200 kHz.
- Power output: 300 watts (RMS).
2,400 watts (Peak to Peak).
- Depth capability: 600 ft.

Order No. Mfg. No. / Description Price
402229 (409680-1) **\$175.30** B

Humminbird Transom Mount Transducer



- Single/Dual Beam, 16/28 Degree, 455/200 kHz, with built-in temperature.
- Includes: 20' cable.
- Improved running angle and an optional lock down screw to override the kick up.
- For use with: PiranhaMax 176i, PiranhaMax 195c, PiranhaMax 175 and PiranhaMax 165.

Order No. Mfg. No. / Description Price
402894 (710236-1) XNT 9 28 T **\$79.99** E

Humminbird AS 360 TM - 360 Imaging



- Ability to mark waypoints anywhere on the 360 Imaging screen.
- An audio alert is given when the boat nears a waypoint within casting range.
- Capable of recording video and screen captures.
- Eight color palettes.
- Four sonar speed settings.
- Specific area can be selected and zoomed in on.
- The bow mount 360 Imaging is designed to work exclusively with Minn Kota Maxxum and Minn Kota Fortrex trolling motors with foot controls only.
- It attaches directly to the shaft of the trolling motor with a quick release bracket and stows and deploys quickly and easily.
- For Use with: 1198c SI, 998c HD SI, 998c SI, 898c HD SI, 898c SI, 798ci HD SI, Minn Kota Maxxum and Minn Kota Fortrex.

Order No. Mfg. No. / Description Price
404033 (409250-1) **\$999.99** MAP

Humminbird Transom Mount Transducer



- Compact Dual/Side Imaging.
- 20/60/180 Degree, 200/83/455 kHz with built-in temperature.
- Includes: 20' cable.
- For use with: 798ci SI HD, 798c SI, 797c2 SI, 598ci HD SI Combo.

Order No. Mfg. No. / Description Price
402754 (710200-1) XNT 9 SI 180 T **\$199.99** E

Humminbird Transom Mount Transducer



- Dual/HD Side Imaging Transom, 20/60/180 Degree, 200/83/455/800 kHz with built-in temperature.
- Includes: 20' cable.
- For use with: 1197c SI Combo, 997c SI Combo, 797c2 SI Combo and 798c SI Combo.

Order No. Mfg. No. / Description Price
402891 (710201-1) XHS 9 HDSI 180 T **\$269.99** E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Humminbird Transom Mount Transducers



- Single/Dual Beam, 20/60 Degree, 200/83 kHz.
- Includes: 20' cable.
- For use with: 141c, 161, 323, 325, 343c, 345c, 363, 365i, 383c, 385ci, 515, 525, 535, 550, 560, 565, 570, 580, 581i, 585c, 586c, 587ci, 595c, 596c, 597ci, 717, 718, 727, 728, 737, 747c, 757c, 767, 768, 777c2, 778c, 787c2, 787c2i, 788c, 858c, 931c, 937c, 957c, 958c, 1157c, Matrix 10, Matrix 12, Matrix 15, Matrix 17, Matrix 20, Matrix 25, Matrix 27, Matrix 55, Matrix 65, Matrix 67, Matrix 77c, Matrix 87c, Matrix 97, Piranha 1, Piranha 2, Piranha 3, Piranha 4, Piranha 5, PiranhaMax 10, PiranhaMax 15, PiranhaMax 150, PiranhaMax 160, PiranhaMax 170, PiranhaMax 190c, PiranhaMax 20, PiranhaMax 210, PiranhaMax 215, PiranhaMax 220, PiranhaMax 240 and PiranhaMax 30.

Order No.	Mfg. No. / Description	Price
402759	(710214-1) XNT 9 20 Does Not Include Temperature	\$69.99 E
402760	(710198-1) XNT 9 20 T Includes: Built-In Temperature	\$79.99 E

Humminbird Trolling Motor Transducer



- Dual/HD Side Imaging Transom, 20/60/180 Degree, 200/83/455/800 kHz with built-in temperature.
- Includes: 15' cable.
- For use with: 1197c SI Combo, 997c SI Combo, 797c2 SI Combo and 798c SI Combo.

Order No.	Mfg. No. / Description	Price
402757	(710205-1) XTM 9 HDSI 180 T	\$269.99 E

Humminbird Trolling Motor Mount Transducer



- Down Imaging/DualBeam Plus, 75°/45°, 455/800 kHz (DI) and 25°/16°, 200/455 kHz, with built in temperature.
- Includes: 15' cable and all hardware.
- Low profile design minimize snags.

Order No.	Mfg. No. / Description	Price
402768	(710234-1) XTM 9 DI 25 T	\$199.99 E

Humminbird Trolling Motor Transducer

- Dual/Side Imaging.
- 20/60/180 Degree, 200/83/455 kHz with built-in temperature.
- Includes: 15' cable and a hose clamp.
- For use with: 798ci SI HD, 798c SI, 797c2 SI, 598ci HD SI Combo.

Order No.	Mfg. No. / Description	Price
402756	(710204-1) XTM 9 SI 180 T	\$199.99 E

Humminbird Transom Mount Transducer



- Down Imaging, DualBeam Plus.
- 75°/45°, 455/800 kHz (DI) and 25°/16°, 200/455 kHz with built-in temperature.
- Includes: 20' cable.
- For use with: 1158c DI Combo, 958c HD DI Combo, 958c DI Combo, 858c DI Combo, 858c HD DI Combo, 581i HD DI Combo, 571 HD DI, 561 DI.

Order No.	Mfg. No. / Description	Price
402762	(710226-1) XNT 9 DI T	\$154.99 E

Humminbird Transom Mount Transducer



- Dual Beam.
- 20/74 Degree, 200/50 kHz with built-in temperature.
- For use with XD Model products.

Order No.	Mfg. No. / Description	Price
402763	(710237-1) XNT 9 DB 74 T	\$119.99 E

Humminbird Trolling Motor Transducer



- Single/Dual Beam, 16/28 Degree, 455/200 kHz, with built-in temperature.
- Includes: 15' cable.
- For use with: PiranhaMax 176i, PiranhaMax 195c, PiranhaMax 175 and PiranhaMax 165.

Order No.	Mfg. No. / Description	Price
402764	(710246-1) XNT 9 28 T	\$79.99 E

Humminbird Trolling Motor Mount Transducer



- With built in Temperature Sensor, Dual Beam, 20 and 60 degree cone angles, 200/83 kHz.
- Includes: 15' cable and trolling motor mounting hardware.
- For use with: 141c, 161, 323, 325, 343c, 345c, 363, 365ci, 383c, 385ci, 515, 525, 535, 565, 575, 580, 585c, 586c, 587ci, 595c, 596c, 597ci, 717, 718, 727, 728, 737, 747c, 757c, 767, 768, 777c2, 778c, 787c2, 787c2i, 788c, 931c, 937c, 957, 1157c, Matrix 10, Matrix 12, Matrix 15, Matrix 17, Matrix 20, Matrix 25, Matrix 27, Matrix 55, Matrix 65, Matrix 67, Matrix 77c, Matrix 87c, Matrix 97, Piranha 1, Piranha 2, Piranha 3, Piranha 4, Piranha 5, PiranhaMax 10, PiranhaMax 15, PiranhaMax 150, PiranhaMax 160, PiranhaMax 170, PiranhaMax 190c, PiranhaMax 20, PiranhaMax 210, PiranhaMax 215, PiranhaMax 220, PiranhaMax 230, PiranhaMax 240 and PiranhaMax 30.

Order No.	Mfg. No. / Description	Price
402802	(710160-1) XTM 9 20 T	\$79.99 E

- Fun & Flotation
- Anchor & Dock
- Safety

Electronics

- Trolling Motors

- Lighting

- Electrical

- Topside Acc.

- Cockpit & Deck

- Instruments

- Steering, Controls

- Perform.

- Fuel System

- Engine & Parts

- Engine Care

- Propellers

- Seating & Pedestals

- Tops & Covers

- Pumps

- Cleaning & Care

- Paint & Paint Acc.

- Hardware, Fasteners

- Trailering

- Misc.

- Comm.

Humminbird Plastic Thru Hull Transducer



- Single/Dual Beam, 20/60 Degree, 200/83 kHz.
- Includes: 30' cable.
- 3.9" L x 2.5" W x 1.16" D. Shaft 1" diameter.
- For use with: 141c, 161, 323, 325, 343c, 345c, 363, 365i, 383c, 385ci, 515, 525, 535, 550, 560, 565, 570, 575, 580, 581i, 585c, 586c, 587ci, 595c, 596c, 597ci, 717, 718, 727, 728, 737, 747c, 757c, 767, 768, 777c2, 778c, 787c2, 787c2i, 788c, 858c, 931c, 937c, 957c, 958c, 1157c, HDR 610, Matrix 10, Matrix 12, Matrix 15, Matrix 17, Matrix 20, Matrix 25, Matrix 27, Matrix 55, Matrix 65, Matrix 67, Matrix 77c, Matrix 87c, Matrix 97, Piranha 1, Piranha 2, Piranha 3, Piranha 4, Piranha 5, PiranhaMax 10, PiranhaMax 15, PiranhaMax 150, PiranhaMax 160, PiranhaMax 170, PiranhaMax 190c, PiranhaMax 20, PiranhaMax 210, PiranhaMax 215, PiranhaMax 220, PiranhaMax 230, PiranhaMax 240 and PiranhaMax 30.

Order No.	Mfg. No. / Description	Price
402888	(710167-1) XTH 9 20 P	\$139.99 E

Humminbird Ice Ducers



- Cable length 8'.

SINGLE/DUAL BEAM, 20/60 DEGREE, 200/83 KHZ		
Order No.	Mfg. No. / Description	Price
402758	(710211-1)	\$99.99 E

SINGLE/DUAL BEAM, 9/19 DEGREE, 455/240 KHZ		
Order No.	Mfg. No. / Description	Price
402761	(710215-1)	\$99.99 LQ

Humminbird Transducer Extension Cables



- Add extra length to standard transducer cable.
- Available in two lengths, cable plugs into existing transducer and your fishfinder.
- For use with: 1155c, 1157c, 1197c SI, 141c, 161, 300 TX, 323, 343c, 363, 383c, 400 TX, 515, 525, 535, 550, 560, 565, 570, 575, 580, 581i Combo, 585c, 586c, 587ci, 595c, 596c, 597ci, 717, 718, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 785c2, 787c2, 787c2i, 788c, 797c2 SI, 797c2i SI, 798c, 917c, 931c DF, 931c, 937c DF, 937c, 947c 3D, 955c, 957, 967c 3D, 981c SI, 987c SI, 997c SI, HDR 610, ICE 35, ICE 45, ICE 55, LCR 3D, Matrix 10, Matrix 12, Matrix 15, Matrix 17, Matrix 20, Matrix 25, Matrix 27, Matrix 35, Matrix 37, Matrix 45, Matrix 47 3D, Matrix 55, Matrix 65, Matrix 67, Matrix 77c, Matrix 87c, Matrix 97, Piranha 1, Piranha 2, Piranha 3, Piranha 4, Piranha 5, PiranhaMax 10, PiranhaMax 15, PiranhaMax 150, PiranhaMax 160, PiranhaMax 170, PiranhaMax 180, PiranhaMax 190c, PiranhaMax 20, PiranhaMax 210, PiranhaMax 215, PiranhaMax 220, PiranhaMax 230, PiranhaMax 240, PiranhaMax 30, Wide 3D Paramount, Wide 3D View, Wide 3D Vision, Wide 3D Vista, Wide Optic, Wide Panorama, Wide Paramount, Wide Portrait, Wide View, Wide Vision, XP 2000 and XP 4000.

Order No.	Mfg. No. / Description	Price
402999	(720003-1) EC W10 Length 10'	\$34.99 E
402771	(720003-2) EC W30 Length 30'	\$49.99 E

Humminbird Puck Type Shoot Thru The Hull Transducers



- Single/Dual Beam, 20/60 Degree, 200/83 kHz.
- Includes: 15' cable.
- For use in single layer fiberglass hull boats.
- For use with: 141c, 161, 323, 325, 343c, 345c, 363, 365ci, 383c, 385ci, 515, 525, 535, 550, 560, 565, 570, 575, 580, 581i, 585c, 586c, 587ci, 595c, 596c, 597ci, 717, 718, 727, 728, 737, 747c, 757c, 767, 768, 777c2, 778c, 787c2, 787c2i, 788c, 931c, 937c, 957, 1157c, HDR 610, Matrix 10, Matrix 12, Matrix 15, Matrix 17, Matrix 20, Matrix 25, Matrix 27, Matrix 55, Matrix 65, Matrix 67, Matrix 77c, Matrix 87c, Matrix 97, Piranha 1, Piranha 2, Piranha 3, Piranha 4, Piranha 5, PiranhaMax 10, PiranhaMax 15, PiranhaMax 150, PiranhaMax 160, PiranhaMax 170, PiranhaMax 190c, PiranhaMax 20, PiranhaMax 210, PiranhaMax 215, PiranhaMax 220, PiranhaMax 230, PiranhaMax 240 and PiranhaMax 30.

Order No.	Mfg. No. / Description	Price
402753	(710164-1) XP 9 20 Does Not Include Temperature	\$69.99 E
402892	(710147-1) XP 9 20 T Includes: Built-In Temperature	\$89.99 E

Humminbird Trolling Motor Adapter



- Trolling motor adapter for large housing transducers for conversion to become trolling motor mount.
- Use with the 402891 (710201-1) XHS 9 HDSI 180 T transducer to become trolling motor mount.
- For use with: SHS 7W, XHS 6 16, XT WS, XHS 9 DB 74 T, XHS 9 SI 160 T, XHS 9 HDSI 180 T, 931c, 937c, 947c 3D, 967c 3D, 981c SI, 987c SI, 997c SI, 1197c SI, LCR 100G, LCR 100I, LCR W, PLAT ID 600, TCR ID 10, Dimension 3 120, Dimension 3 600, Wide Eye, Wide View, Wide 3D View, Wide Vision, Wide 3D Vista, Wide 3D Vision, Wide W, Wide Optic, Wide Portrait, Wide Paramount, Wide Panorama, Wide 3D Paramount, TFX100ID and LCR W.

Order No.	Mfg. No. / Description	Price
403004	(740006-3) AD STM 7	\$24.99 E

Humminbird Transducer Adaptor Cable - Y Cable



- Y Cable - Side Imaging and Dual Beam - allows you to use two transducers on one unit without the use of a transducer switch.
- For use with Side Imaging products only, in conjunction with a dual beam transducer only.
- For improved high speed performance for bottom tracking.

Order No.	Mfg. No. / Description	Price
402800	(720055-1) AS SIDB Y	\$29.99 E

Humminbird Power Cable



- 6' cable, waterproof.
- Used with all Humminbird products produced since 1989, except the 800 Series, 900 Series, 1100 Series, 797 and 798, ONIX Series and ION Series.

Order No.	Mfg. No. / Description	Price
402987	(720002-1) PC 10	\$19.99 E

Humminbird Video Output Cable



- 6' long with two standard male RCA connectors on the output side and one connector that is standard to select 800 Series, 900 Series and 1100 Series products for hook up.
- For use with 1155c, 1157c, 1158c, 1158c DI, 1197c SI, 1198c SI, 998c HD SI, 998c SI, 958c HD DI, 958c DI, 958c HD, 958c, 898c HD SI, 898c SI, 858c HD, 858c, 858c HD DI and 858c DI.

Order No.	Mfg. No. / Description	Price
403001	(720054-1) VC 1	\$29.99 LQ

Humminbird Ethernet Cable



- A 15' cable that allows the connection of two Ethernet capable units to be connected.
- For use with 1157c, 1158c, 1158c DI, 1197c SI, 1198c SI, 778c HD, 788c HD, 788ci HD DI, 798c HD SI, 858c, 858c HD, 858c DI, 858c HD DI, 898c SI, 898c HD SI, 958c, 958c HD, 958c DI, 958c HD DI, 998c SI and 998c HD SI.

Order No.	Mfg. No. / Description	Price
403003	(720073-5) AS EC 15E	\$59.99 E

Humminbird Wireless Dongle



- Make your Humminbird unit Bluetooth wireless capable with this easy-to-install dongle.
- Just plug it into your unit and pair it with the Humminbird Bluetooth remote for quick, convenient control of your most-used functions.
- For use with ONIX, 1199ci HD, 1159ci HD DI, 1159ci HD, 1198c, 1197c, 1158c DI, 1158c, 1157c, 999ci HD, 959ci HD DI, 959ci HD, 998c HD, 998c, 958c HD DI, 958c DI, 958c HD, 958c, 899ci HD, 859ci HD DI, 859ci HD, 898c HD, 898c, 858c HD DI, 858c DI, 858c HD, 858c, 798ci HD, 788ci HD DI, 788ci HD, 778c HD.

Order No.	Mfg. No. / Description	Price
403007	(409480-1) AS RC1	\$119.99 LQ

Humminbird Kayak Transducer Mounting



- Transducer Mounting Hardware for installation in a Kayak for our Down Imaging products.
- Kit includes surface preparation products in addition to a transducer cradle and adhesive products.
- Allows removal of transducer if needed.
- Designed for use with XNT 9 DI T Transducer.

Order No.	Mfg. No. / Description	Price
403349	(740125-1) MHX XMK DI	\$49.98 LQ

Humminbird Y Cable - Serial Port Splitter Cable



- Add two serial port accessories.
- Simply connect Y cable to the secondary serial port tower on the back of your Humminbird unit.

Order No.	Mfg. No. / Description	Price
402806	(720076-1) AS DPS Y	\$34.98 LQ

Humminbird Ethernet Adapter Cable



- This Ethernet Adapter Cable is required if you want to network (Ethernet) capabilities on a 7x8 HD Series, 8x9ci HD Series, 9x9ci HD Series and 11x9ci HD Series products.
- Length 12".
- If you are networking two of these products, you will require two of these cables plus one of the Ethernet Cables.
- If you are connecting one 7x8 HD Series, 8x9ci HD Series, 9x9ci HD Series or 11x9ci HD Series product with a pre-2014 8x8, 9x8 or 11x8 Series product, you will only need one of these cables plus one of the Ethernet Cables.
- Software updates on some 7x8 HD and some 8x8c, 9x8c and 11x8c Series products may be necessary also.

Order No.	Mfg. No. / Description	Price
403005	(720074-1) AS EC QDE (Carded)	\$29.99 E
403006	(720074-12) AS EC QDE (Bag)	\$27.99 E

Humminbird Unit Cover - Small



- Unit cover protects the unit while the boat is being trailered with the unit on the mount or while the unit is being transported away from the boat.
- Protects against bugs or flying debris.
- Will also keep the unit from getting scratched when not on the mount.
- Made of stretch neoprene with HUMMINBIRD logo printed on front.
- For use with: Wide One, Wide 100, Wide Eye, Wide Optic, Wide W, Trak Pro 128, Pro Flasher, 100SX, 200DX, 300TX, Tour Series and Pro Angler.

Order No.	Mfg. No. / Description	Price
402266	(780003-1) UC WS	\$14.98 LQ

Humminbird Quick Disconnect Mount



- Quick disconnect mounting system. Tilts and swivels.
- For use with: 141c, 161, 323, 325, 343c, 345c, 363, 365, 383c, 385ci, 515, 525, 535, 550, 560, 565, 570, 570 Portable, 575, 580, 581i Combo, 585c, 586c, 587ci, 595c, 596c, 597ci, 717, 718 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 785c2, 787c2, 787c2i, 788c, 797c2 SI, 797c2i SI, 798c, Matrix 10, Matrix 12, Matrix 15, Matrix 17, Matrix 20, Matrix 25, Matrix 27, Matrix 35, Matrix 37, Matrix 47 3D, Matrix 55, Matrix 65, Matrix 67, Matrix 77c and Matrix 87c.

Order No.	Mfg. No. / Description	Price
403346	(740077-1) MS M	\$34.99 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Humminbird Indash Mounting Kit



- Kit to allow mounting in the dash for all 300 Series products.
- For use with: 141c, 161, 323, 325, 343c, 345c, 363, 365i, 383c and 385ci.

Order No.	Mfg. No. / Description	Price
403345	(740086-1) IDMK 300	\$39.99 E

Humminbird Indash Mounting Kit



- Kit allows in-dash mounting of all 800 and 900 Series products.
- Requires an opening of 10-1/16" W x 4-15/16" H.
- For use with: 858c, 858c HD, 858c DI, 858c HD DI, 898c SI, 898c HD SI, 917c, 931c, 937c, 947c 3D, 955c, 957c, 958c, 958c HD, 958c DI, 958c HD DI, 967c 3D, 981c SI, 987c SI, 997c SI, 998c SI, 998c HD SI.


Order No.	Mfg. No. / Description	Price
403347	(740094-1) IDMK 900	\$39.99 E

Humminbird Gimbal Mounts



Order No.	Mfg. No. / Description	Price
402816	(740143-1) For Helix 5 Series	\$29.99 E
403366	(740146-1) For Helix 7 Series	\$29.99 E

Humminbird LakeMaster Digital GPS Maps



- More detail. More accuracy. More confidence.
- Highlight Depth - Select and highlight a particular depth range, so you can easily target productive water and stay in the bite zone.
- Shallow Water Highlight - Easy-to-see shading highlights shallow water areas on an adjustable range from 0-30 feet.
- Water Level Offset - Synchronize the depth contours and shorelines of your LakeMaster charts with the actual water levels of lakes, reservoirs and rivers for unmatched accuracy on your favorite fisheries.
- Innovative Humminbird LakeMasters digital GPS maps combined with ground-breaking Humminbird Sonar will put you on the fish.
- i-Pilot compatible.

Order No.	Mfg. No. / Description	Price
404098	(600023-3) SouthEast States: FL, GA, AL, MS, TN, KY	\$149.99 MAP

Humminbird Satview LA Delta

Order No.	Mfg. No. / Description	Price
404031	(600050-1)	\$149.99 H

Humminbird Indash Mounting Kit



- For select 500 Series, 500 HD Series and most 700 Series products.
- Requires an opening of 5.76" W x 4.46" H.
- For use with: 550, 560, 570, 581i Combo, 586c 587ci, 596c, 597ci, 717, 718, 727, 728, 737, 747c, 767, 768, 777c2, 778c, 785c2, 787c2, 788c, 797c2 SI, 798c SI.

Order No.	Mfg. No. / Description	Price
403344	(740084-1) IDMK 700	\$39.99 E

Humminbird Indash Mounting Kits



Order No.	Mfg. No. / Description	Price
403365	(740147-1) For ONIX8 Series	\$49.99 E
403367	(740148-1) For ONIX10 Series	\$49.99 E
402815	(740142-1) For Helix 5 Series	\$39.99 E
403364	(740145-1) For Helix 7 Series	\$38.99 E
403368	(740150-1) For Helix 9 Series	\$49.99 E

Humminbird Transom Mount Speed/Temperature Sensor



LIMITED QUANTITIES

- Includes: 20' cable.
- Temperature range of 25° - 99.9° F.
- Speed range of 2 - 75 MPH.

Order No.	Mfg. No. / Description	Price
402610	(730000-1) TS W	\$69.98 LQ

Humminbird SmartStrike Digital GPS Maps



- SmartStrike is a powerful software program contained on an SD card that allows anglers to utilize LakeMaster map data and extensive search algorithms to pattern and locate fish like never before.
- Based on search parameters like fish species, season, time of day, and weather conditions, SmartStrike highlights areas of the lake map where your prey is most likely to be located - before you even wet a line.
- Build detailed searches by selecting your desired search criteria.
- Or searches can be fast and easy: Simply click on any location on the water, select Find Similar Areas, and millions of data points are searched to return other areas like the one you selected.
- The SmartStrike engine searches depth ranges, aspect, type of structure, proximity to major types of lake structure, and more to quickly reveal your results.

Order No.	Mfg. No. / Description	Price
404110	(600039-2) SouthEast States: FL, GA, AL, MS, TN, KY	\$199.99 MAP

Navionics Electronic Navigational Charts - Navionics+

- More marine and lakes content and the best value.
- The most up-to-date Nautical Chart, SonarChart and Community Edits.
- Provided by geographic area on pre-programmed cartridges compatible with today's most popular chartplotters including: B&G, Delorme, Faria, Furuno, Geonav, Humminbird, Lowrance, Magellan, Medallion, Murphy, Northstar, Raymarine, Samyung Enc, Simrad, Si-Tek and more.
- Just plug-and-play into a Navionics compatible plotter and have easy access to all the essential information found on official paper charts and fishing maps: tide and current data, depth contours, spot soundings, nav aids, location names, detailed port plans, port service guides, and more.
- Coverage size: XL3.



Order No.	Mfg. No. / Description	Price
151068	(MSD/NAV+NI) US and Canada, Including Lakes	\$199.98 B
151072	(MSD/NAV+3xG) Caribbean and South America	\$198.98 B

Lowrance L.E.D. Depth Gauge

LOWRANCE

- High-contrast dox matrix display with advanced white LED Backlighting.
- 200 kHz Skimmer transom mount transducer with built-in water temp sensor.
- Depths to 700 ft./213m.
- Shallow and deep depth alarms.
- High-visibility display and target detail even in direct sunlight.
- Compact case fits the smallest boats and spaces.
- Fits standard 2-1/8 in/55mm dia. hole.
- Fully waterproof for the harshest environments.



Order No.	Mfg. No. / Description	Price
140252	(47-94)	\$179.00 B

Faria In-Dash Digital Depth Finders



- Reads depth from 3' to 199', 0.5 to 32 Fathoms.
- 2-1/16" diameter mount hole. 3 min. Depth.
- Front will withstand direct water spray.
- Allows you to adjust offset keel at the display.
- 3-character LCD. Red diffused lighting for display.
- Audio and visual alarm indicates shallow or deep water conditions exists.
- Out of range indication.
- Returns depth sounder to last power on status.
- Three easy to use push buttons. Easy to read icons.
- 8 VDC to 16.5 VDC.
- 90 MA max. with supplied high-speed transducer.



Order No.	Mfg. No. / Description	Price
3511070	(12850) Black Bezel	\$136.98 E
3511345	(13150) White Bezel	\$136.98 E
3512750	(SN2011) Transom Mount	\$97.98 F

Marpac Premier Digital Depth Sounders



- Reads depths from 2 - 199 feet (1-92 meters).
- Displays depth in feet, fathoms or meters.
- Fits standard 2-1/8" gauge hole.
- Shallow and deep alarms are both audio and visual.
- Adjustable keel offset.

WHITE FACE WITH BLACK BEZEL

Order No.	Description	Price
7-2491	Transom Mount Transducer	\$113.98 G
7-2492	In Hull Mount Transducer	\$113.98 G
7-2493	Thru-Hull Mount Transducer	\$113.98 G

WHITE FACE WITH STAINLESS BEZEL

Order No.	Description	Price
7-2494	Transom Mount Transducer	\$134.98 G
7-2495	In Hull Mount Transducer	\$134.98 G
7-2496	Thru-Hull Mount Transducer	\$134.98 G

BLACK FACE WITH BLACK BEZEL

Order No.	Description	Price
7-2497	Transom Mount Transducer	\$134.98 G
7-2498	In Hull Mount Transducer	\$134.98 G
7-2499	Thru-Hull Mount Transducer	\$134.98 G

Humminbird Digital Depth Gauge

- Instant, reliable depth readings even at speeds of up to 70 mph.
- Installation in any existing 2-1/8" opening is easy and can be wired to the ignition to automatically turn on.
- 1.25" LCD display reads in feet, meters or fathoms.
- Customizable (2 face plates and 3 trim rings included).
- Deep/Shallow water alarms.
- 600 ft depth.
- 200 kHz operating frequency.



Order No.	Mfg. No. / Description	Price
402570	(407860-1)	\$109.99 D

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance HDS-12 Gen3 Touch - Touchscreen Fishfinder/Chartplotter

LOWRANCE



- 12", LED backlit, multi-touch, widescreen display.
- Improved LOWRANCE interface with touchscreen or keypad option provides lightning-fast, fingertip access to all HDS features.
- View CHIRP Sonar and StructureScan HD at the same time to get the best possible view of fish and structure, both below and to the side of your boat.
- With an enhanced, faster processor and intuitive user-interface features - including scrolling menus, cursor assist, snap-to setting markers and innovative preview panes with quick-touch sliders bars.
- Integrated wireless connectivity with the Lowrance Go-Free App and other onboard devices - view and control select HDS Gen3 displays wirelessly using supported tablets and Smartphones.
- Plug-and-play compatibility with Lowrance performance modules - Broadband Radar, SonicHub Marine Audio, Sirius XM Marine Weather and audio. Class B AIS and DSC VHF - as well as industry-leading technologies, such as SmartSteer control for MotorGuide PinpointGPS and the Lowrance Outboard Pilot.
- Connects and communicates with HDS Gen2 Touch and HDS Gen2 multifunction displays.
- Single ethernet networking part.
- Micro-C connection for NMEA 2000 devices.
- Video input via optional adapter cable.
- Same flush-mount cutout and bracket as HDS-12 Gen2 Touch.

Order No.	Mfg. No. / Description	Price
143285	(11796-001) Insight USA + 50/200 kHz Transducer	\$3,250.38 B
143286	(11798-001) Insight USA + 83/200 kHz Transducer	\$3,399.00 B

Lowrance HDS-9 Gen3 Touch - Touchscreen Fishfinder/Chartplotter

LOWRANCE



- 9", LED backlit, multi-touch, widescreen display.
- Improved LOWRANCE interface with touchscreen or keypad option provides lightning-fast, fingertip access to all HDS features.
- View CHIRP Sonar and StructureScan HD at the same time to get the best possible view of fish and structure, both below and to the side of your boat.
- With an enhanced, faster processor and intuitive user-interface features - including scrolling menus, cursor assist, snap-to setting markers and innovative preview panes with quick-touch sliders bars.
- Integrated wireless connectivity with the Lowrance Go-Free App and other onboard devices - view and control select HDS Gen3 displays wirelessly using supported tablets and Smartphones.
- Plug-and-play compatibility with Lowrance performance modules - Broadband Radar, SonicHub Marine Audio, Sirius XM Marine Weather and audio. Class B AIS and DSC VHF - as well as industry-leading technologies, such as SmartSteer control for MotorGuide PinpointGPS and the Lowrance Outboard Pilot.
- Connects and communicates with HDS Gen2 Touch and HDS Gen2 multifunction displays.
- Single ethernet networking part.
- Micro-C connection for NMEA 2000 devices.
- Video input via optional adapter cable.
- Same flush-mount cutout and bracket as HDS-9 Gen2 Touch

Order No.	Mfg. No. / Description	Price
143283	(11791-001) Insight USA + 50/200 kHz Transducer	\$2,149.00 B
143284	(11793-001) Insight USA + 83/200 kHz Transducer	\$2,299.00 B

Lowrance HDS-12 Gen2 Touch - Touchscreen Fishfinder/Chartplotter

LOWRANCE



- High-definition, 12", widescreen color display available with touchscreen for functionality fast and easy operation.
- Display: Widescreen, 16:9, WXGA TFT LCD.
- Display resolution: 1280H x 800V.
- Power output: 250W RMS, 30,000W Peak to Peak analog equivalent.
- Built-in, exclusive Insight USA mapping, Broadband Sounder and StructureScan HD Sonar Imaging.
- Super-accurate, internal 5Hz GPS antenna.
- TrackBack to review and save key hotspots.
- GoFree Wireless ready.
- Extensive Mapping options - HDS Gen2 Touch includes built-in charts or bundled map options.
- Multi-view and chart sharing.
- Depth contour shading and shallow water highlight.
- New, Insight Genesis personalized maps.
- Affordable NMEA 2000 and high-speed dual Ethernet ports.
- Two full-size SD card slots.
- Optional video-camera input (video camera input cable sold separately).

Order No.	Mfg. No. / Description	Price
142025	(11281-001) Insight USA + 83/200 and StructureScan HD	\$2,902.00 LQ
143170	(10776-001) Insight USA + 83/200 kHz Transducer	\$2,699.99 B
143175	(10777-001) Insight USA + 50/200 kHz Transducer	\$2,750.00 B

Lowrance HDS-9 Gen2 Touch - Touchscreen Fishfinder/Chartplotter

LOWRANCE



- High-definition, 9", 16:9 widescreen color display with touchscreen functionality for fast and easy operation.
- Display: Widescreen, 16:9, WVGA color TFT LCD.
- Display resolution: 800H x 480V.
- Built-in Broadband Sounder.
- New, StructureMap HD capability.
- Super-accurate, internal 5Hz GPS antenna.
- TrackBack to review and save key hotspots.
- GoFree Wireless ready.
- Extensive Mapping options - HDS Gen2 includes built-in charts or bundled map options.
- Multi-view and chart sharing.
- Depth contour shading and shallow water highlight.
- Affordable NMEA 2000 and high-speed dual Ethernet ports.
- Two full-size SD card slots.
- Optional video-camera input (video camera input cable sold separately).

Order No.	Mfg. No. / Description	Price
142030	(11280-001) Insight USA + 83/200 and StructureScan HD	\$2,001.00 LQ
143155	(10771-001) Insight USA + 83/200 kHz Transducer	\$1,799.00 B
143160	(10772-001) Insight USA + 50/200 kHz Transducer	\$1,849.99 B

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Lowrance HDS-9m Gen2 Touch - Touchscreen Fishfinder/Chartplotter

LOWRANCE

- High-definition, 9", widescreen color display with touchscreen functionality for fast and easy operation.
- Personalized or built-in Insight mapping and optional Navionics charts.
- View both at once in 3D perspective view, plus StructureMap, Broadband Radar and SIRIUS weather overlay capability.
- Brilliant, enhanced SolarMAX PLUS display for superior sunlight and wider-angle viewing.
- Dual ethernet port and two full-sized SD card slots and video-camera input (video camera input cable sold separately).



Order No. Mfg. No. / Description Price
143145 (10767-001) **\$1,991.98** B

Lowrance HDS-7 Gen2 Touch - Touchscreen Fishfinder/Chartplotter

LOWRANCE

- Display: 7" widescreen, 16:9, WVGA color TFT LCD.
- Display resolution: 800H x 480V.
- Easy to use touchscreen functionality for fast and easy operation.
- Built-in StructureScan HD sonar imaging, plus award-winning Broadband Sounder with DownScan Overlay and TrackBack feature.
- GoFree Wireless Technology. TrackBack to review and save key hotspots.
- Personalized or built-in Insight mapping and optional Navionics charts.
- View both at once in 3D perspective view, plus StructureMap, Broadband Radar and SIRIUS weather overlay capability.
- High-speed Ethernet port and one full-sized SD card slot.



Order No. Mfg. No. / Description Price
143180 (10778-001) Insight USA + 83/200 & StructureScan HD **\$1,199.99** B
143135 (10765-001) Insight USA + 83/200 kHz Transducer **\$999.00** B

Lowrance Outboard Pilot Hydraulic Pack

LOWRANCE



- Steer your outboard motor to a heading, waypoint, route or cursor, with control from your HDS Gen2 display.
- Lowrance SmartSteer interface provides control of both your hydraulic-steer outboard motor, as well as the MotorGuide Xi5 Pinpoint electric-steer trolling motor.
- "One-touch" route creation from saved trails.
- Repeat your path with automatic turn patterns.
- Recommended for single-outboard setups, on boats that are 30 feet and less, in length.
- VRF (Virtual Rudder Feedback) - simplifies pilot installation - eliminating the need for a rudder position sensor.
- Easy setup - straightforward guide steps you through first-time install.
- Easy-to-install, plug-and-socket connection - with no complex terminal wiring.
- Supported by Lowrance Advantage Service program.

Order No. Mfg. No. / Description Price
143280 (11748-001) **\$999.00** MAP

Lowrance HDS-7 Gen3 Touch - Touchscreen Fishfinder/Chartplotter

LOWRANCE

- 7", LED backlit, multi-touch, widescreen display.
- Improved LOWRANCE interface with touchscreen or keypad option provides lightning-fast, fingertip access to all HDS features.
- View CHIRP Sonar and StructureScan HD at the same time to get the best possible view of fish and structure, both below and to the side of your boat.
- With an enhanced, faster processor and intuitive user-interface features - including scrolling menus, cursor assist, snap-to setting markers and innovative preview panes with quick-touch sliders bars.
- Integrated wireless connectivity with the Lowrance Go-Free App and other onboard devices - view and control select HDS Gen3 displays wirelessly using supported tablets and Smartphones.
- Plug-and-play compatibility with Lowrance performance modules - Broadband Radar, SonicHub Marine Audio, Sirius XM Marine Weather and audio. Class B AIS and DSC VHF - as well as industry-leading technologies, such as SmartSteer control for MotorGuide PinpointGPS and the Lowrance Outboard Pilot.
- Connects and communicates with HDS Gen2 Touch and HDS Gen2 multifunction displays.
- Single ethernet networking part.
- Micro-C connection for NMEA 2000 devices.
- Video input via optional adapter cable.
- Same flush-mount cutout and bracket as HDS-7 Gen2 Touch.



Order No. Mfg. No. / Description Price
143281 (11786-001) Insight USA + 50/200 kHz Transducer **\$1,349.00** B
143282 (11788-001) Insight USA + 83/200 kHz Transducer **\$1,499.00** B

Lowrance SonicHub® Marine Audio Server for HDS

LOWRANCE



- Wirelessly connect your Bluetooth enabled smartphone, tablet or other media devices to the SonicHub module for control of your favorite music selections directly from your HDS display.
- Input lines on the SonicHub module also allow a direct connection and HDS-control of Lowrance LWX-1 Sirius radio (USA only) and integrated AM/FM radio tuner.
- Connected either directly to a single Lowrance High-Def display or to multiple displays via a NMEA 2000 network.
- Features high-power amplifiers and consolidates multiple input/output sources.
- Fusion MS-BT100 Bluetooth module included to allow for streaming audio from smart phones, tablets and other Bluetooth-enabled devices.
- Subwoofer line out.
- Stereo AUX line input for audio.
- Mono line input for intercom, alarm and emergency override.
- Music control for up to two individual zones (one zone).
- Compatible with WM-3 SiriusXM satellite radio/marine weather module - service subscription required.
- Includes: Lowrance SonicHub server, pair Lowrance 6.5" 4 Ohm, 200 watt 2-way speakers, Fusion MS-BT100 Bluetooth module, NMEA 2000 network T-connector plus 6' cable and hardware mounting kit.

Order No. Mfg. No. / Description Price
140980 (11605-001) **\$299.00** MAP

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance StructureScan™ HD Sonar Imaging System

LOWRANCE



142370

- Working with Lowrance HDS Gen2 and HDS multifunction displays - the new StructureScan HD sonar imaging system delivers greater resolution and wider range for enhanced underwater images.
- Crisp side-viewing detail takes you farther - with up to 600 ft./183 m of higher-resolution side-to-side coverage.
- Produces a higher level of definition straight down, with exclusive DownScan Imaging technology.
- Three, dedicated transducer signals for best-in-class views: Left, right and directly beneath your boat.
- Share StructureScan HD images with up to three HDS displays.
- Offers the exclusive TrackBack feature for simultaneous scroll-back of sonar and chartplotter "history" to set waypoints and share them across the network.
- Transmit power: Max. RMS: 500W, Peak-to-Peak: 4000W.
- Transducer frequencies: Enhanced 455 kHz and 800 kHz.

Order No.	Mfg. No. / Description	Price
142370	(000-0099-006) 10' Transducer Extension Cable, 9 Pin	\$69.95 C
143275	(10802-001) Skimmer Imaging Transducer Only	\$299.00 MAP

Lowrance Adapter Plate for 4 kW 24" Radome

LOWRANCE



Order No.	Mfg. No. / Description	Price
142480	(19042)	\$199.98 LQ

Lowrance Adapter Cable

LOWRANCE



- NMEA 2000 network adapter cable.
- Works with: NMEA 2000 Compliant Units.
- Adapts a red connector device to a blue connector network.

Order No.	Mfg. No. / Description	Price
142290	(127-05) NAC-FRD2FBL	\$39.95 C

Lowrance Engine Interface Sensor - Red

LOWRANCE



- Cable sensors for top outboard motor brands connect to NMEA 2000 networks for engine data display.
- Includes: Interface sensor, 15' cable and network bus T-connector.

Order No.	Mfg. No. / Description	Price
142400	(120-37) Yamaha Engine Interface	\$99.95 C

Lowrance SonarHub™ Module

LOWRANCE



- Combines Compact all-in-one sonar module delivers StructureScan HD and CHIRP sonar technologies.
- StructureScan HD offers best-in-class, side-scanning range and resolution, plus DownScan Imaging.
- Compatible with ALL-NEW SpotlightScan forward- and surround-scanning sonar transducers.
- Plug-and-play compatibility with Lowrance HDS Gen1, HDS Gen2 and Gen2 Touch fishfinder/chartplotter models.
- Three built-in Ethernet ports allow for quick and convenient networking.

Order No.	Mfg. No. / Description	Price
142040	(11141-001) With LSS-2 HD Transducer	\$799.00 MAP

Lowrance 4-Way Block for NMEA 2000® Networks

LOWRANCE



- Navico's 4-Way Block accessory for NMEA 2000 Networks should be used where multiple drop-cables are required in close proximity to make a more cost-effective and streamlined solution compared to installations that use multiple T-connectors.

Order No.	Mfg. No. / Description	Price
143360	(10996-001)	\$62.98 E

Lowrance Point-1 Antenna - Precision GPS/Glonass Receiver

LOWRANCE



- NMEA 2000 position and heading sensor.
- Supports SBAS including WAAS/EGNOS/MSAS.
- Supports GPS and GLONASS, Galileo-capable with future software update.
- 10 Hz updates for smooth and accurate location.
- Integrated electronic compass provides 10 Hz heading for chart stabilization and radar overlay, plus accurate course over ground even at low speeds.
- Compact, rugged design for all marine environments and fully waterproof.
- Includes spat/pole mount.
- Works with: GPS capable HDS Gen2, HDS Gen2 Touch and Elite-7 Models.

Order No.	Mfg. No. / Description	Price
140517	(11047-001)	\$199.00 MAP

Lowrance Power Cable

LOWRANCE



- Power cable for all HDS units.
- Works with: HDS-10, HDS-10m, HDS-5, HDS-5m, HDS-5x, HDS-7, HDS-7m, HDS-8 and HDS-8m.

Order No.	Mfg. No. / Description	Price
142295	(127-49) PC-30	\$37.75 E

Lowrance Terminator Kit

LOWRANCE



- Set of 1 male and 1 female NMEA 2000 120 ohm terminators.

Order No.	Mfg. No. / Description	Price
142220	(127-52) TR-120-KIT	\$25.14 E

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Lowrance Electronic Probe System Sensors

LOWRANCE



- Only Lowrance offers the most NMEA 2000 sensors for vital vessel data monitoring, each with a built-in "smart module" that's fully programmable for greater accuracy in dedicated system sensor data delivery.

FUEL FLOW SENSOR

- Gasoline, oil or water levels.
- Cable length: 18" from connector to smart module, 10' from module to end of cable.
- For use with LowranceNET networks with red connectors (do not connect to blue connectors).

Order No.	Mfg. No. / Description	Price
142405	(120-41) EP-65R	\$99.95 C

TEMPERATURE SENSOR

- Surface water, livewell and baitwell temperature.
- Cable length: 18" from connector to smart module, 10' from module to end of cable.
- For use with LowranceNET networks with red connectors (do not connect to blue connectors).

Order No.	Mfg. No. / Description	Price
142410	(120-51) EP-80R	\$99.95 C

THRU-HULL TEMPERATURE SENSOR - LENGTH 10'

- Includes N2K-T-RD (119-79). Can also be connected to a blue connector network with an adapter.
- Works with: NMEA 2000 Compliant Units



Order No.	Mfg. No. / Description	Price
142415	(120-53) EP-80R	\$99.95 LQ

PRESSURE SENSOR - LENGTH 1.5'

- Provides pressure data such as atmospheric, engine boost, engine oil, engine water, fuel, transmission oil and pitot speed. For use with LowranceNET networks with red connectors (do not connect to blue connectors).



Order No.	Mfg. No. / Description	Price
142425	(120-29) EP-90R	\$99.95 LQ

Lowrance Ethernet Network Cables

LOWRANCE



- Compatible with: Broadband Radar, Broadband Sounder-1, GlobalMap 5200C, GlobalMap 5300C iGPS, GlobalMap 7200C, GlobalMap 7300C HD, GlobalMap 8200C, GlobalMap 8300C HD, GlobalMap 9200C, GlobalMap 9300C HD, GlobalMap Baja 540C, GlobalMap Baja 840C, LCX-112C, LCX-113C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, Navico Expansion Port-1, StructureScan.

Order No.	Mfg. No. / Description	Price
142320	(127-51) ETHEXT-6YL Length 6'	\$37.75 E
142345	(127-29) ETHEXT-15YL Length 15'	\$49.95 C
142380	(127-30) ETHEXT-25YL Length 25'	\$69.95 C

Lowrance NMEA 2000® Network Starter Kit

LOWRANCE



- Easily begin building your own expandable NMEA 2000 onboard network, to add sensors and displays for your needs, at your place.
- NMEA 2000 - compliant components include two T connectors (N2K-T-RD), 2' extension cable (N2KEXT-2RD), 15' extension cable (N2KEXT-15RD), two terminating resistors (TR-120M-RD, TR-120F-RD) and a power cable (N2K-PWR-RD).

Order No.	Mfg. No. / Description	Price
142360	(124-69)	\$69.95 C

Lowrance SimNet to NMEA 2000® Adapter Kit

LOWRANCE



- SimNet to N2K Adaptor Kit.
- Connect Simrad heading sensor (FC40, RC42) to NMEA 2000 network.
- Includes SimNet-to-N2K male adaptor, SimNet-2 joiner and T-connector.

Order No.	Mfg. No. / Description	Price
142445	(127-45)	\$99.95 C

Lowrance NMEA 2000® Extension Cables

LOWRANCE



- NMEA 2000 cable for backbone extension or drop cable to connect an additional network device.

Order No.	Mfg. No. / Description	Price
142310	(119-88) N2KEXT-2RD Length 2'	\$33.97 E
142355	(127-53) N2KEXT-6RD Length 6'	\$50.35 E
142350	(119-86) N2KEXT-15RD Length 15'	\$49.95 C
142375	(119-83) N2KEXT-25RD Length 25'	\$69.95 C

Lowrance NMEA 2000® T-Connector

LOWRANCE



- For connection of additional network device.

Order No.	Mfg. No. / Description	Price
142240	(119-79) N2K-T-RD	\$25.15 E

Lowrance NMEA 2000® Power Cable

LOWRANCE



- To upgrade LMS/LCX/GlobalMap Series network to HDS System.

Order No.	Mfg. No. / Description	Price
142365	(119-75) N2K-PWR-RD	\$49.95 C

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Lowrance Transom Mount Transducer

LOWRANCE



- 83/200 kHz transom mount, skimmer with built-in temperature with blue connector.
- Includes: 20' power cable.
- Works with: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-480, LMS-520C, LMS-522C iGPS, X100C, X102C, X125, X135, X510C, X-510C and X52.

Order No.	Mfg. No. / Description	Price
140214	(106-72) HST-WSBL	\$58.57 C

Lowrance Protective Covers


LOWRANCE



Order No.	Mfg. No. / Description	Price
1440092	(11069-001) Sun Cover for Elite-7, Elite-7x and Elite-7m	\$25.15 E
142555	(124-61) CVR-12, For HDS-5 Units	\$32.71 E
142560	(124-62) CVR-13, For HDS-7 Units	\$32.71 E
142565	(124-63) CVR-14, For HDS-8 Units	\$37.75 E

Lowrance Flush Mount Kit

LOWRANCE



- Includes paper template and four screws.
- Compatible with: HDS-10, HDS-10m, HDS-5, HDS-5m, HDS-5x, HDS-7, HDS-7m, HDS-8 and HDS-8m.

Order No.	Mfg. No. / Description	Price
142230	(124-65) FM-12	\$20.16 E

Lowrance Gimbal Brackets

LOWRANCE



142250




143255



- Includes: Gimbal knobs.

Order No.	Mfg. No. / Description	Price
1440021	(101-99) GB-14 For X-96, X-125, X-135, X-136DF	\$37.75 LQ
142250	(124-57) GB-19 For HDS-5 Models	\$31.45 E
142280	(124-58) GB-20 For HDS-7 Models	\$37.75 E
142315	(124-60) GB-22 For HDS-10 Models	\$50.35 E
143255	(11019-001) For HDS-7 Gen2 Touch, Elite-7 Models	\$37.75 E
143260	(11020-001) For HDS-9 Gen2 Touch Models	\$50.34 E
143265	(11021-001) For HDS-12 Gen2 Touch Models	\$62.95 LQ



Lowrance Elite-9x CHIRP Gold Fishfinder/Chartplotter

LOWRANCE



- CHIRP sonar performance with a greater number of affordable transducers, including the Lowrance HDI Skimmer.
- View multiple CHIRP sonar settings on one display.
- DownScan Imaging.
- Selectable single-frequency sonar operation with award-winning Broadband Sounder performance.
- Highly accurate, built-in GPS antenna plus a detailed U.S. map.
- Navionics+ chart card featuring full coastal and inland coverage of the U.S. and Canada, plus the Great Lakes, Alaska, Hawaii and the Bahamas - plus online access to Navionics chart enhancements including Freshest Data, Sonar Charts and Community Edits.
- Optional chart upgrades include Lake Insight and Nautic Insight PRO and HD, Navionics HotMaps Premium, Fishing Hotspots PRO and Jeppessen C-Map Max-N.
- Create your own map from real sonar data that you record with Insight Genesis.
- Brilliant Elite color display for enhanced widescreen.
- DownScan Overlay technology.
- Advanced Signal Processing (ASP) reduces the need to manually adjust settings to see fish, structure and bottom detail more clearly.
- TrackBack to review recorded sonar history.
- New page selector menu with quick access to all features using one-thumb operation.
- Multi-Window Display.

Order No.	Mfg. No. / Description	Price
143350	(12178-001) 50/200 kHz Transducer	\$1,699.00 MAP
143355	(12181-001) 83/200 kHz Transducer	\$1,499.00 MAP

Lowrance Elite-7x HDI Fishfinder

LOWRANCE



- Display: 7" widescreen 16:9.
- Display resolution: 800H x 480V.
- Hybrid Dual Imaging (HDI) - Broadband Sounder plus exclusive DownScan.
- 70% larger color display.
- Exclusive technology overlays DownScan Imaging onto Broadband Sounder.
- A new page selector menu with quick access to all features using one-thumb operation.
- Multi-window displays let you choose up to three panels in split-screen mode simultaneously.
- Advanced NMEA 2000 networking compatibility.
- Options include external GPS Antenna for basic digital GPS data overlay, marking waypoints & waypoint sharing with networked Lowrance chartplotters.

Order No.	Mfg. No. / Description	Price
143195	(10962-001) 50/200 kHz Transducer	\$718.98 LQ

Lowrance Elite-7 CHIRP Gold Fishfinder/Chartplotter

LOWRANCE



- Display: 7" 16:9 Full VGA SolarMax Plus.
- Display resolution: 16-bit color TFT 800H x 480V.
- CHIRP sonar performance with a greater number of affordable transducers, including the Lowrance HDI Skimmer.
- View multiple CHIRP sonar settings on one display.
- DownScan Imaging.
- Selectable single-frequency sonar operation with award-winning Broadband Sounder performance.
- Highly accurate, built-in GPS antenna plus a detailed U.S. map.
- Navionics+ chart card featuring full coastal and inland coverage of the U.S. and Canada, plus the Great Lakes, Alaska, Hawaii and the Bahamas - plus online access to Navionics chart enhancements including Freshest Data, Sonar Charts and Community Edits.
- Optional chart upgrades include Lake Insight and Nautic Insight PRO and HD, Navionics HotMaps Premium, Fishing Hotspots PRO and Jeppessen C-Map Max-N.
- Create your own map from real sonar data that you record with Insight Genesis.
- Brilliant Elite color display for enhanced widescreen.
- DownScan Overlay technology.
- Advanced Signal Processing (ASP) reduces the need to manually adjust settings to see fish, structure and bottom detail more clearly.
- TrackBack to review recorded sonar history.
- New page selector menu with quick access to all features using one-thumb operation.
- Multi-Window Display.

Order No.	Mfg. No. / Description	Price
143315	(11661-001) 50/200 kHz + 455/800 kHz Transducer	\$869.00 MAP

Lowrance Elite-5 CHIRP Fishfinder/Chartplotter

LOWRANCE



- Display: 5" Full VGA SolarMax Plus.
- Display resolution: 256 color TFT 480H x 480V.
- CHIRP sonar advantages: Better target identification at greater depths.
- View multiple CHIRP sonar settings on one display.
- DownScan Imaging.
- Selectable single-frequency sonar operation with award-winning Broadband Sounder performance.
- Highly accurate, built-in GPS antenna plus a detailed U.S. map.
- Optional chart upgrades include Lake Insight and Nautic Insight PRO and HD, Navionics HotMaps, Premium, Fishing Hotspots PRO and Jeppessen C-Map Max-N.
- Create your own map from real sonar data that you record with Insight Genesis.
- DownScan Overlay technology.
- Advanced Signal Processing (ASP) reduces the need to manually adjust settings to see fish, structure and bottom detail more clearly.
- TrackBack to review recorded sonar history.
- New page selector menu with quick access to all features using one-thumb operation.
- Multi-Window Display.

Order No.	Mfg. No. / Description	Price
143304	(11654-001) 50/200 kHz + 455/800 Transducer	\$599.00 MAP
143305	(11655-001) 83/200 kHz + 455/800 Transducer	\$499.00 MAP

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Elite-4m HD Gold Chartplotter

LOWRANCE



- Display: 4.3" 16-bit color TFT.
- Display resolution: 272H x 480V.
- Highly accurate, built-in GPS antenna plus a detailed U.S. map.
- Navionics+ chartcard featuring full coastal and inland coverage of the U.S. and Canada, plus the Great Lakes, Alaska, Hawaii and the Bahamas – plus online access to Navionics chart enhancements including Freshest Data, Sonar Charts and Community Edits.
- Optional chart upgrades include Lake Insight and Nautic Insight PRO and HD, HotMaps Premium, Fishing Hotspots PRO & Jeppesen C-Map Max-N.
- New page selector menu with quick access to all features using one-thumb operation.
- Multi-Window Display.

Order No.	Mfg. No. / Description	Price
142010	(11294-001)	\$269.00 B

Lowrance Mark-5x DSI Fishfinder/Chartplotter

LOWRANCE



- Display: 5" 16 level grayscale Film SuperTwist LCD.
- Display resolution: 480H x 480V.
- Sonar output power: Max 500W RMS, 4,000W PTP.
- Sonar depth: Max 250'.
- Dual-coverage imaging; 455/800 kHz fishfinding.
- DownScan Imaging.
- Exclusive Lowrance down-looking imaging innovation.
- Detailed, automatic photo-like viewing locates prime fishing spots under the boat.
- Easy-to-use with manual fine-tuning option.
- TrackBack feature scrolls-back sonar history.

Order No.	Mfg. No. / Description	Price
140990	(10233-001)	\$219.98 LQ

Lowrance Mark-4 CHIRP Fishfinder

LOWRANCE



- CHIRP sonar advantages: Easier to identify and distinguish bait and game fish targets - Better target identification at greater depths - Mark fish clearly at faster boat speeds - View multiple CHIRP sonar settings on one display.
- Brighter LED backlighting.
- Exclusive TrackBack feature.
- Best-in-class Lowrance Fishfinding technology.
- Easy-to-use menu page and menu controls.
- Simplified menu navigation.
- Quick-release tilt and swivel bracket.
- Accurate internal GPS antenna.
- MicroSD cardslot for high-detail mapping options.
- Supported by 5 Year Advantage Service.

Order No.	Mfg. No. / Description	Price
143310	(11824-001) 83/200	\$229.00 MAP

Lowrance Elite-3x Fishfinder

LOWRANCE



- Display: 3.5".
- Display resolution: 240H x 320V.
- LED backlit color display.
- Broadband Sounder.
- Dual-frequency 83 or 200 kHz operation helps maximize the view beneath your boat.
- 83 kHz sonar operation provides up to 60 degrees of conical coverage.
- The 200 kHz frequency option provides up to 20 degrees of conical coverage.
- Patented Skimmer transducer with built-in water-temperature sensor can track bottom up to 75 mph.
- Fish I.D. displays.
- Advanced Signal Processing (ASP).
- Pages button allows the user to quickly switch between 83 kHz and 200 kHz sonar frequency views.
- Dedicated quick keys allow the user to zoom up to four times the standard view and focus on key fishing areas.
- Power button doubles as backlight control.
- Easily adjust the viewing angle or disconnect and store with the quick-release, tilt and swivel bracket.

Order No.	Mfg. No. / Description	Price
143302	(11448-001)	\$106.29 B

Lowrance Mark-5x Pro Fishfinder

LOWRANCE




- Display: 5" 16 level grayscale.
- Display resolution: 480H x 480V.
- Sonar output power: Max 300W RMS, 2,400W PTP.
- Sonar depth: Max 1,000'.
- Dual-frequency 83/200 kHz Skimmer transom-mount transducer with internal temp sensor and up to 120° of wider sonar coverage.
- TrackBack feature scrolls-back sonar history.
- Optimized automatic mode for high-performance finding with turn-on-and-fish ease.
- Advanced User Mode for fine-tuning to water conditions.
- One-hand tilt/swivel view adjustment provides simple installation.

Order No.	Mfg. No. / Description	Price
140932	(175-001)	\$159.00 B

Lowrance Mark-4 HDI Fishfinder/Chartplotter

LOWRANCE



- Display: 4.3" Monochrome TFT.
- Display resolution: 272H x 480V.
- Exclusive Hybrid Dual Imaging - Broadband Sounder plus DownScan Imaging.
- Highly accurate, built-in GPS antenna plus a detailed U.S. map.
- Optional chart upgrades include Lake Insight and Nautic Insight PRO and HD, Navionics Gold and HotMaps Premium, Fishing Hotspots PRO and Jeppesen C-Map Max-N.
- Create your own map from real sonar data that you record with Insight Genesis.
- DownScan Overlay Technology.
- Advanced Signal Processing (ASP).
- TrackBack feature scrolls-back sonar history.
- Multi-Window Display.

Order No.	Mfg. No. / Description	Price
142000	(11299-001) 83/200 + 455/800 HDI Transducer	\$329.98 LQ
142050	(11215-001) 83/200 + 455/800 HDI Transducer	\$253.98 LQ
142055	(11214-001) 83/200 Transducer	\$220.98 LQ

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Lowrance Sun Cover for Mark, Elite-4 and Elite-3x Models

LOWRANCE



Order No.	Mfg. No. / Description	Price
142573	(10495-001)	\$29.98 LQ

Lowrance Gimbal Bracket

LOWRANCE

- Works with: Cuda 128, Cuda 168, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 300, FishEasy 240, FishEasy 245 DS, FishEasy 320, M56 S/MAP, M68C S/MAP, SeaFinder 245DS, X47, X-50 DS, X67C.



Order No.	Mfg. No. / Description	Price
142235	(113-16) GB-17	\$31.45 E

Lowrance Gimbal Knobs

LOWRANCE



- Works with: X51, X52, X58, X59, FishEasy2 and TriFinder2.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
141307	(113-02) GK-10	\$28.93 LQ

Order No.	Mfg. No. / Description	Price
141263	(51-81) Bracket Knobs for pre-2009 Products	\$27.98 LQ

Lowrance Flush Mount Kit

LOWRANCE



- Works with: Cuda 128, Cuda 168, Cuda 242, Cuda 250 S/Map, Cuda 300, Cuda 350, FishEasy 240, FishEasy 245 DS, FishEasy 320, SeaFinder 245DS, X47, X-50 DS.

Order No.	Mfg. No. / Description	Price
142225	(113-20) FM-6	\$25.15 E

Lowrance Transom Mount Transducer

LOWRANCE



- Transom mount, dual frequency skimmer with built-in temperature sensor (50 kHz 35 degree & 200 kHz 12 degree).
- Includes 25' power cable.
- CAN BE USED WITH X67C, M68C AND FISHEASY 320C FOR DEEPWATER/SALTWATER APPLICATIONS.
- Works with: FishEasy 320, M56 S/MAP, M68C S/MAP, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder 640C DF and X67C.

Order No.	Mfg. No. / Description	Price
142520	(106-49) HST-50/200-WSU	\$149.00 C

Lowrance Screen Cover

LOWRANCE



- Fits all Mark-5 and Elite-5 Models.
- Works with: Elite-5, Elite-5m, Elite-5x, Mark-5x, Mark-5x Pro.

Order No.	Mfg. No. / Description	Price
142572	(10050-001) CVR-16	\$32.70 E

Lowrance Mounting Bracket

LOWRANCE

- Works with: Elite-3x, Elite-3x DSI, Mark-4, Elite-4, Mark-5, Elite-5, and Elite-5 CHIRP Models.



Order No.	Mfg. No. / Description	Price
142255	(10027-001) QRB-5	\$25.14 E

Lowrance Flush Mount Kits

LOWRANCE



- Works with: Cuda 168 EX, FishEasy 250 DS, FishElite 320, FishElite 480, FishElite 500C, FishElite 640C, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, GlobalMap 3500C, GlobalMap 4800, GlobalMap 5200C, IntelliMap 480, IntelliMap 500C, LMS-332C, LMS-337C DF, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, SeaCharter 480DF, SeaCharter 500C DF, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder 640C DF, X102C, X107C DF, X125, X126DF, X135, X136DF, X47EX, X-510C, X-515C DF, X-86 DS, X96.

Order No.	Mfg. No. / Description	Price
141306	(113-04) FM-5	\$54.98 LQ

- Flush mount kit for 5" models.
- Works with: Elite-5, Elite-5m, Elite-5x, Mark-5x, Mark-5x Pro.

Order No.	Mfg. No. / Description	Price
142260	(10028-001) FM-ME5	\$20.11 E

- Flush mount kit for Elite-7.

Order No.	Mfg. No. / Description	Price
143250	(10979-001)	\$18.85 E

Order No.	Mfg. No. / Description	Price
140914	(101-94) FM-3	\$24.98 LQ

Lowrance Transom Mount Transducer

LOWRANCE



- Transom mount, 20 degree skimmer (200 kHz) with built-in temperature.
- Includes 20' power cable.
- Works with: Cuda 128, Cuda 128 P, Cuda 168, Cuda 168 EX, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 300, FishEasy 2 (with Black Connector), FishEasy 240, FishEasy 245 DS, FishEasy 250 DS, FishEasy 320, FishElite 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, LCF-1440, LST-3800, M56 S/MAP, M68C S/MAP, SeaFinder 245DS, X47, X47EX, X-50 DS, X67C, X-86 DS and X96.

Order No.	Mfg. No. / Description	Price
140212	(106-48) HST-WSU	\$59.95 C

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Transom Mount Transducer

LOWRANCE

- Transom mount, skimmer with built-in temperature sensor.
- Includes 20' power cable.
- Works with: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-480, LMS-520C, LMS-522C iGPS, X100C, X102C, X125, X135, X510C, X-510C, X52.



Order No.	Mfg. No. / Description	Price
140214	(106-72) HST-WSBL	\$58.57 C

Lowrance Hybrid Dual Imaging (HDI) Transom Mount Transducers

LOWRANCE

- Transom-mount Skimmer transducer design featuring all-in-one Broadband Sounder and DownScan Imaging capability.
- Works with: Elite-4 HDI, Elite-4X HDI, Elite-5 HDI, Elite-5X HDI, Elite-7 HDI, Elite-7X HDI, and HDS Touch units.



Order No.	Mfg. No. / Description	Price
143235	(10976-001) HDI 83/200 Skimmer Transducer	\$119.95 C
143240	(10977-001) HDI 50/200 Skimmer Transducer	\$259.98 C

Lowrance Pod Type Transducer

LOWRANCE

- 83/200 kHz trolling motor mount transducer with built-in temp with blue connector.
- Includes 12' power cable.
- Works with: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-480, LMS-520C, LMS-522C iGPS, X100C, X102C, X125, X135, X510C, X-510C, X52.



Order No.	Mfg. No. / Description	Price
140215	(106-74) PDT-WBL	\$69.95 C

Lowrance Pod Type Transducer

LOWRANCE

- Trolling motor mount, 20 degree pod type with built in temperature sensor (200 kHz).
- Includes 10' power cable.
- Works with: Cuda 128, Cuda 168, Cuda 168 EX, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, FishEasy 2 (with Black Connector), FishEasy 240, FishEasy 245 DS, FishEasy 250 DS, FishEasy 320, FishElite 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, LCF-1440, LST-3800, M56 S/MAP, M68C S/MAP, X47, X47EX, X-50 DS, X67C, X-86 DS, X96.



Order No.	Mfg. No. / Description	Price
142213	(106-50) PDT-WSU	\$69.95 C

Lowrance DSI Skimmer Transducer with Temp

LOWRANCE

- Dual frequency DSI Skimmer transducer 455/800 kHz with built-in temp.
- Includes 20' power cable.



Order No.	Mfg. No. / Description	Price
142395	(10260-001)	\$94.98 LQ

Lowrance Transom Mount Transducer

LOWRANCE

- Transom-mount, dual frequency skimmer with built-in temperature sensor.
- Includes 25' cable.
- Works with: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-38C HD, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-525C DF, LMS-527C DF iGPS, X105C DF, X107C DF, X126DF, X136DF, X-515C DF, X59DF



Order No.	Mfg. No. / Description	Price
142450	(106-77) HST-DFSBL	\$94.95 C

Lowrance Pod Type Transducer

LOWRANCE

- Trolling motor-mount or shoot-thru-hull, pod type transducer.
- Includes 20' power cable.
- Works with: HDS-10, HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-15CI, LCX-15CT, LCX-15MT, LCX-16CI, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-520C, LMS-522C iGPS, X102C, X125, X135, X-510C, X52.



Order No.	Mfg. No. / Description	Price
142525	(106-73) PD-WBL	\$79.95 C

Lowrance Pod Type Transducer

LOWRANCE

- 83/200 kHz trolling motor mount Skimmer with remote temp sensor with blue connector.
- Includes 20' power cable.
- Works with: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X510C, X515C DF, X52.



Order No.	Mfg. No. / Description	Price
142390	(106-89) PDRT-WBL	\$79.95 C

Lowrance Pod Type Transducer

LOWRANCE

- Shoot-thru-hull mount, 20 degree pod type with remote temperature (200 kHz).
- Includes 20' power cable.
- Works with: Cuda 350, LCF-1440, LST-3800.



Order No.	Mfg. No. / Description	Price
142385	(106-69) PDRT-WSU	\$79.95 C

Lowrance Pod Type Transducer

LOWRANCE

- Trolling motor mount or shoot-thru-hull, 20 degree pod type.
- No Temp For Elite and Mark Series.
- Includes 20' power cable.
- Works with: Cuda 350, LCF-1440, LST-3800.



Order No.	Mfg. No. / Description	Price
142210	(106-52) PD-WSU	\$79.95 LQ

Lowrance HDI Trolling Motor Adapter for Skimmer

- Trolling motor adapter for 83/200 HDI transducer.

Order No.	Mfg. No. / Description	Price
143245	(10978-001)	\$25.15 E

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Lowrance DSI Transducer Trolling Motor Adapter

LOWRANCE



Order No. Mfg. No. / Description Price
142265 (10261-001) **\$25.15 E**

Lowrance Epoxy Tube

LOWRANCE

Order No. Mfg. No. / Description Price
140917 (10698) **\$6.25 E**

Lowrance Speed/Temp Probe

LOWRANCE



- Works with: Elite-5, Elite-5x, FishEasy 2 (w/ Black Connector), FishEasy 240, FishEasy 320, FishElite 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, M56 S/MAP, M68C S/MAP, Mark-5x, Mark-5x Pro, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder 640C DF, X67C, X96.

Order No. Mfg. No. / Description Price
142510 (99-75) ST-TU **\$79.95 C**

Lowrance Speed Only Sensor

LOWRANCE



- Works with: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF.

Order No. Mfg. No. / Description Price
140922 (99-96) SP-BL **\$85.98 LQ**

Lowrance DSI Transducer Extension Cable

LOWRANCE



- 15' extension cable.
- For DSI Skimmer transducer.

Order No. Mfg. No. / Description Price
142305 (10263-001) **\$50.35 E**

Lowrance Power Cable

LOWRANCE



- Works with: GlobalMap 5200C, GlobalMap 5300C iGPS, GlobalMap 7200C, GlobalMap 7300C HD, GlobalMap 8200C, GlobalMap 8300C HD, GlobalMap 9200C, GlobalMap 9300C HD, LCX-112C, LCX-113C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X-510C, X-515C DF.

Order No. Mfg. No. / Description Price
142575 (127-08) PC-27BL **\$49.95 C**

Lowrance Transducer Brackets

LOWRANCE

- Stainless steel transom mount bracket for 20° HS-WS transducer.
- Use with: Fish I.D. II Plus, Magna II, Magna II Plus, SeaView 2000, Ultra, Ultra II, Ultra II Plus, Ultra Plus, UltraNav, UltraNav II, X-55, X-70, X-70A.

Order No. Mfg. No. / Description Price
142505 (99-06) HS-WS-SS **\$25.15 E**

- Plastic bracket adapts HS-WS transducer to trolling motor.
- For use with: Fish I.D. II Plus, LMS-480, Magna II, Magna II Plus, SeaView 2000, Ultra, Ultra II, Ultra II Plus, Ultra Plus, UltraNav, UltraNav II, X125, X135, X-510C, X-55, X-70, X-70A.

Order No. Mfg. No. / Description Price
141262 (51-45) TMB-S **\$18.85 E**

Lowrance Temperature Sensor

LOWRANCE



- Fits all 2004 and newer Lowrance products with temperature display capability and a blue sensor connector.
- Includes a 13' cable.
- You can feel confident that it will work well for years to come and that it will be with you for many boating trips to come.
- Temperature sensor is high quality and easy to install.
- Works with: LCX-110C, LCX-111C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, X102C, X107C DF, X125, X126DF, X135, X136DF, X52, X59DF.

Order No. Mfg. No. / Description Price
1440168 (99-95) **\$69.95 C**

Lowrance Transducer Extension Cable

LOWRANCE



- 20' extension cable.
- Works with: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X510C, X-510C, X-515C DF, X52, X59DF.

Order No. Mfg. No. / Description Price
142335 (99-94) XT-20BL **\$50.36 E**

Lowrance Transducer Extension Cable

LOWRANCE



- Unplug extension 15' cable.
- Works with: Mark, Elite "non-DSI" units and Eagle FishMark & FishElite.

Order No. Mfg. No. / Description Price
140918 (99-91) XT-15U **\$37.75 E**

Lowrance NMEA Adapter Cable

LOWRANCE



- Compatible with: FishElite 480, FishElite 500C, FishElite 502C iGPS, FishStrike 1000C, FishStrike 2000C, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS, M56 S/MAP, M68C S/MAP, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 640C DF.

Order No. Mfg. No. / Description Price
142275 (119-31) NDC-4 **\$37.75 E**

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Lowrance Adapter Cable

- Uniplug transducer to blue unit adapter.
- Works with: Elite-5, Elite-5x, Elite-5x, Mark-5x, Mark-5x Pro.

Order No. Mfg. No. / Description Price
142325 (10052-001) TA-UQ2BL-T **\$44.05** E

Lowrance Power Cable

- Works with: IntelliMap 320, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS.

Order No. Mfg. No. / Description Price
142270 (99-83) PC-24U **\$28.93** E

Lowrance Adapter Cable



- Adapts blue connector 50/200 kHz or 200 kHz transducers to units with newer black 50/200 or 200 kHz transducer power connectors.

Order No. Mfg. No. / Description Price
142535 (127-66) TA-BL2U **\$44.05** E

Boater Sports Transducer Mount Kit



- Easily mounts all Lowrance HS-WS, HS-WST, HS-WSBK, HS-WSPC, LHSWS and LHS-WST Skimmer (high speed) and Broadview transducers to any trolling motor.
- 1/2" ID on mounting ears.
- Clam shell pack for display.

Order No. Mfg. No. / Description Price
1-52648 (52648) **\$6.65** H

T-H Marine Transducer Mounting Kit



- This universal kit allows for easy mounting of transducer to the base of a trolling motor.
- The 4" stainless steel hose clamp secures virtually any transducer to any trolling motor gear case.
- Twelve (12) radiused cable ties neatly fasten the cable along the shaft.

Order No. Mfg. No. / Description Price
641111 (TMK-1-DP) **\$11.98** H

Minn Kota Transducer Mounting Kit



- Allows mounting on lower unit of bow or transom mount motors.
- Rugged, durable construction.
- Fits transducers of all major manufacturers.

Order No. Mfg. No. / Description Price
477035 (1840201) **\$19.99** B

Standard Horizon Depth Transducers



607083



607082

500 WATTS - 2" NYLON THRU-HULL DEPTH/TEMP TRANSDUCER

Order No. Mfg. No. / Description Price
607082 (DST520) **\$127.98** LQ

500 WATTS - TRANSMOUNT DEPTH/SPEED/TEMP TRANSDUCER

Order No. Mfg. No. / Description Price
607083 (DST521) **\$105.98** LQ

Simrad Ethernet Cable



- Expansion Port-1 plug-and-play hub for high-speed data-sharing of multiple NSE series products with Ethernet modules.
- Waterproof expansion ports resist corrosive marine environments.
- Unused expansion ports capped for future expansion.

Order No. Mfg. No. / Description Price
143045 (127-51) Yellow 5 pin 2m (6.5') **\$37.75** B

Simrad SimNet Cable



Order No. Mfg. No. / Description Price
143090 (24006413) Micro-C Female Cable 4m **\$81.98** LQ

Navionics Electronic Navigational Chart - Navionics+



- More marine and lakes content and the best value.
- The most up-to-date Nautical Chart, SonarChart and Community Edits.
- Provided by geographic area on pre-programmed cartridges compatible with today's most popular chartplotters including: B&G, Delorme, Faria, Furuno, Geonav, Humminbird, Lowrance, Magellan, Medallion, Murphy, Northstar, Raymarine, Samyung Enc, Simrad, Si-Tek and more.
- Just plug-and-play into a Navionics compatible plotter and have easy access to all the essential information found on official paper charts and fishing maps: tide and current data, depth contours, spot soundings, navaids, location names, detailed port plans, port service guides, and more.
- Coverage size: XL3.

Order No. Mfg. No. / Description Price
151068 (MSD/NAV+NI) US and Canada, Including Lakes **\$199.98** B
151072 (MSD/NAV+3xG) Caribbean and South America **\$198.98** B

Fun & Flotation
Anchor & Dock
Safety

Electronics

Trolling Motors
Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailing

Misc.

Comm.

RAM-B-101-L011 "Light Use" Mount



- Consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern and adapter base that inserts directly to the back of Lowrance Elite-4 and Mark-4 Fishfinders.
- The adapter serves as a quick release mechanism, allowing you to remove or transfer your Fishfinder in seconds.
- Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at both socket ends of the arm; this with RAM's rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles.
- For Lowrance Elite-4 and Mark-4 Series Fishfinders.

Order No. Mfg. No. / Description Price
672025 (RAM-B-101L01) **\$29.98** F

RAM-B-107 "Light Use" Mount



- Consists of a 2.5" diameter round base with the universal AMPS hole pattern, double socket arm and connecting Humminbird/Apelco marine adapter base.
- The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles.
- A "LIGHT USE" mount, designed to hold smaller marine electronic devices.
- For the Humminbird 100, 300, 500, 700 Series, Matrix Series and Lowrance Elite-5 Series.

Order No. Mfg. No. / Description Price
672030 (RAM-B-107) **\$38.98** MAP

RAM-101-L011 "Rugged Use" Mount



- Consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern and adapter base that inserts directly to the back of Lowrance Elite-5 and Mark-5 Fishfinders.
- The adapter serves as a quick release mechanism, allowing you to remove or transfer your Fishfinder in seconds.
- Designed into the mount is a 1.5" diameter patented rubber ball and socket system with adjustment points at both socket ends of the arm; this with RAM's rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles.
- For Lowrance Elite-5 and Mark-5 Series Fishfinders.

Order No. Mfg. No. / Description Price
672000 (RAM-101-L011) **\$49.98** F

RAM-107 "Rugged Use" Mount



- Consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern and connecting Humminbird/Apelco marine adapter base.
- Rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles.
- The mount is designed with a RAM 1.5" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles.
- For the Humminbird 100, 300, 500, 700 Series, Matrix Series and Lowrance Elite-5 Series.

Order No. Mfg. No. / Description Price
672005 (RAM-107) **\$55.98** MAP

RAM-B-107-1 Flat Surface Marine Electronic Mount



- A powder coated marine grade aluminum mount, consists of a double socket arm, one 2.5" diameter round base and connecting Humminbird/Eagle/Lowrance marine base.
- The mount is designed with a 1" diameter patented rubber ball and socket system that has adjustment points at the cradle base and bottom base.
- With a twist of the arm knob, you can move the marine mount to your optimum viewing position.
- For the Eagle Cuda, FishEasy, Humminbird Piranha and Lowrance X-4.

Order No. Mfg. No. / Description Price
672035 (RAM-B-107-1) **\$34.98** MAP

RAM 6.25" x 2" Universal Electronics Base with 1.5" Ball



- Consists of a 1.5" diameter rubber ball connected at right angles to a flat 6.25 x 2" rectangular plate.
- The plate contains different combinations of pre-drilled holes which will match up to many electronic devices and mounts, including Marine GPS, CB Radios, Ham Radios, Gimbal Brackets and more.

Order No. Mfg. No. / Description Price
672020 (RAM-111-B) **\$48.98** MAP

RAM Ball Mount



- Consists of a double socket arm, 2.5" diameter round base and 6.25" x 2" rectangle base.
- The round base contains pre-drilled holes, including the universal AMPS hole pattern.
- The rectangle base contains different combinations of pre-drilled holes which will match up to many electronic devices and mounts, including Marine GPS, CB Radios, Ham Radios, Gimbal Brackets and more.

Order No. Mfg. No. / Description Price
672036 (RAM-B-111) **\$35.98** MAP

RAM Ball Mount



- RAM 2.25" diameter ball mount with 11" X 3".
- Rectangle base and 3.68" round base.
- Overall height: 11.5".

Order No. Mfg. No. / Description Price
672048 (RAM-D-111U) **\$139.98** MAP

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

RAM-D-111 Ball Mount



- Consists of a double socket arm, 3.68" diameter round base and 11" x 3" rectangular base.
- The round base contains pre-drilled holes, including two holes at 180 degrees and three holes at 120 degrees.
- The rectangle base contains different combination of pre-drilled holes which will match up to many electronic devices and mounts, including Marine GPS, CB Radios, Ham Radios, Gimbal Brackets and more.
- Compatible With: Garmin Fishfinders and GPS Chartplotters Humminbird Fishfinders and GPS Chartplotters Lowrance Fishfinders and GPS Chartplotters Raymarine Fishfinders and GPS Chartplotters.

Order No.	Mfg. No. / Description	Price
672040	(RAM-D-111)	\$146.98 MAP

RAM-D-111-C Ball Mount



- Consists of a short double socket arm, 3.68" diameter round base and 11" x 3" rectangular base.
- The round base contains pre-drilled holes, including two holes at 180 degrees and three holes at 120 degrees.
- The rectangle base contains different combinations of pre-drilled holes which will match up to many electronic devices and mounts, including Marine GPS, CB Radios, Ham Radios, Gimbal Brackets and more.
- The RAM-D-111-C is Compatible With: Garmin Fishfinders and GPS Chartplotters Humminbird Fishfinders and GPS Chartplotters Lowrance Fishfinders and GPS Chartplotters Raymarine Fishfinders and GPS Chartplotters.

Order No.	Mfg. No. / Description	Price
672045	(RAM-D-111-C)	\$125.98 MAP

RAM-111 Ball Mount (AMPs Hole Pattern)



- Consists of a double socket arm, 2.5" diameter round base and 6.25" x 2" rectangle base.
- The round base contains pre-drilled holes, including the universal AMPs hole pattern.
- The rectangle base contains different combinations of pre-drilled holes which will match up to many electronic devices and mounts, including Marine GPS, CB Radios, Ham Radios, Gimbal Brackets and more.
- Note: The 6.25" x 2" rectangle base is a universal mounting bracket with a selection of mounting hole locations. In certain applications additional holes may need to be drilled for proper fit with your electronic device.

Order No.	Mfg. No. / Description	Price
672015	(RAM-111)	\$51.98 MAP

RAM Ball Mount



- Consists of a 3.68" diameter round base, short double socket arm and 11" x 3" rectangular base.
- The round base contains pre-drilled holes, including two holes at 180° and three holes at 120°.
- The rectangle base contains different combinations of pre-drilled holes which will match up to many electronic devices and mounts, including Marine GPS, CB Radios, Ham Radios, Gimbal Brackets and more.

Order No.	Mfg. No. / Description	Price
672049	(RAM-D-111U-C)	\$116.98 MAP

T-H Marine Shock Lock Super Duty Electronics Mount



- Handles the heaviest electronic charts and graphs.
- Choice of 6" or 12" mounting heads support any chart or graph.
- Tab and slot joints will not slip or droop.
- Quick release pin allows easy removal of electronics.
- Three articulating joints allow any angle for perfect viewing.
- Built-in wire chase at base.

Order No.	Mfg. No. / Description	Price
641883	(SKLK-SAST-DP) Short 3" Arm Small 6" Head	\$195.98 F
641884	(SKLK-LALT-DP) Long 5" Arm Large 12" Head	\$205.98 F
641885	(SKLK-NAST-DP) No Arm Small 6" Head	\$154.98 F
641886	(SKLK-LA-DP) 5" Arm Only	\$29.98 H
641887	(SKLK-SA-DP) 3" Arm Only	\$27.98 H
641888	(SKLK-LT-DP) 12" Top Mount Only	\$34.98 H
641889	(SKLK-ST-DP) 6" Top Mount Only	\$32.98 H
641890	(SKLK-PWN-DP) Wing Nuts, Pair	\$8.98 H

RAM Vertical Single Swing Arm Mount



- The RAM single swing arm mount consists of a 6" long bent swing arm mounted on a vertical surface mounting base.
- There are two pivoting points on the mount.
- At the device mounting end of the mount is a rectangular 6.25" x 2" plate.
- One at the swing arm and base and one at the center of the rectangular plate and the end of the swing arm.
- Each pivoting point allows a complete 360 degree rotation.

Order No.	Mfg. No. / Description	Price
672013	(RAM-109V)	\$75.98 MAP

RAM Flat Surface Horizontal Single Swing Arm Mount



- The RAM single swing arm mount consists of a 6" long bent swing arm mounted on a horizontal surface mounting base.
- There are two pivoting points on the mount.
- At the device mounting end of the mount is a rectangular 6.25" x 2" plate.
- One at the swing arm and base and one at the center of the rectangular plate and the end of the swing arm.
- Each pivoting point allows a complete 360 degree rotation.

Order No.	Mfg. No. / Description	Price
672012	(RAM-109H)	\$66.98 MAP

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
3400 000-0047-15 (1985-1989)	Integral requires repair	N/A	N/A	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
3200 000-0047-49 (1990-1996)	Integral requires repair	N/A	N/A	HS-WS 000-0090-36 (obsolete)	N/A	N/A	N/A
3500 000-0047-82 (1991-2003)	Integral requires repair	N/A	N/A	HS-WS 000-0090-36 (obsolete)	N/A	N/A	N/A
Elite 4 000-10491-001 (2012 - 2013)	See XD Part #	QRB-5 000-10027-001	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	Internal
Elite 4m 000-10489-001 (2012 - 2013)	PC-24U 000-0099-83	QRB-5 000-10027-001	N/A	N/A	N/A	N/A	Internal
Elite 4x 000-10484-001 (2012 - 2013)	See XD Part #	QRB-5 000-10027-001	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	N/A
Elite 4 DSI 000-10494-001 (2012 - 2013)	See XD Part #	QRB-5 000-10027-001	N/A	Skimmer Xdcr DSI 000-10260-001	N/A	ST-TU 000-0099-75	Internal
Elite 4x DSI 000-10487-001 (2012 - 2013)	See XD Part #	QRB-5 000-10027-001	N/A	Skimmer Xdcr DSI 000-10260-001	N/A	ST-TU 000-0099-75	N/A
Elite 4 HDI 000-11287-001 no / xdcr 000-11216-001 83/200 455/800 000-11288-001 50/200 455/800 000-11291-001 Gold 50/200 hybr 000-11292-001 Gold 83/00 hybr (2014 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	Internal
Elite 4x HDI 000-11296-001 no / xdcr 000-11212-001 83/200 000-11213-001 83/200 455/800 000-11297-001 50/200 455/800 (2014 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	N/A
Elite-4m HD 000-11293-001 000-11294-001 Gold (2014 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	Skimmer Xdcr DSI 000-10260-001	N/A	ST-TBL 000-0099-97	Internal
Elite-5 000-00104-001 (2010 - 2013)	See XD Part #	QRB-5 000-10027-001	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	Internal LGC-16W (optional) 000-00146-001
Elite-5m 000-00103-001 (2010 - 2013)	PC-24U 000-0099-83	QRB-5 000-10027-001	N/A	N/A	N/A	ST-TU 000-0099-75	Internal LGC-16W (optional) 000-00146-001
Elite-5x 000-00102-001 (2010 - 2013)	See XD Part #	QRB-5 000-10027-001	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	N/A
Elite-5 DSI 000-10236-001 (2011 -2013)	See XD Part #	QRB-5 000-10027-001	N/A	Skimmer Xdcr DSI 000-10260-001	N/A	ST-TU 000-0099-75	Internal LGC-16W (optional) 000-00146-001
Elite -5x DSI 000-10235-001 (2011 -2013)	See XD Part #	QRB-5 000-10027-001	N/A	Skimmer Xdcr DSI 000-10260-001	N/A	ST-TU 000-0099-75	N/A

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
Elite-5 HDI 000-11145-001 83/200 455/800 000-11145-004 83/200 Cmap 000-11146-001 50/200 455/800 000-11146-004 50/200 Cmap 000-11171-001 Gold Bundle 83/200 455/800 000-11172-001 Gold Bundle 50/200 455/800 000-11173-001 w/o xdcr 000-11173-004 Cmap no xdcr 000-11174-001 83/200 000-11175-001 Gld Bndl no xdcr 000-11239-001 Ice Machine w/PPP-18i 83/200 (2013 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	Internal LGC-16W (optional) 000-00146-001
Elite-5x HDI 000-11143-001 83/200 455/800 000-11144-001 50/200 455/800 000-11170-001 w/o xdcr (2013 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	N/A
Elite-5M HD 000-11147-001 Base 000-11176-001 Gold (2013 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	N/A	N/A	N/A	Internal LGC-16W (optional) 000-00146-001
Elite-5M HD Baja 000-11238-001 (2013 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	N/A	N/A	N/A	Internal LGC-16W (optional) 000-00146-001
Elite-5 CHIRP 000-11646-001 Ice Machine 000-11648-001 Gold No/Xdcr 000-11650-001 No Xdcr 000-11651-001 50/200 455/800 Gold Bundle 000-11652-001 83/200 455/800 Gold Bundle 000-11654-001 50/200 455/800 000-11655-001 83/200 455/800 (2014 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	Internal LGC-16W (optional) 000-00146-001
Elite-5x CHIRP 000-11657-001 83/200 455/800 000-11656-001 50/200 455/800 000-11653-001 w/o xdcr (2014 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	N/A
Elite-7 HDI 000-10966-001 83/200 455/800 000-10967-001 50/200 455/800 000-10968-001 83/200 000-10970-001 w/o xdcr 000-11051-001 Gld Bndl 83/200 455/800 000-10972-001 Gld Bndl 50/200 455/800 (2013-)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
Elite-7m 000-10975-001 Chrtplottr Gold (2013 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
Elite-7x HDI 000-10961-001 83/200 455/800 000-10962-001 50/200 455/800 000-10965-001 w/o xdcr (2013 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	N/A

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
Elite-7 CHIRP 000-11665-001 83/200 455/800 000-11664-001 50/200 455/800 000-11663-001 83/200 000-11662-001 w/o xdcr 000-11658-001 Gld Bndle No xdc 000-11659-001 Gld Bndle 83/200 455/800 000-11661-001 Gld Bndle 50/200 455/800 (2014-)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
Elite-7x CHIRP 000-11668-001 83/200 455/800 000-11667-001 50/200 455/800 000-11666-001 w/o xdcr (2014 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	N/A
GlobalMap Baja 000-0117-47 (2005-2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	LGC-Baja 000-0112-59 (obsolete)
GlobalMap Baja 480c 000-0117-81 (2005-2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 Baja 000-11045-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap Baja 540c 000-0123-38 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 Baja 000-11045-001
GlobalMap Baja 840c 000-0123-56 (2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 Baja 000-11045-001
GlobalMap 1000 (1994-1995)	PC-14 000-0008-91 (obsolete)	GB-6 000-0051-58 (obsolete)	GK-7 000-0051-68 (obsolete)	N/A	N/A	N/A	LGC-1 000-0094-122 (obsolete)
GlobalMap 1600 000-0096-54 (1998-2001)	PC-20BK 000-0099-43 (obsolete)	GB-10 000-0101-38 (obsolete)	GK-8 000-0051-81 (obsolete)	N/A	N/A	N/A	LANT-1 000-0094-44 (obsolete)
GlobalMap 2000 000-0096-46 / 000-0096-461, 000-0096-462 (1996-98 / 1998-2000)	PC-14 000-0008-91 (obsolete)	GB-6 000-0051-58 (obsolete)	GK-7 000-0051-68 (obsolete)	HS-WSBK 000-0090-73 (obsolete) w/SAM-1 ST 000-0105-02 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete)	LGC-1 000-0094-122 (obsolete) LGC-12 000-0094-74 (obsolete)
GlobalMap 2400 (2002)	PC-21X 000-0099-56 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	LGC-12W 000-0112-06 (obsolete)
GlobalMap 3000MT (2001-2003)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	N/A	N/A	N/A	LGC-12W 000-0112-06 (obsolete) firmware 2.2 or higher
GlobalMap 3200 (2003)	PC-21X 000-0099-56 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	LGC-12W 000-0112-06 (obsolete)
GlobalMap 3300C 000-0117-00 (2004)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
GlobalMap 3500C 000-0117-40 (2005-2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 3600C iGPS 000-0116-20 (2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Internal
GlobalMap 4000M 000-0111-87 (2003-2004)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	N/A	N/A	N/A	LGC-12W 000-0112-06 (obsolete)
GlobalMap 4800M 000-0117-041 (2004-2007)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 4900M 000-0117-30 (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 5000C 000-0111-88 (2003-2004)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	N/A	N/A	N/A	LGC-12W 000-0112-06 (obsolete)
GlobalMap 5200c 000-0116-29 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001
GlobalMap 5300c iGPS 000-0116-29 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	N/A	N/A	N/A	Internal
GlobalMap 5500C 000-0117-31 (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 6000C 000-0111-89 (2003-2004)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	N/A	N/A	N/A	LGC-12W 000-0112-06 (obsolete)
GlobalMap 6500C 000-0117-33 (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 6600C HD 000-0117-32 (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 7000C 000-0111-92 (2003-2004)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	N/A	N/A	N/A	LGC-12W 000-0112-06 (obsolete)
GlobalMap 7200c 000-0123-22 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	LGC-4000 000-0125-28
GlobalMap 7300c HD 000-0123-23 (2007)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
GlobalMap 7500C 000-0117-49 (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 7600C HD 000-0117-35 (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
GlobalMap 8200c 000-0123-48 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001
GlobalMap 8300c HD 000-0123-54 (2007)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001
GlobalMap 9200c 000-0123-24 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001
GlobalMap 9300c HD 000-0123-25 (2007)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	N/A	N/A	N/A	Point-1 000-11047-001
GlobalNav (1992)	PC-11 000-0008-34 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	N/A	N/A	N/A	LGC-1 000-0094-122 (obsolete)
GlobalNav II GlobalNav IIA (1993 / 1994-1996)	PC-9 000-0008-52 (obsolete)	GB-6 000-0051-58 (obsolete)	GK-7 000-0051-68 (obsolete)	N/A	N/A	N/A	LGC-1 000-0094-122 (obsolete)
GlobalNav 310 000-0094-404 (1996-2000)	NDC-2 000-0101-36 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	N/A	N/A	N/A	LANT-1 000-0094-44 (obsolete)
HDS-5m Nautic Insight 000-0140-23 (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-19 000-0124-57	GK-12 000-0124-56	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS-5m Gen2 Nautic Insight 000-10520-001 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 5" 000-10712-001	HDS Gen2 Gimbal Knobs 000-10716-001	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS-5x 000-0140-27 83/200 000-0140-28 50/200 000-0140-29 w/o XD (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-19 000-0124-57	GK-12 000-0124-56	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
HDS-5x Gen2 000-10526-001 83/200 000-10525-001 50/200 000-10527-001 w/o XD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 5" 000-10712-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
HDS-5 Combo 000-0140-19 Lkelnsght 83/200 000-0140-30 Lkelnsght w/o XD 000-0140-21 Base US 83/200 000-0140-32 Base US w/o XD (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-19 000-0124-57	GK-12 000-0124-56	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-5 Gen2 Combo 000-10515-001 Insight 83/200 000-10516-001 Insight w/o XD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 5" 000-10712-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-5 Nautic Insight Cmb 000-0140-20 50/200 000-0140-31 w/o XD (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-19 000-0124-57	GK-12 000-0124-56	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
HDS-5 Gen2 NauticInsight Combo 000-10519-001 Nautic 50/200 000-10518-001 Nautic w/o XD (2012-)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 5" 000-10712-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-5 Insight BNDL 000-00099-001 (2010 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-19 000-0124-57	GK-12 000-0124-56	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-1 000-00099-007 (obsolete)	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-5 Gen2 Insight BNDL 000-10517-001 LSS-1 (Obs) 000-10868-001 LSS-2 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 5" 000-10712-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-1 000-00099-007 (obsolete) LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-5 Baja 000-0140-26 (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-19 000-0124-57	GK-12 000-0124-56	N/A	N/A	N/A	Internal (LGC-4000 Baja Opt) 000-0125-31
HDS-7m 000-0140-16 (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-20 000-0124-58	GK-12 000-0124-56	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS-7m Gen2 000-10532-001 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 7" 000-10713-001	HDS Gen2 Gimbal Knobs 000-10716-001	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS-7m Gen2 Touch Insight 000-10761-001 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS-7 Combo 000-0140-12 Insight 83/200 000-0140-14 Insight 50/200 000-0140-36 Insight w/o XD 000-0140-05 Base US 83/200 000-0140-34 Base US w/o XD (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-20 000-0124-58	GK-12 000-0124-56	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-7 Gen2 Combo 000-10530-001 Insight 83/200 000-10529-001 Insight 50/200 000-10531-001 Insight w/o XD 000-10533-001 Base US 83/200 000-10653-001 Base US w/o XD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 7" 000-10713-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-7 Gen2 Insight BNDL 000-10528-001 LSS-1 (obs) 000-10869-001 LSS-2 HD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 7" 000-10713-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-1 000-00099-007 (obsolete) LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-7 Gen2 Touch Combo 000-10765-001 Insight 83/200 000-10766-001 Insight 50/200 000-10764-001 Insight w/o XD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
HDS-7 Gen2 Touch Insight BNDL 000-10778-001 w/ LSS-2 xdcr (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 7 Gen2 Touch Gimbal Bracket 000-11019-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS -8 Combo 000-0140-07 Insight 83/200 000-0140-06 Insight 50/200 000-0140-39 Insight w/o XD 000-0140-09 Base US 83/200 000-0140-38 Base w/o XD (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-21 000-0124-59	GK-12 000-0124-56	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS -8 Gen2 Combo 000-10537-001 Insight 83/200 000-10536-001 Insight 50/200 000-10538-001 Insight w/o XD 000-10624-001 Base US 83/200 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 8" 000-10714-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-8 Gen2 Insight BNDL 000-10635-001 LSS-1 (obs) 000-10870-001 LSS-2 HD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 8" 000-10714-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-1 000-00099-007 (obsolete) LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-8m 000-0140-17 (2009)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-21 000-0124-59	GK-12 000-0124-56	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS-8m Gen2 WWB 000-10540-001 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 8" 000-10714-001	HDS Gen2 Gimbal Knobs 000-10716-001	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS -9 Gen2 Touch Combo 000-10771-001 Insight 83/200 000-10772-001 Insight 50/200 000-10770-001 Insight w/o XD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 9 Gen2 Touch Gimbal Bracket 000-11020-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-9m Gen2 Touch Insight 000-10767-001 (2012)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 9 Gen2 Touch Gimbal Bracket 000-11020-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS 10 Combo 000-0140-13 Insight 83/200 000-0140-02 Insight 50/200 000-0140-41 Insight w/o XD 000-0140-00 Base US 83/200 000-0140-40 Base w/o XD (2009 - 2011)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-22 000-0124-60	GK-12 000-0124-56	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS 10 Gen2 Combo 000-10542-001 Insight 83/200 000-10541-001 Insight 50/200 000-10543-001 Insight w/o XD 000-10625-001 Base US 83/200 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 10" 000-10715-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
HDS-10 Gen2 Insight BNDL 000-10636-001 LSS-1 (obs) 000-10871-001 LSS-2 HD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 10" 000-10715-001	HDS Gen2 Gimbal Knobs 000-10716-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-1 000-00099-007 (obsolete) LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
HDS-10m 000-0140-15 (2009)	HDS Pwr Cbl PC-30-RS422 000-0127-49	GB-22 000-0124-60	GK-12 000-0124-56	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS-10m Gen2 WWB 000-10545-001 (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS Gen2 Gimbal Brkt 10" 000-10715-001	HDS Gen2 Gimbal Knobs 000-10716-001	N/A	N/A	N/A	Internal (Point-1 optional) 000-11047-001
HDS 12 Gen2 Touch Combo 000-10776-001 Insight 83/200 000-10777-001 Insight 50/200 000-10775-001 Insight w/o XD (2012 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	HDS 12 Gen2 Touch Gimbal Bracket 000-11021-001	Bracket Knobs Pair - NSS/Gen2T 000-10467-001	HST-WSBL 000-0106-72 HST-DFSBL 000-0106-77 LSS-2 000-10802-001	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal (Point-1 optional) 000-11047-001
LCF-1440 000-0049-471 (2003-2010)	See XD Part #	N/A	N/A	HST-WSU 000-0106-48	N/A	N/A	N/A
LCX-15MT (2001-2002 / Enh 2003-2004) LCX-15CI (2001-2002) LCX-15CT (2001)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	LGC-12W 000-0112-06 (obsolete) firmware 2.2 or higher
LCX-16CI (2001-2002)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	LGC-12W 000-0112-06 (obsolete) firmware 2.2 or higher
LCX-17M 000-0117-24 000-0117-25 DF 000-0117-50 Combo 000-0117-51 Combo DF (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LCX-18C (2003-2004)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	LGC-12W 000-0112-06 (obsolete)
LCX-19C (2003-2004)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	LGC-12W 000-0112-06 (obsolete)
LCX-20C DF (2005)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LCX-25C 000-0117-28 000-0117-56 DF 000-0117-57 Combo 000-0117-58 Combo DF (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LCX-26C HD 000-0117-29 000-0117-60 DF 000-0117-61 Combo 000-0117-62 Combo DF (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
LCX-27C 000-0123-12 Combo 000-0123-13 DF Combo 000-0123-11 DF Sonar only 000-0123-10 200k only 000-0123-14 w/o XD and GPS (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LCX-28C HD 000-0123-17 Combo 000-0123-18 DF Combo 000-0123-16 DF Sonar only 000-0123-15 200k Sonar only 000-0123-19 w/o XD and GPS (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LCX-37C 000-0123-45 Combo 000-0123-46 DF Combo 000-0123-44 DF Sonar only 000-0123-43 200k only 000-0123-47 w/o XD and GPS (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LCX-38C HD 000-0123-51 Combo 000-0123-52 DF Combo 000-0123-50 DF Sonar only 000-0123-49 200k Sonar only 000-0123-53 w/o XD and GPS (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LCX-104C (2003-2004)	PC-21X 000-0099-56 (obsolete)	GB-12 000-0101-78 (obsolete)	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	LGC-12W 000-0112-06 (obsolete)
LCX-110C 000-0117-64 Combo 000-0117-48 Combo DF 000-0117-66 Combo w/o XD 000-0117-65 w/o XD and GPS (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LCX-111C HD 000-0117-67 Combo 000-0117-34 Combo DF 000-0117-69 Combo w/o XD 000-0117-68 w/o XD and GPS (2005-2006)	PC-26BL 000-0099-98	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LCX-112C 000-0117-92 Combo 000-0117-93 DF Combo 000-0117-94 Combo w/o XD 000-0117-95 w/o XD and GPS (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LCX-113C HD 000-0117-96 Combo 000-0117-97 DF Combo 000-0117-98 Combo w/o XD 000-0117-99 w/o XD and GPS (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-18 000-0113-75	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LDT-3001 (1992-2003)	Integral Requires Repair	N/A	N/A	N/A	N/A	Requires Calibration Send to Factory	N/A
LDT-3002 (1996-2004)	Integral Requires Repair	N/A	N/A	N/A	N/A	Requires Calibration Send to Factory	N/A
LDT-3003 (1996-2005)	Integral Requires Repair	N/A	N/A	N/A	N/A	TS-2BK 000-0007-21 (obsolete)	N/A

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
LDT-3200 000-0007-28 (2005-2007)	Integral Requires Repair	N/A	N/A	N/A	N/A	Requires Calibration Send to Factory	N/A
LMF-200 000-0049-55 000-0049-551 (2006 BL / 2007 - present Rd)	Integral Requires Repair	N/A	N/A	N/A	N/A	EP-70R 000-0120-49 / EP-80R 000-0120-51	N/A
LMF-400 000-0049-54 000-0049-541 (2006 BL / 2007- present RD)	Integral Requires Repair	N/A	N/A	N/A	N/A	EP-70R 000-0120-49 / EP-80R 000-0120-51	N/A
LMS-10 LMS-15 (1991 / 1992-1994)	PC-5 000-0008-51 (obsolete)	GB-1 000-0051-38 (obsolete)	GK-1 000-0051-15 (obsolete)	N/A	N/A	N/A	LGC-1 000-0094-122 (obsolete)
LMS-150 (1990-1992)	PC-6 000-0008-58 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	LGC-1 000-0094-122 (obsolete)
LMS-160 000-0096-53 (1998-2001)	PC-19BK 000-0099-39 (obsolete)	GB-10 000-0101-38 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete) PC-19BK 000-0099-39 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete) NDC-3 000-0099-40 (obsolete)	LANT-1 000-0094-44 (obsolete)
LMS-200 (1989-1992)	PC-3 000-0008-38 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	LC-1 000-0078-00 (obsolete)
LMS-240 (2002)	PC-21X 000-0099-56 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	LGC-12W 000-0112-06 (obsolete)
LMS-300 (1989-1992)	PC-3 000-0008-38 (obsolete)	GB-5 000-0051-56 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	LC-1 000-0078-00 (obsolete) LGC-1 000-0094-122 (obsolete)
LMS-320 (2003)	PC-21X 000-0099-56 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	LGC-12W 000-0112-06 (obsolete)
LMS-330C 000-0111-98 (2004)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LMS-332C 000-0117-38 (2005-2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LMS 334C iGPS 000-0116-16 (2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal
LMS-335C DF 000-0111-99 (2004)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LMS-337C DF 000-0117-39 (2005-2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
LMS-339C DF iGPS 000-0116-17 (2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal
LMS-350 (1993)	PC-13 000-0008-72 (obsolete)	GB-6 000-0051-58 (obsolete)	GK-7 000-0051-68 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	LGC-1 000-0094-122 (obsolete)
LMS-350A 000-0096-20 / 000-0096-202 (1994-96 / 96-2000)	PC-13 000-0008-72 (obsolete)	GB-6 000-0051-58 (obsolete)	GK-7 000-0051-68 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	LGC-1 000-0094-122 (obsolete) LGC-12 000-0094-74 (obsolete)
LMS-480M 000-0117-031 000-0117-151 DF 000-0117-161 w/o XD (2004-2007)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001 w/red to blue adaptor NAC-FRD2FBL 000-0127-05
LMS-520c 000-0123-35 Combo 000-0123-40 Combo w/o XD 000-0123-41 w/o XD and GPS (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LMS-522c iGPS 000-0116-27 000-0116-30 w/o XD 000-0116-33 Ice Machine (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal
LMS-525c DF 000-0123-36 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Point-1 000-11047-001
LMS-527c DF iGPS 000-0116-28 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	Internal
LSS-1 Structure Scan 000-0132-06 (2010-2012)	PC-31BLN 000-0127-54	N/A	N/A	LSS-1 Skimmer 000-00099-007 (obsolete)	N/A	N/A	N/A
LSS-2 Structure Scan HD 000-10800-001 (2012-)	PC-31BLN 000-0127-54	N/A	N/A	LSS-2 Skimmer 000-10802-001	N/A	N/A	N/A
LST-3800 000-0047-95 w/o XD 000-0047-94 (2005 - present)	See XD Part #	N/A	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
M-56 S/MAP (2004-2005)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	Internal
M-68C S/MAP 000-0116-03 000-0116-07 DF 000-0116-04 ICE 000-0116-05 w/o XD 000-0116-032 200kHz 000-0116-072 50/200 kHz 000-0116-052 w/o XD (2004-2011)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	Internal
Mark 4 000-10483-001 (2012 -)	See XD Part #	QRB-5 000-10027-001	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	Internal
Mark-4x DSI 000-10638-001 (2012 -)	See XD Part #	QRB-5 000-10027-001	N/A	Skimmer Xdcr DSI 000-10260-001	N/A	ST-TU 000-0099-75	N/A

-  Fun & Flotation
-  Anchor & Dock
-  Safety
- Electronics**
-  Trolling Motors
-  Lighting
-  Electrical
-  Topside Acc.
-  Cockpit & Deck
-  Instruments
-  Steering, Controls
-  Perform.
-  Fuel System
-  Engine & Parts
-  Engine Care
-  Propellers
-  Seating & Pedestals
-  Tops & Covers
-  Pumps
-  Cleaning & Care
-  Paint & Paint Acc.
-  Hardware, Fasteners
-  Trailering
-  Misc.
-  Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
Mark-4 HDI 000-11214-001 83/200 000-11215-001 83/200 455/800 000-11298-001 no / xdcr 000-11299-001 50/200 455/800 (2014 -)	HDS Pwr Cbl PC-30-RS422 000-0127-49	QRB-5 000-10027-001	N/A	HDI 83/200 000-10976-001 HDI 50/200 000-10977-001	N/A	ST-TBL 000-0099-97	Internal
Mark-5x DSI 000-10233-001 000-10234-001 Portable (2011 -)	See XD Part #	QRB-5 000-10027-001	N/A	Skimmer Xdcr DSI 000-10260-001	N/A	ST-TU 000-0099-75	N/A
Mark-5x 200kHz 000-00100-001 000-00101-001 Portable (2010 - 2013)	See XD Part #	QRB-5 000-10027-001	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	N/A
Mark-5x PRO 000-00175-001 83/200 kHz (2010 -)	See XD Part #	QRB-5 000-10027-001	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	N/A
X-3 (1986)	PC-12 000-0008-66 (obsolete) PC-4 000-0008-36 (obsolete)	003-2045-00 (obsolete)	151-0067-00 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-4 (1987-1989)	PC-11 000-0008-34 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-4 000-10227-001 000-10228-001 Portable (2011 - ?)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
X-4 Pro 000-10229-001 (2011 - ?)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
X-5 X-50 (1987 / 1988-1989)	PC-10 000-0008-50 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	LSS-5 000-0040-81 (obsolete) temp 003-2251-00 (obsolete)	N/A
X-15 (1983-1984)	PC-12 000-0008-66 (obsolete) PC-4 000-0008-36 (obsolete)	167-0006-00 (obsolete)	GK-5 000-0051-17 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-15A (1984)	PC-7 000-0008-42 (obsolete)	GB-3 000-0051-41 (obsolete)	GK-6 000-0051-20 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-15B (1985)	PC-7 000-0008-42 (obsolete)	GB-3 000-0051-41 (obsolete)	GK-6 000-0051-20 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-16 gray connector (1985-1994)	PC-9 000-0008-52 (obsolete)	GB-3 000-0051-41 (obsolete)	GK-6 000-0051-20 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	N/A	N/A
X-16 black connector (1994)	PC-8 000-0008-37 (obsolete)	GB-3 000-0051-41 (obsolete)	GK-6 000-0051-20 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-20 X-20A (1989-1990 / 1991-1993)	PC-1 000-0008-54 (obsolete)	GB-1 000-0051-38 (obsolete)	GK-1 000-0051-15 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	N/A	N/A
X-22A (1994-1998)	PC-15BK 000-0008-92 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSPC 000-0090-73 (obsolete)	N/A	N/A	N/A
X-22A-1 (1994-1998)	See XD Part #	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSPC 000-0090-67 (obsolete)	N/A	N/A	N/A

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailerling

Misc.

Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
X-23 000-0092-74 (1998-2000)	See XD Part #	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSPC 000-0090-67 (obsolete)	N/A	N/A	N/A
X-24 000-0110-05 (2000)	PC-15BK 000-0008-92 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	N/A	N/A
X-25 (1991-1994)	PC-2 000-0008-53 (obsolete)	GB-1 000-0051-38 (obsolete)	GK-1 000-0051-15 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-25A (1995)	PC-16BK 000-0008-93 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete) Broadview 000-0090-81 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-25B 000-0092-68 (1996-1998)	PC-15BK 000-0008-92 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	N/A	N/A
X-28 000-0092-86 (1998-2000)	PC-15BK 000-0008-92 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	N/A	N/A
X-29 000-0110-16 (2000-2001)	PC-15BK 000-0008-92 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	N/A	N/A
X-30 (1998)	PC-11 000-0008-34 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-35 (1989)	PC-1 000-0008-54 (obsolete)	GB-1 000-0051-38 (obsolete)	GK-1 000-0051-15 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	N/A	N/A
X-37TX (2003)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
X-38 (1998-2001)	PC-17BK 000-0099-12 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete)	N/A
X-40 (1988-1989)	PC-11 000-0008-34 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	TA-300 000-0008-60 (obsolete)	N/A	N/A
X-45 000-0092-77 (1996-1997)	PC-16BK 000-0008-93 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete) Broadview 000-0090-81 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-47 X-47TX (2003-2005 / 2003-2006)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
X-47EX (2003-2005)	See XD Part #	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
X-48 000-0092-92 (1998-2000)	PC-17BK 000-0099-12 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete) Broadview 000-0090-81 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete)	N/A
X-49 000-0110-15 (2000-2001)	PC-17BK 000-0099-12 (obsolete)	GB-8 000-0051-82 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete)	N/A
X-50 (1988-1989)	PC-10 000-0008-50 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	N/A	N/A
X-50 DS 000-0110-68 (2006-2010)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
X-51 000-0110-27 (2002-2004)	PC-23X 000-0099-69 (obsolete)	GB-13 000-0101-98	GK-10 000-0113-02	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
X-52 000-0110-61 000-0110-67 w/o XD 00-0110-612 200 KhZ (2005-2011)	PC-26BL 000-0099-98	GB-13 000-0101-98	GK-10 000-0113-02	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-55 (1993-1994)	PC-2 000-0008-53 (obsolete)	GB-1 000-0051-38 (obsolete)	GK-1 000-0051-15 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-55A (1995-1996)	PC-16BK 000-0008-93 (obsolete)	GB-1 000-0051-38 (obsolete)	GK-1 000-0051-15 (obsolete)	HS-WSBK 000-0090-73 (obsolete) Broadview 000-0090-81 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-57TX (?)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	N/A
X-58DF 000-0110-42 (2003-2004)	PC-23X 000-0099-69 (obsolete)	GB-13 000-0101-98	GK-10 000-0113-02	HS-50/200-DX 000-0106-23 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A
X-59 DF 000-0110-63 000-0110-632 (2005- 2011)	PC-26BL 000-0099-98	GB-13 000-0101-98	GK-10 000-0113-02	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-60 (1990-1993)	PC-2 000-0008-53 (obsolete)	GB-2 000-0051-42 (obsolete)	GK-2 000-0051-25 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-65 000-0096-41 000-0096-411 (1997-2001)	PC-17BK 000-0099-12 (obsolete)	GB-10 000-0101-38 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete)	N/A
X-67C 000-0110-50 000-0110-53 DF 000-0110-54 ICE 000-0110-51 w/o XD 000-0110-502 200 kHz 000-0110-512 w/o XD 000-0110-542 200 kHz ICE (2003-2011)	See XD Part #	GB-17 000-0113-16	N/A	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	N/A
X-70 X-70A (1993 / 1994-1997)	PC-2 000-0008-53 (obsolete)	GB-6 000-0051-58 (obsolete)	GK-7 000-0051-68 (obsolete)	HS-WS 000-0090-36 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-70A 3D 000-0096-34 (1995-1997)	PC-2 000-0008-53 (obsolete)	GB-6 000-0051-58 (obsolete)	GK-7 000-0051-68 (obsolete)	HS-3D4 000-0090-86 (obsolete)	N/A	ST-T 000-0090-35 (obsolete)	N/A
X-71 (2002)	PC-23X 000-0099-69 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A
X-75 (1997-2000)	PC-17BK 000-0099-12 (obsolete)	GB-10 000-0101-38 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete)	N/A
X-85 (1997-2001)	PC-17BK 000-0099-12 (obsolete)	GB-10 000-0101-38 (obsolete)	GK-8 000-0051-81 (obsolete)	HS-WSBK 000-0090-73 (obsolete)	N/A	ST-TBK 000-0090-98 (obsolete)	N/A
X-86 DS 000-0110-70 (2006-2007)	See XD Part #	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	N/A	N/A
X-87 (2003)	PC-23X 000-0099-69 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A
X-88DF (2003)	PC-23X 000-0099-69 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HS-50/200-DX 000-0106-23 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A
X-91 (2002)	PC-23X 000-0099-69 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Lowrance Replacement Accessories - Cross-Reference Guide

Model (year)	Power Cable	Gimbal Bracket	Gimbal Knobs	Transducer	Transducer Adapter	Speed/Temp non-networked	GPS
X-96 000-0110-76 000-0110-77 w/o XD (2006-2009)	See XD Part #	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSU 000-0106-48	TA-BL2U-T 000-0127-66	ST-TU 000-0099-75	N/A
X-97 (2003)	PC-23X 000-0099-69 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSDX 000-0106-22 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A
X-98DF (2003)	PC-23X 000-0099-69 (obsolete)	GB-14 000-0101-99	GK-9 000-0101-80	HS-50/200-DX 000-0106-23 (obsolete)	N/A	ST-TX 000-0099-54 (obsolete)	N/A
X-100C (2004)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-102C 000-0117-36 (2005-2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-105C DF (2004)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-107C DF 000-0117-37 (2005-2006)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-125 000-0117-07 000-0117-12 w/o XD (2004-2009)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-126DF 000-0117-08 (2004-2008)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-135 000-0117-01 000-0117-13 w/o XD (2004-2009)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-136DF 000-0117-02 (2004-2009)	PC-26BL 000-0099-98	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-510c 000-0123-33 000-0123-39 w/o XD (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	HST-WSBL 000-0106-72	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A
X-515c DF 000-0123-34 (2007-2008)	PC-26BL 000-0099-98 PC-27BL 000-0127-08	GB-14 000-0101-99	GK-9 000-0101-80	HST-DFSBL 000-0106-77	TA-UQ2BL-T 000-10052-001	ST-TBL 000-0099-97	N/A

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics**
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

