

**Minn Kota Trolling Motor Reference Guide**

DMI #	Part Number	Description	Mount Type	Shaft Length	Thrust	Volts	Speed Control	Steering Control	Prop Type
<b>Fortrex Bow-Mount Series</b>									
475590	1368660	FORTREX 80	Bow-Mount	45"	80 lb.	24	Variable	Cable Steer	Weedless Wedge 2
475591	1368661	FORTREX 80	Bow-Mount	52"	80 lb.	24	Variable	Cable Steer	Weedless Wedge 2
475593	1368670	FORTREX 80/US2	Bow-Mount	45"	80 lb.	24	Variable	Cable Steer	Weedless Wedge 2
475592	1368671	FORTREX 80/US2	Bow-Mount	52"	80 lb.	24	Variable	Cable Steer	Weedless Wedge 2
475596	1368672	FORTREX 80/US2	Bow-Mount	62"	80 lb.	24	Variable	Cable Steer	Weedless Wedge 2
475599	1368687	FORTREX 112	Bow-Mount	45"	112 lb.	36	Variable	Cable Steer	Weedless Wedge 2
475602	1368688	FORTREX 112	Bow-Mount	52"	112 lb.	36	Variable	Cable Steer	Weedless Wedge 2
475610	1368695	FORTREX 112/US2	Bow-Mount	45"	112 lb.	36	Variable	Cable Steer	Weedless Wedge 2
475613	1368696	FORTREX 112/US2	Bow-Mount	52"	112 lb.	36	Variable	Cable Steer	Weedless Wedge 2
Special Order	1368697	FORTREX 112/US2	Bow-Mount	62"	112 lb.	36	Variable	Cable Steer	Weedless Wedge 2
Special Order	1368686	FORTREX 112/HAND	Bow-Mount	52"	112 lb.	36	Variable	Tilt/Extend Tiller	Weedless Wedge 2
<b>Maxxum Bow-Mount Series</b>									
475323	1368553	MAX 55/BG	Bow-Mount	42"	55 lbs.	12	Variable	Cable Steer	Weedless Wedge 2
475347	1368554	MAX 55/BG	Bow-Mount	52"	55 lbs.	12	Variable	Cable Steer	Weedless Wedge 2
475505	1368620	MAX 55/SC/HAND	Bow-Mount	52"	55 lbs.	12	5 FWD/3 REV	Tilt/Extend Tiller	Weedless Wedge 2
475410	1368561	MAX 70/BG	Bow-Mount	42"	70 lbs.	24	Variable	Cable Steer	Weedless Wedge 2
475424	1368562	MAX 70/BG	Bow-Mount	52"	70 lbs.	24	Variable	Cable Steer	Weedless Wedge 2
475520	1368630	MAX 70/SC/HAND	Bow-Mount	52"	70 lbs.	24	5 FWD/3 REV	Tilt/Extend Tiller	Weedless Wedge 2
475397	1368560	MAX 70/SC/BG	Bow-Mount	42"	70 lbs.	24	5 Speed	Cable Steer	Weedless Wedge 2
475448	1368580	MAX 80/BG	Bow-Mount	42"	80 lbs.	24	Variable	Cable Steer	Weedless Wedge 2
475460	1368581	MAX 80/BG	Bow-Mount	52"	80 lbs.	24	Variable	Cable Steer	Weedless Wedge 2
475462	1368640	MAX 80/BG/HAND	Bow-Mount	52"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
<b>Edge Bow-Mount Series</b>									
4475212	1355946	EDGE 45/L&D	Bow-Mount	36"	45 lbs.	12	5 Speed	Cable Steer	Power Prop
475214	1355947	EDGE 45/L&D	Bow-Mount	45"	45 lbs.	12	5 Speed	Cable Steer	Power Prop
475215	1355948	EDGE 45/L&D	Bow-Mount	50"	45 lbs.	12	5 Speed	Cable Steer	Power Prop
475216	1355945	EDGE 45/L&D/HAND	Bow-Mount	45"	45 lbs.	12	5 FWD/3 REV	Tilt Twist Tiller	Power Prop
475290	1355956	EDGE 55/L&D	Bow-Mount	45"	55 lbs.	12	5 Speed	Cable Steer	Weedless Wedge 2
475292	1355957	EDGE 55/L&D	Bow-Mount	52"	55 lbs.	12	5 Speed	Cable Steer	Weedless Wedge 2
475294	1355955	EDGE 55/L&D/HAND	Bow-Mount	52"	55 lbs.	12	5 FWD/3 REV	Tilt Twist Tiller	Weedless Wedge 2
475296	1355970	EDGE 70/L&D	Bow-Mount	45"	70 lbs.	24	5 Speed	Cable Steer	Weedless Wedge 2
475297	1355971	EDGE 70/L&D	Bow-Mount	52"	70 lbs.	24	5 Speed	Cable Steer	Weedless Wedge 2
<b>Powerdrive V2 Bow-Mount Combo (i-Pilot Pre-installed)</b>									
474740	1358740	55 PD V2	Bow-Mount	48"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
474750	1358741	55 PD V2	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
474751	1358753	55 PD V2/US2	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
474753	1358726	70 PD V2	Bow-Mount	54"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
474755	1358758	70 PD V2/US2	Bow-Mount	60"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

**Minn Kota Trolling Motor Reference Guide**

DMI #	Part Number	Description	Mount Type	Shaft Length	Thrust	Volts	Speed Control	Steering Control	Prop Type
<b>Powerdrive V2 Bow-Mount</b>									
474720	1358704	45 PD V2	Bow-Mount	48"	45 lbs.	12	Variable	Electric Steer	Power Prop
474719	1358705	50 PD V2	Bow-Mount	48"	50 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
474731	1358710	55 PD V2	Bow-Mount	48"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
474732	1358711	55 PD V2	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358750	55 PD V2/US2	Bow-Mount	48"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358751	55 PD V2/US2	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366200	55 PD V2/AP	Bow-Mount	48"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366201	55 PD V2/AP	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366251	55 PD V2/AP/US2	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
474752	1358720	70 PD V2	Bow-Mount	54"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358721	70 PD V2	Bow-Mount	60"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358755	70 PD V2/US2	Bow-Mount	54"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358756	70 PD V2/US2	Bow-Mount	60"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366211	70 PD V2/AP	Bow-Mount	60"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366260	70 PD V2/AP/US2	Bow-Mount	54"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366261	70 PD V2/AP/US2	Bow-Mount	60"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
<b>Terrova Bow-Mount Combo (i-Pilot Link Pre-installed)</b>									
476083	1358855	TERROVA 55/US2	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
476084	1358866	TERROVA 80/US2	Bow-Mount	45"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
476085	1358867	TERROVA 80/US2	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358840	TERROVA 112/US2	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
<b>Terrova Bow-Mount Combo (i-Pilot Pre-installed)</b>									
476075	1358854	TERROVA 55/US2	Bow-Mount	45"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
476073	1358853	TERROVA 55/US2	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
476078	1358864	TERROVA 80/US2	Bow-Mount	45"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
476080	1358865	TERROVA 80/US2	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358841	TERROVA 112/US2	Bow-Mount	54"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
476079	1358842	TERROVA 112/US2	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
476104	1358868	TERROVA 80/US2	Bow-Mount	72"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
476105	1358844	TERROVA 112/US2	Bow-Mount	72"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
<b>Terrova Bow-Mount Series</b>									
Special Order	1358800	TERROVA 55	Bow-Mount	48"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358801	TERROVA 55	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358811	TERROVA 80	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
475088	1358860	TERROVA 80/US2	Bow-Mount	54"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358861	TERROVA 80/US2	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366161	TERROVA 80/AP/US2	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1358843	TERROVA 112/US2	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
Special Order	1366180	TERROVA 112/AP/US2	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
<b>Ulterra Combo (i-Pilot Link Pre-installed)</b>									
476076	1358901	ULTERRA 80/US2-60	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
476077	1358911	ULTERRA 112/US2-60	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

**Minn Kota Trolling Motor Reference Guide**

DMI #	Part Number	Description	Mount Type	Shaft Length	Thrust	Volts	Speed Control	Steering Control	Prop Type
<b>Ultrerra Combo (i-Pilot Pre-installed)</b>									
476100	1358902	ULTRERRA 80/US2-45	Bow-Mount	45"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
476101	1358900	ULTRERRA 80/US2-60	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
476102	1358912	ULTRERRA 112/US2-45	Bow-Mount	45"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
476103	1358910	ULTRERRA 112/US2-60	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
<b>Pontoon Bow-Mount Series</b>									
474733	1358712	54 PD V2 PONTOON	Bow-Mount	48"	54 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
474738	1358722	68 PD V2 PONTOON	Bow-Mount	48"	68 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
474742	1355954	PONTOON 55/HAND	Bow-Mount	52"	55 lbs.	12	5 FWD/3 REV	Tilt Twist Tiller	Weedless Wedge 2
474744	1355975	PONTOON 70/HAND	Bow-Mount	52"	70 lbs.	24	5 FWD/3 REV	Tilt Twist Tiller	Weedless Wedge 2
<b>Vintage Transom Mount Series</b>									
Special Order	1352625	VANTAGE 80	Transom	Variable	80 lbs.	24	5 FWD/3 REV	Tilt/Extend Tiller	Weedless Wedge 2
Special Order	1352638	VANTAGE 101	Transom	Variable	101 lbs.	36	5 FWD/3 REV	Tilt/Extend Tiller	Weedless Wedge 2
<b>Traxxis Transom Mount Series</b>									
Special Order	1368707	TRAXXIS 45	Transom	36"	45 lbs.	12	Variable	Tilt/Extend Tiller	Power Prop
Special Order	1368715	TRAXXIS 55	Transom	36"	55 lbs.	12	Variable	Tilt/Extend Tiller	Power Prop
475179	1368716	TRAXXIS 55	Transom	42"	55 lbs.	12	Variable	Tilt/Extend Tiller	Power Prop
Special Order	1368720	TRAXXIS 70	Transom	42"	70 lbs.	24	Variable	Tilt/Extend Tiller	Power Prop
Special Order	1368730	TRAXXIS 80	Transom	42"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
<b>Endura Max Transom Mount Series</b>									
474850	1352140	ENDURA MAX 40	Transom	36"	40 lbs.	12	Variable	Telescoping Handle	Power Prop
474855	1352145	ENDURA MAX 45	Transom	36"	45 lbs.	12	Variable	Telescoping Handle	Power Prop
474860	1352150	ENDURA MAX 50	Transom	36"	50 lbs.	12	Variable	Telescoping Handle	Power Prop
474865	1352151	ENDURA MAX 50	Transom	42"	50 lbs.	12	Variable	Telescoping Handle	Power Prop
474870	1352155	ENDURA MAX 55	Transom	36"	55 lbs.	12	Variable	Telescoping Handle	Power Prop
474875	1352156	ENDURA MAX 55	Transom	42"	55 lbs.	12	Variable	Telescoping Handle	Power Prop
<b>Endura C2 Transom Mount Series</b>									
474830	1352230	ENDURA C2 30	Transom	30"	30 lbs.	12	5 FWD/3 REV	Telescoping Handle	Power Prop
474835	1352240	ENDURA C2 40	Transom	36"	40 lbs.	12	5 FWD/3 REV	Telescoping Handle	Power Prop
Special Order	1352245	ENDURA C2 45	Transom	36"	45 lbs.	12	5 FWD/3 REV	Telescoping Handle	Power Prop
474840	1352250	ENDURA C2 50	Transom	36"	50 lbs.	12	5 FWD/3 REV	Telescoping Handle	Power Prop
Special Order	1352251	ENDURA C2 50	Transom	42"	50 lbs.	12	5 FWD/3 REV	Telescoping Handle	Power Prop
Special Order	1352255	ENDURA C2 55	Transom	36"	55 lbs.	12	5 FWD/3 REV	Telescoping Handle	Power Prop
474845	1352256	ENDURA C2 55	Transom	42"	55 lbs.	12	5 FWD/3 REV	Telescoping Handle	Power Prop
<b>Camo/Waterfowl Edition Transom Mount Series</b>									
Special Order	1351923	CAMO 45	Transom	36"	45 lbs.	12	5 FWD/3 REV	Twist Tiller	Power Prop
Special Order	1351928	CAMO 55	Transom	36"	55 lbs.	12	5 FWD/3 REV	Twist Tiller	Power Prop
<b>Engine Mounted Series</b>									
Special Order	1370610	MK 55/EM	Engine Mount	N/A	55 lbs.	12	Variable	O/B Engine Steering	Weedless Wedge 2
Special Order	1370620	MK 80/EM	Engine Mount	N/A	80 lbs.	24	Variable	O/B Engine Steering	Weedless Wedge 2
Special Order	1370630	MK 101/EM	Engine Mount	N/A	101 lbs.	36	Variable	O/B Engine Steering	Weedless Wedge 2
Special Order	1370615	RT 55/EM	Engine Mount	N/A	55 lbs.	12	Variable	O/B Engine Steering	Weedless Wedge 2
Special Order	1370625	RT 80/EM	Engine Mount	N/A	80 lbs.	24	Variable	O/B Engine Steering	Weedless Wedge 2
Special Order	1370645	RT 160/EM	Engine Mount	N/A	160 lbs.	24	Variable	O/B Engine Steering	Weedless Wedge 2


- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors**
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

**Minn Kota Trolling Motor Reference Guide**

DMI #	Part Number	Description	Mount Type	Shaft Length	Thrust	Volts	Speed Control	Steering Control	Prop Type
<b>E-Drive Series</b>									
Special Order	1371010	E-DRIVE	Electric Outboard	20"	2 HP	48	Variable	O/B Cable Linkage	Stainless Steel
<b>Riptide SF Lift Assist Saltwater Bow-Mount Series</b>									
475109	1363640	RT 80/SF/BG/HAND	Bow-Mount	52"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
475110	1363641	RT 80/SF/BG/HAND	Bow-Mount	62"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
475116	1363660	RT 112/SF/BG/HAND	Bow-Mount	62"	112 lbs.	36	Variable	Tilt/Extend Tiller	Weedless Wedge 2
<b>Riptide SE Series</b>									
475032	1355915	RT 55/SE/HAND	Bow-Mount	52"	55 lbs.	12	Variable	Tilt/Extend Tiller	Weedless Wedge 2
475033	1355920	RT 70/SE/HAND	Bow-Mount	52"	70 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
<b>Riptide SM Series</b>									
475041	1363420	RT 55/SM/L&D/SC/HAND	Bow-Mount	42"	55 lbs.	12	5/Multiple	Tilt/Extend Tiller	Weedless Wedge 2
475043	1363421	RT 55/SM/L&D/SC/HAND	Bow-Mount	52"	55 lbs.	12	5/Multiple	Tilt/Extend Tiller	Weedless Wedge 2
475031	1363422	RT 55/SM/L&D/HAND	Bow-Mount	52"	55 lbs.	12	Variable	Tilt/Extend Tiller	Weedless Wedge 2
475071	1363425	RT 70/SM/L&D/SC/HAND	Bow-Mount	52"	70 lbs.	24	5/Multiple	Tilt/Extend Tiller	Weedless Wedge 2
475118	1363447	RT 80/SM/L&D/HAND	Bow-Mount	52"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
475119	1363445	RT 80/SM/BG/HAND	Bow-Mount	52"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
475120	1363446	RT 80/SM/BG/HAND	Bow-Mount	62"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2
<b>Riptide SP Series</b>									
475129	1363550	RT 55/SP/CP	Bow-Mount	48"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1363554	RT 55/SP/CP	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
475070	1363560	RT 70/SP/CP	Bow-Mount	54"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
<b>Riptide ST Series</b>									
475094	1363760	RT 80/ST/CP	Bow-Mount	54"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
475174	1363711	RT 80/ST/CP/AP	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
475177	1363730	RT 112/ST/CP/AP	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
<b>Riptide Saltwater Bow-Mount (i-Pilot Link Pre-Installed)</b>									
Special Order	1363705	RT55/ST w/Link	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
Special Order	1363716	RT80/ST w/Link	Bow-Mount	54"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
Special Order	1363717	RT80/ST w/Link	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
<b>Riptide Saltwater Bow-Mount (i-Pilot Pre-Installed)</b>									
475141	1363704	RT 55/ST	Bow-Mount	54"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
475142	1363714	RT 80/ST	Bow-Mount	54"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
475144	1363715	RT 80/ST	Bow-Mount	60"	80 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
475146	1363731	RT 112/ST	Bow-Mount	60"	112 lbs.	36	Variable	Electric Steer	Weedless Wedge 2
475131	1363553	RT 55/SP	Bow-Mount	48"	55 lbs.	12	Variable	Electric Steer	Weedless Wedge 2
475132	1363563	RT 70/SP	Bow-Mount	54"	70 lbs.	24	Variable	Electric Steer	Weedless Wedge 2
<b>Riptide Saltwater Transom-Mount Series</b>									
475114	1363844	RT 45/SC/T	Transom	36"	45 lbs.	12	Variable	Telescoping Handle	Power Prop
Special Order	1363845	RT 45/T	Transom	36"	45 lbs.	12	Variable	Telescoping Handle	Power Prop
475115	1363854	RT 55/SC/T	Transom	42"	55 lbs.	12	Variable	Telescoping Handle	Power Prop
Special Order	1363855	RT 55/T	Transom	36"	55 lbs.	12	Variable	Telescoping Handle	Power Prop
Special Order	1363856	RT 55/T	Transom	42"	55 lbs.	12	Variable	Telescoping Handle	Power Prop
475108	1363831	RT 80/T	Transom	42"	80 lbs.	24	Variable	Tilt/Extend Tiller	Weedless Wedge 2

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors**
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

# SALTWATER CAN'T TOUCH IT. AND YOU WON'T HAVE TO.



## INTRODUCING RIPTIDE® ULTERRA™

AUTO STOW AND DEPLOY. POWER TRIM. AND NO CHANCE OF CORROSION.

It stows and deploys itself automatically. Its power trim allows you to adjust to what's below the water in an instant. And it's all controlled from an i-Pilot® remote and fortified with the corrosion-busting power of Riptide® — so you can fish from anywhere and dominate everywhere.



[minnkotamotors.com](http://minnkotamotors.com)



AUTOMATIC STOW  
AND DEPLOY

POWER TRIM

**MotorGuide Trolling Motor Reference Guide**

DMI #	Part Number	Model	Mount	Peak Thrust	Shaft	Shaft Material	Max amp Draw	Volts	Speed Controls
<b>Xi5 Wireless Electric Steer Bow Mount - Saltwater Use</b>									
501788	941700060	Xi5-55SW 48" 12V FOB	Xi5 Mount	55	48"	Composite	52	12	Digital Variable
501789	941700070	Xi5-55SW 54" 12V FOB	Xi5 Mount	55	54"	Composite	52	12	Digital Variable
501790	941700020	Xi5-80SW 54" 24V FOB	Xi5 Mount	80	54"	Composite	56	24	Digital Variable
501791	941700030	Xi5-80SW 60" 24V FOB	Xi5 Mount	80	60"	Composite	56	24	Digital Variable
501792	941700040	Xi5-105SW 54" 36V FOB	Xi5 Mount	105	54"	Composite	41	36	Digital Variable
501793	941700050	Xi5-105SW 60" 36V FOB	Xi5 Mount	105	60"	Composite	41	36	Digital Variable
501806	941700080	Xi5-55SW 54" 12V GPS	Xi5 Mount	55	54"	Composite	56	12	Digital Variable
501828	941700110	Xi5-80SW 48" 24V GPS	Xi5 Mount	80	48"	Composite	52	24	Digital Variable
501807	941700090	Xi5-80SW 60" 24V GPS	Xi5 Mount	80	60"	Composite	56	24	Digital Variable
501808	941700100	Xi5-105SW 60" 36V GPS	Xi5 Mount	105	60"	Composite	41	36	Digital Variable
<b>Great White Digital Hand-Control Bow Mount - Saltwater Use</b>									
501710	924410050	SW82 HBV 50" 24V 21RMT	Gator Breakaway SW	82	50"	Stainless Steel	56	24	Digital Variable
501713	924410060	SW82 HBV 60" 24V 24RMT	Gator Breakaway SW	82	60"	Stainless Steel	56	24	Digital Variable
501725	924410070	SW109 HBV 50" 36V 21RMT	Gator Breakaway SW	109	50"	Stainless Steel	41	36	Digital Variable
501727	924410080	SW109 HBV 60" 36V 24RMT	Gator Breakaway SW	109	60"	Stainless Steel	41	36	Digital Variable
<b>X3 Hand-Control Bow Mount - Saltwater Use</b>									
501820	941300010	X3-55SW HB Digital / 50"	X3 Mount	55	50"	Composite	49	12	Digital Variable
<b>Great White Digital Hand-Control Transom Mount - Saltwater Use</b>									
Special Order	9CT42KQAX	SW82 HT Digital / 45"	#09 Transom Wide-Bite	82	45"	Stainless Steel	56	24	Digital Variable
Special Order	9CX53KQAX	SW109 HT Digital / 50"	#09 Transom Wide-Bite	109	50"	Stainless Steel	41	36	Digital Variable
<b>R3 Hand-Control Transom Mount - Saltwater Use</b>									
501822	941000030	R3-45SW HT Digital / 18"	#09 Transom Wide-Bite	45	18"	Stainless Steel	44	12	Digital Variable
501824	941000010	R3-45SW HT Digital / 36"	#09 Transom Wide-Bite	45	36"	Stainless Steel	44	12	Digital Variable
501826	941000020	R3-55SW HT Digital / 36"	#09 Transom Wide-Bite	55	36"	Stainless Steel	49	12	Digital Variable
<b>Xi5 Wireless Electric Steer Bow Mount - Freshwater Use</b>									
501800	940800210	Xi5-55 / 45"	Xi5 Mount	55	45"	Composite	52	12	Digital Variable
501781	940800170	Xi5-55 / 48"	Xi5 Mount	55	48"	Composite	52	12	Digital Variable
Special Order	940800211	Xi5-55 / 48"	Xi5 Mount	55	48"	Composite	52	12	Digital Variable
501782	940800180	Xi5-55 / 54"	Xi5 Mount	55	54"	Composite	52	12	Digital Variable
501801	940800220	Xi5-55 / 54"	Xi5 Mount	55	54"	Composite	52	12	Digital Variable
Special Order	940800270	Xi5-80 / 45"	Xi5 Mount	80	45"	Composite	56	24	Digital Variable
501783	940800080	Xi5-80 / 54"	Xi5 Mount	80	54"	Composite	56	24	Digital Variable
501802	940800230	Xi5-80 / 54"	Xi5 Mount	80	54"	Composite	56	24	Digital Variable
501784	940800090	Xi5-80 / 60"	Xi5 Mount	80	60"	Composite	56	24	Digital Variable
501803	940800240	Xi5-80 / 60"	Xi5 Mount	80	60"	Composite	56	24	Digital Variable
Special Order	940800280	Xi5-105 / 48"	Xi5 Mount	105	48"	Composite	41	36	Digital Variable
501785	940800130	Xi5-105 / 54"	Xi5 Mount	105	54"	Composite	41	36	Digital Variable
501804	940800250	Xi5-105 / 54"	Xi5 Mount	105	54"	Composite	41	36	Digital Variable
501786	940800140	Xi5-105 / 60"	Xi5 Mount	105	60"	Composite	41	36	Digital Variable
501805	940800260	Xi5-105 / 60"	Xi5 Mount	105	60"	Composite	41	36	Digital Variable
<b>Wireless Digital Series Electric Steer Bow Mount - Freshwater Use</b>									
501470	970100360	W45 Wireless / 48"	Removable Mount	45	48"	Composite	38	12	Digital Variable
501754	970100020	W55 Wireless / 48"	Removable Mount	55	48"	Composite	52	12	Digital Variable
501757	970100030	W55 Wireless / 54"	Removable Mount	55	54"	Composite	52	12	Digital Variable
Special Order	970100060	W55 Wireless / 60"	Removable Mount	55	60"	Composite	52	12	Digital Variable
Special Order	970100040	W75 Wireless / 54"	Removable Mount	75	54"	Composite	42	24	Digital Variable
Special Order	970100050	W75 Wireless / 60"	Removable Mount	75	60"	Composite	42	24	Digital Variable
<b>Bulldog Foot-Control Transom Mount - Freshwater Use</b>									
Special Order	921500020	Bulldog 40 FT / 30"	#03 Transom	40	30"	Aluminium	38	12	5
Special Order	921500090	Bulldog 54 FT / 30"	#09 Transom Wide-Bit	54	30"	Aluminium	52	12	5

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

MotorGuide Trolling Motor Reference Guide

Motor Directions	Directional Indicator	Steering	Propeller	Integrated Sonar	Pinpoint GPS	Pinpoint Gateway	Battery Meter	Recommended Boat Length
<b>Xi5 Wireless Electric Steer Bow Mount - Saltwater Use</b>								
Forward	No	Wireless Remote	2-Blade Safari	No	Compatible	Compatible	Yes	14' - 18'
Forward	No	Wireless Remote	2-Blade Safari	No	Compatible	Compatible	Yes	14' - 18'
Forward	No	Wireless Remote	2-Blade Safari	No	Compatible	Compatible	Yes	17' - 21'
Forward	No	Wireless Remote	2-Blade Safari	No	Compatible	Compatible	Yes	17' - 21'
Forward	No	Wireless Remote	2-Blade Safari	No	Compatible	Compatible	Yes	20' - 26'
Forward	No	Wireless Remote	2-Blade Safari	No	Compatible	Compatible	Yes	20' - 26'
Forward	No	GPS Remote	2-Blade Safari	No	Yes	Compatible	Yes	14' - 18'
Forward	No	GPS Remote	2-Blade Safari	No	Yes	Compatible	Yes	17' - 21'
Forward	No	GPS Remote	2-Blade Safari	No	Yes	Compatible	Yes	17' - 21'
Forward	No	GPS Remote	2-Blade Safari	No	Yes	Compatible	Yes	20' - 26'
<b>Great White Digital Hand-Control Bow Mount - Saltwater Use</b>								
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	No	18' - 22'
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	No	18' - 22'
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	No	20' - 26'
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	No	20' - 26'
<b>X3 Hand-Control Bow Mount - Saltwater Use</b>								
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	Yes	16' - 19'
<b>Great White Digital Hand-Control Transom Mount - Saltwater Use</b>								
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	No	18' - 22'
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	No	20' - 26'
<b>R3 Hand-Control Transom Mount - Saltwater Use</b>								
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	Yes	8' - 16'
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	Yes	14' - 18'
Forward/Reverse	No	Twist/Extendable	Machete III	No	No	No	Yes	16' - 20'
<b>Xi5 Wireless Electric Steer Bow Mount - Freshwater Use</b>								
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	14' - 18'
Forward	No	Wireless Pedal	2-Blade Safari	No	Compatible	Compatible	Yes	14' - 18'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	14' - 18'
Forward	No	Wireless Pedal	2-Blade Safari	No	Compatible	Compatible	Yes	14' - 18'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	14' - 18'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	17' - 21'
Forward	No	Wireless Pedal	2-Blade Safari	No	Compatible	Compatible	Yes	17' - 21'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	17' - 21'
Forward	No	Wireless Pedal	2-Blade Safari	No	Compatible	Compatible	Yes	17' - 21'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	17' - 21'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	20' - 24'
Forward	No	Wireless Pedal	2-Blade Safari	No	Compatible	Compatible	Yes	20' - 24'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	20' - 24'
Forward	No	Wireless Pedal	2-Blade Safari	No	Compatible	Compatible	Yes	20' - 24'
Forward	No	Wireless Pedal/GPS Remote	2-Blade Safari	Yes	Yes	Compatible	Yes	20' - 24'
<b>Wireless Digital Series Electric Steer Bow Mount - Freshwater Use</b>								
Forward	No	Wireless Pedal	Machete III	No	No	No	Yes	12' - 17'
Forward	No	Wireless Pedal	Machete III	No	No	No	Yes	14' - 18'
Forward	No	Wireless Pedal	Machete III	No	No	No	Yes	14' - 18'
Forward	No	Wireless Pedal	Machete III	No	No	No	Yes	14' - 18'
Forward	No	Wireless Pedal	Machete III	No	No	No	Yes	17' - 20'
Forward	No	Wireless Pedal	Machete III	No	No	No	Yes	17' - 20'
<b>Bulldog Foot-Control Transom Mount - Freshwater Use</b>								
Forward	Yes	Single Cable	Machete III	No	No	No	No	10' - 16'
Forward	Yes	Single Cable	Machete III	No	No	No	No	12' - 18'

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors**
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

**MotorGuide Trolling Motor Reference Guide**

DMI #	Part Number	Model	Mount	Peak Thrust	Shaft	Shaft Material	Max amp Draw	Volts	Speed Controls
<b>Tour Edition Digital Bow Mount - Freshwater Use</b>									
501107	930010390	TR75 FB Digital / 45"	Gator Breakaway	75	45"	Stainless Steel	42	24	Digital Variable
501088	9BT42GAAF	TR82 FB Digital / 45"	Gator Breakaway	82	45"	Stainless Steel	56	24	Digital Variable
501103	9BT52GAAF	TR82 FB Digital / 50"	Gator Breakaway	82	50"	Stainless Steel	56	24	Digital Variable
501139	9BX43GAAF	TR109 FB Digital / 45"	Gator Breakaway	109	45"	Stainless Steel	41	36	Digital Variable
501141	9BX53GAAF	TR109 FB Digital / 50"	Gator Breakaway	109	50"	Stainless Steel	41	36	Digital Variable
Special Order	930010450	TR75L FB Digital / 45"	Gator Breakaway	75	45"	Stainless Steel	42	24	Digital Variable
501108	930011020	TR82L FB Digital / 45"	Gator Breakaway	82	45"	Stainless Steel	56	24	Digital Variable
501109	930011030	TR82L FB Digital / 50"	Gator Breakaway	82	50"	Stainless Steel	56	24	Digital Variable
Special Order	930011040	TR82L FB Digital / 60"	Gator Breakaway	82	60"	Stainless Steel	56	24	Digital Variable
501110	930011050	TR109L FB Digital / 45"	Gator Breakaway	109	45"	Stainless Steel	42	36	Digital Variable
501112	930011060	TR109L FB Digital / 50"	Gator Breakaway	109	50"	Stainless Steel	42	36	Digital Variable
Special Order	930011070	TR109L FB Digital / 60"	Gator Breakaway	109	60"	Stainless Steel	42	36	Digital Variable
<b>X5 Foot-Control Bow Mount - Freshwater Use</b>									
501825	940500010	X5-55FW FB Digital/ 45"	X5 Mount	55	45"	Composite	52	12	Digital Variable
501836	940500080	X5-55FW FB Digital/ 45"	X5 Mount	55	45"	Composite	52	12	Digital Variable
501836	940500170	X5-70FW FB Digital/ 45"	X5 Mount	70	45"	Composite	42	24	Digital Variable
501836	940500180	X5-70FW FB Digital/ 45"	X5 Mount	70	45"	Composite	42	24	Digital Variable
501836	940500020	X5-80FW FB Digital/ 45"	X5 Mount	80	45"	Composite	56	24	Digital Variable
501836	940500090	X5-80FW FB Digital/ 45"	X5 Mount	80	45"	Composite	56	24	Digital Variable
501836	940500030	X5-80FW FB Digital/ 50"	X5 Mount	80	50"	Composite	56	24	Digital Variable
501836	940500100	X5-80FW FB Digital/ 50"	X5 Mount	80	50"	Composite	56	24	Digital Variable
501836	940500040	X5-80FW FB Digital/ 60"	X5 Mount	80	60"	Composite	56	24	Digital Variable
501836	940500110	X5-80FW FB Digital/ 60"	X5 Mount	80	60"	Composite	56	24	Digital Variable
501836	940500050	X5-105FW FB Digital/ 45"	X5 Mount	105	45"	Composite	36	36	Digital Variable
501836	940500120	X5-105FW FB Digital/ 45"	X5 Mount	105	45"	Composite	36	36	Digital Variable
501836	940500060	X5-105FW FB Digital/ 50"	X5 Mount	105	50"	Composite	36	36	Digital Variable
501836	940500130	X5-105FW FB Digital/ 50"	X5 Mount	105	50"	Composite	36	36	Digital Variable
501836	940500070	X5-105FW FB Digital/ 60"	X5 Mount	105	60"	Composite	36	36	Digital Variable
501836	940500140	X5-105FW FB Digital/ 60"	X5 Mount	105	60"	Composite	36	36	Digital Variable
<b>X3 Foot-Control Bow Mount - Freshwater Use</b>									
501770	940200050	X3-45FW FB / 36"	X3 Mount	45	36"	Composite	38	12	5
501771	940200060	X3-45FW FB / 45"	X3 Mount	45	45"	Composite	38	12	5
501772	940200070	X3-45FW FB / 50"	X3 Mount	45	50"	Composite	38	12	5
501773	940200080	X3-55FW FB / 36"	X3 Mount	55	36"	Composite	52	12	5
501774	940200090	X3-55FW FB / 45"	X3 Mount	55	45"	Composite	52	12	5
501775	940200100	X3-55FW FB / 50"	X3 Mount	55	50"	Composite	52	12	5
501776	940200110	X3-70FW FB / 45"	X3 Mount	70	45"	Composite	42	24	5
501777	940200120	X3-70FW FB / 50"	X3 Mount	70	50"	Composite	42	24	5
501810	940200220	X3-55FW Digital / 36"	X3 Mount	55	36"	Composite	52	12	Digital Variable
501812	940200170	X3-55FW Digital / 45"	X3 Mount	55	45"	Composite	52	12	Digital Variable
501814	940200180	X3-70FW Digital / 45"	X3 Mount	70	45"	Composite	42	24	Digital Variable
<b>X3 Hand-Control Bow Mount - Freshwater Use</b>									
Special Order	940200200	X3-45FW HB / 50"	X3 Mount	45	50"	Composite	44	12	5
Special Order	940200210	X3-55FW HB / 50"	X3 Mount	55	50"	Composite	49	12	5
501816	940200190	X3-55FW HB Digital / 50"	X3 Mount	55	50"	Composite	49	12	Digital Variable
501818	940200230	X3-55FW HB Pontoon / 50"	X3 Mount	55	50"	Composite	49	12	Digital Variable
<b>R3 Hand-Control Transom Mount - Freshwater Use</b>									
Special Order	940100170	R3-30 HT / 30"	#03 Transom	30	30"	Aluminium	36	12	5/2
Special Order	940100160	R3-40 HT / 36"	#03 Transom	40	36"	Aluminium	43	12	5/2
Special Order	940100150	R3-45 HT / 36"	#09 Transom Wide-Bite	45	36"	Composite	44	12	5/2
Special Order	940100140	R3-55 HT / 36"	#09 Transom Wide-Bite	55	36"	Composite	49	12	5/2
Special Order	940100200	R3-40 HT / 36" Digital	#03 Transom	40	36"	Aluminium	43	12	Digital Variable
Special Order	940100180	R3-45 HT / 36" Digital	#09 Transom Wide-Bite	45	36"	Composite	44	12	Digital Variable
Special Order	940100190	R3-55 HT / 36" Digital	#09 Transom Wide-Bite	55	36"	Composite	49	12	Digital Variable
Special Order	940100210	R3-55 HT / 42" Digital	#09 Transom Wide-Bite	55	42"	Composite	49	12	Digital Variable

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.



**MotorGuide Trolling Motor Reference Guide**

Motor Directions	Directional Indicator	Steering	Propeller	Integrated Sonar	Pinpoint GPS	Pinpoint Gateway	Battery Meter	Recommended Boat Length
<b>Tour Edition Digital Bow Mount - Freshwater Use</b>								
Forward	Lighted	Dual Cable	Machete III	No	No	No	No	16' - 19'
Forward	Lighted	Dual Cable	Machete III	No	No	No	No	17' - 21'
Forward	Lighted	Dual Cable	Machete III	No	No	No	No	17' - 21'
Forward	Lighted	Dual Cable	Machete III	No	No	No	No	18' - 23'
Forward	Lighted	Dual Cable	Machete III	No	No	No	No	18' - 23'
Forward	Lighted	Dual Cable	Machete III	Yes	No	No	No	16' - 19'
Forward	Lighted	Dual Cable	Machete III	Yes	No	No	No	17' - 21'
Forward	Lighted	Dual Cable	Machete III	Yes	No	No	No	17' - 21'
Forward	Lighted	Dual Cable	Machete III	Yes	No	No	No	17' - 21'
Forward	Lighted	Dual Cable	Machete III	Yes	No	No	No	18' - 23'
Forward	Lighted	Dual Cable	Machete III	Yes	No	No	No	18' - 23'
Forward	Lighted	Dual Cable	Machete III	Yes	No	No	No	18' - 23'
<b>X5 Foot-Control Bow Mount - Freshwater Use</b>								
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	Yes	16' - 19'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	16' - 19'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	Yes	16' - 19'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	16' - 19'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	Yes	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	Yes	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	Yes	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	Yes	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	18' - 23'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	18' - 23'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	Yes	18' - 23'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	Yes	No	No	Yes	18' - 23'
<b>X3 Foot-Control Bow Mount - Freshwater Use</b>								
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	14' - 17'
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	14' - 17'
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	14' - 17'
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	16' - 19'
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	16' - 19'
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	16' - 19'
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	17' - 21'
Forward	Yes	Dual Cable / VRS	2-Blade Safari	No	No	No	No	17' - 21'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	No	16' - 19'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	No	16' - 19'
Forward	Lighted	Dual Cable / VRS	2-Blade Safari	No	No	No	No	17' - 21'
<b>X3 Hand-Control Bow Mount - Freshwater Use</b>								
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	No	14' - 17'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	No	16' - 19'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	Yes	16' - 19'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	Yes	12' - 20'
<b>R3 Hand-Control Transom Mount - Freshwater Use</b>								
Forward/Reverse	No	Twist/Extendable	2-Blade	No	No	No	No	10' - 14'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	No	12' - 16'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	No	14' - 18'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	No	16' - 20'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	Yes	12' - 16'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	Yes	14' - 18'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	Yes	16' - 20'
Forward/Reverse	No	Twist/Extendable	Machete	No	No	No	Yes	16' - 20'

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

**Minn Kota Ultrera Series Trolling Motors**



- Freshwater.
- Bow mount, foot control.
- Auto Stow and Deploy.
- Power Trim.
- Ultrera Foot Pedal
- Digital Maximizer.
- Universal Sonar 2.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

**INCLUDES: ULTERA i-PILOT**

• Ultrera i-Pilot - Advanced wireless remote uses GPS to remember fishing spots and paths, and can control speed, steering, cruise control and Advanced AutoPilot. And exclusively on i-Pilot for Ultrera new buttons let you stow and deploy motor, or trim it up and down.

Order No.	Mfg. No. / Description	Price
476100	(1358902) 45" Shaft 80# Thrust 24 volt	\$2,029.99 MAP
476101	(1358900) 60" Shaft 80# Thrust 24 volt	\$2,049.99 MAP
476102	(1358912) 45" Shaft 112# Thrust 36 volt	\$2,279.99 MAP
476103	(1358910) 60" Shaft 112# Thrust 36 volt	\$2,299.99 MAP

**INCLUDES: ULTERA i-PILOT LINK**

• Ultrera i-Pilot Link - Link lets Ultrera and your Humminbird talk to each other, and lets you control Ultrera from the Link remote or your Humminbird. It's got everything i-Pilot has, plus the ability to follow depth contours, retrace your tracks, and return to productive waypoints and paths. New menus on your Ultrera i-Pilot Link remote let you stow and deploy your motor, as well as trim it up and down.

Order No.	Mfg. No. / Description	Price
476076	(1358901) 60" Shaft 80# Thrust 24 volt	\$2,369.99 MAP
476077	(1358911) 60" Shaft 112# Thrust 36 volt	\$2,599.99 MAP


**Minn Kota i-Pilot Link Accessory for Terrova Trolling Motors**



• Allows your motor and Humminbird to talk to each other, and lets you control your motor from the Link remote or your Humminbird. Link's advanced GPS features automatically navigate your boat for you.

Order No.	Mfg. No. / Description	Price
477010	(1866400)	\$799.99 MAP

**Minn Kota Corded Foot Pedal for Terrova/Riptide ST Trolling Motors**



- Low-profile design offers two steering options: Heel/toe pedal or left/ right steering buttons.
- Includes rotary speed control dial, momentary/ constant on toggle, AutoPilot on/off toggle and an 18' cable with waterproof connector plug.
- Plug-n-play with Terrova or Riptide ST bow-mount motors.
- Works in conjunction with CoPilot, i-Pilot and i-Pilot Link.

Order No.	Mfg. No. / Description	Price
477000	(1866075)	\$149.99 E

**Minn Kota Terrova Series Trolling Motors**



- Freshwater.
- Bow mount, foot control.
- Stow and Deploy Lever.
- Digital Maximizer.
- Push-to-Test Battery Meter.
- Universal Sonar 2.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475088	(1358860) 54" Shaft 80# Thrust 24 volt	\$1,239.99 MAP

**INCLUDES: i-PILOT**

• i-Pilot - Add i-Pilot to your motor to make boat positioning automatic. This GPS-powered navigation system features an LCD remote for instant feedback, and it controls your boat for you. Set Spot-Locks to stay within 5' of a fishing spot, record and retrace paths in the water.

Order No.	Mfg. No. / Description	Price
476073	(1358853) 54" Shaft 55# Thrust 12 volt	\$1,299.99 MAP
476078	(1358864) 45" Shaft 80# Thrust 24 volt	\$1,499.99 MAP
476080	(1358865) 60" Shaft 80# Thrust 24 volt	\$1,549.99 MAP
476104	(1358868) 72" Shaft 80# Thrust 24 volt	\$1,699.99 MAP
476079	(1358842) 60" Shaft 112# Thrust 36 volt	\$1,799.99 MAP
476105	(1358844) 72" Shaft 112# Thrust 36 volt	\$1,949.99 MAP

**INCLUDES: i-PILOT LINK**

• i-Pilot Link - Allows your motor and Humminbird to talk to each other, and lets you control your motor from the Link remote or your Humminbird. Link's advanced GPS features automatically navigate your boat for you.

Order No.	Mfg. No. / Description	Price
476084	(1358866) 45 Shaft 80# Thrust 24 volt	\$1,829.99 MAP
476085	(1358867) 60 Shaft 80# Thrust 24 volt	\$1,849.99 MAP

**Minn Kota i-Pilot Accessory for Terrova Trolling Motors**



• Add i-Pilot to your motor to make boat positioning automatic. This GPS-powered navigation system features an LCD remote for instant feedback, and it controls your boat for you. Set Spot-Locks to stay within 5' of a fishing spot, record and retrace paths in the water.

Order No.	Mfg. No. / Description	Price
477030	(1866200)	\$477.98 LQ

**Minn Kota Corded Foot Pedal for PowerDrive Trolling Motors**



- Replacement MicroTouch foot pedal for PowerDrive and Riptide electric steer bow mount motors.
- Includes: 18' cable.

Order No.	Mfg. No. / Description	Price
476720	(1866040)	\$99.98 LQ

## Minn Kota PowerDrive V2 Series Trolling Motors



- Freshwater.
- Bow mount, foot control.
- Deploy-Assist Lever.
- PowerDrive V2 Foot Pedal.
- Digital Maximizer.
- Push-To-Test Battery Meter.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
474720	(1358704) 48" Shaft 45# Thrust 12 volt	\$499.99 B
474719	(1358705) 48" Shaft 50# Thrust 12 volt	\$599.99 C
474731	(1358710) 48" Shaft 55# Thrust 12 volt	\$639.99 MAP
474732	(1358711) 54" Shaft 55# Thrust 12 volt	\$649.99 MAP
474752	(1358720) 54" Shaft 70# Thrust 24 volt	\$839.99 MAP

## INCLUDES: i-PILOT

- i-Pilot - This GPS-powered navigation system features an LCD remote for instant feedback, and it controls your boat for you, so you can focus on fishing. Set Spot-Locks to stay within 5 feet of a fishing spot, record and retrace paths in the water, take command of speed and steering, set cruise control and follow any bearing you want.
- Does not include foot pedal.

Order No.	Mfg. No. / Description	Price
474740	(1358740) 48" Shaft 55# Thrust 12 volt	\$989.99 MAP
474753	(1358726) 54" Shaft 70# Thrust 24 volt	\$1,149.99 MAP

## INCLUDES: UNIVERSAL SONAR 2

Order No.	Mfg. No. / Description	Price
474755	(1358758) 60" Shaft 70# Thrust 24 volt	\$1,249.99 MAP

## Minn Kota i-Pilot Link Accessory for PowerDrive V2 Trolling Motors



- Control from remote or Humminbird Fishfinder.
- Note: i-Pilot Link for PowerDrive V2 replaces the foot pedal.

Order No.	Mfg. No. / Description	Price
477015	(1866410)	\$799.99 MAP

## MotorGuide X5 Freshwater Trolling Motors



- Freshwater.
- Bow mount, foot control.
- Premium motor created with the higher end thrust options and mount needed for today's larger, high end boats.
- Variable Ratio Steering (VRS) technology is designed to provide maximum control. It virtually eliminates the effects of torque steering feedback, so anglers benefit from a more predictable steering response, improved boat stability, and better overall control.
- No-flex composite foot pedal.
- Equipped with premium pull-pull cable steering system that eliminates slack.
- Digital Power Management extends battery life up to five times.
- The X5 mounting bracket is built tough with extruded aircraft-grade aluminum. The wide mount is stable and features a snap-back breakaway mechanism for added protection.
- Tournament tough shaft - Oversized stainless steel outer column is strong and corrosion-resistant. For additional impact protection, the inner column is made of a premium composite.
- Quick-view LED directional indicator.
- Composite shaft.
- 2-blade weedless propeller.
- Ultra secure and easy to use mount door.

Order No.	Mfg. No. / Description	Price
501825	(940500010) 45" Shaft 55# Thrust 12 volt	\$789.99 MAP
501849	(940500170) 45" Shaft 70# Thrust 24 volt	\$869.99 MAP
501827	(940500020) 45" Shaft 80# Thrust 24 volt	\$1,069.99 MAP
501829	(940500030) 50" Shaft 80# Thrust 24 volt	\$1,099.99 MAP
501730	(940500040) 60" Shaft 80# Thrust 24 volt	\$1,129.99 MAP
501831	(940500050) 45" Shaft 105# Thrust 36 volt	\$1,169.99 MAP
501833	(940500060) 50" Shaft 105# Thrust 36 volt	\$1,199.99 MAP
501835	(940500070) 60" Shaft 105# Thrust 36 volt	\$1,229.99 MAP

## INCLUDES: SONAR

Order No.	Mfg. No. / Description	Price
501836	(940500080) 45" Shaft 55# Thrust 12 volt	\$869.99 MAP
501851	(940500180) 45" Shaft 70# Thrust 24 volt	\$949.99 MAP
501837	(940500090) 45" Shaft 80# Thrust 24 volt	\$1,149.99 MAP
501839	(940500100) 50" Shaft 80# Thrust 24 volt	\$1,179.99 MAP
501841	(940500110) 60" Shaft 80# Thrust 24 volt	\$1,209.99 MAP
501843	(940500120) 45" Shaft 105# Thrust 36 volt	\$1,249.99 MAP
501845	(940500130) 50" Shaft 105# Thrust 36 volt	\$1,279.99 MAP
501847	(940500140) 60" Shaft 105# Thrust 36 volt	\$1,309.99 MAP

## MotorGuide X3 Freshwater Trolling Motors



- Freshwater.
- Bow mount, foot control.
- The X3 mounting bracket is built tough with aircraft-grade extruded aluminum to minimize flex and provide precision control under high-thrust.
- New Rugged Composite Shaft.
- Precision Response Steering - A dual cable pull-pull steering system eliminates slack, while the innovative patent-pending Variable Ratio Technology reduces torque steer feedback and improves responsiveness.
- A newly designed and reinforced foot pedal also provides better feel and control.
- Composite Locking Pins.
- Composite shaft.
- Powerful 2 Blade Propeller.

Order No.	Mfg. No. / Description	Price
501810	(940200220) 36" Shaft 55# Thrust 12 volt	\$609.99 S
501812	(940200170) 45" Shaft 55# Thrust 12 volt	\$619.99 S
501814	(940200180) 45" Shaft 70# Thrust 12 volt	\$699.99 S

Fun &amp; Flotation

Anchor &amp; Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit &amp; Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine &amp; Parts

Engine Care

Propellers

Seating &amp; Pedestals

Tops &amp; Covers

Pumps

Cleaning &amp; Care

Paint &amp; Paint Acc.

Hardware, Fasteners

Trailering


Misc.

Comm.

**MotorGuide Xi5 Wireless Freshwater Trolling Motors**



Pinpoint GPS Remote



- Freshwater.
- Bow mount, foot control.
- Easy to read LED dashboard.
- All-New Composite Shaft.
- Next-Gen Digital Technology.
- Wireless foot pedal for precise control.
- Digital speed control delivers power, smoothly and incrementally, at the precise level needed by the operator.
- Low-Profile Mount uses anodized aluminum to prevent corrosion.
- Sophisticated Steering Transmission.
- Fully-Protected Electronics.
- Smooth spinning 2-blade weedless propeller.
- Extra rigid shaft support and low-vibration steering motor reduce noise, vibration and harshness.
- Unique mechanism aligns and guides the motor into the stowed position and secures it in place.
- Secondary lock prevents unintentional deployment.
- Composite shaft.
- 2-year limited warranty.

Order No.	Mfg. No. / Description	Price
501781	(940800170) 48" Shaft 55# Thrust 12 volt	\$799.99 MAP
501782	(940800180) 54" Shaft 55# Thrust 12 volt	\$809.99 MAP
501783	(940800080) 54" Shaft 80# Thrust 24 volt	\$1,109.99 MAP
501784	(940800090) 60" Shaft 80# Thrust 24 volt	\$1,119.99 MAP
501785	(940800130) 54" Shaft 105# Thrust 36 volt	\$1,309.99 MAP
501786	(940800140) 60" Shaft 105# Thrust 36 volt	\$1,319.99 MAP

**INCLUDES: SONAR AND PINPOINT GPS REMOTE.**

- Pinpoint uses an ultra-precise GPS receiver and precision control algorithms for incredibly accurate performance. A compact, easy-to-use remote controls these Pinpoint features: Anchor, Heading Lock, Route and Cruise Control.

Order No.	Mfg. No. / Description	Price
501800	(940800210) 45" Shaft 55# Thrust 12 volt	\$1,249.99 MAP
501801	(940800220) 54" Shaft 55# Thrust 12 volt	\$1,259.99 MAP
501802	(940800230) 54" Shaft 80# Thrust 24 volt	\$1,499.99 MAP
501803	(940800240) 60" Shaft 80# Thrust 24 volt	\$1,509.99 MAP
501804	(940800250) 54" Shaft 105# Thrust 36 volt	\$1,689.99 MAP
501805	(940800260) 60" Shaft 105# Thrust 36 volt	\$1,699.99 MAP

**MotorGuide Wireless Freshwater Edition Trolling Motors**



501766



- Freshwater.
- Bow mount, foot control.
- Wireless Foot Pedal.
- Cradle Lock Mount is exclusive to MotorGuide's Wireless Edition and is designed to stand up to the pounding of rough-water runs. With a small footprint, the Cradle Lock comes standard with a quick-release, lockable mounting plate that fits virtually any boat.
- Composite shaft.
- Quick-release mounting plate makes installation fast and simple. Made from tough extruded aluminum, the mounting plate locks in place to form a rock-solid connection and uses a common hole pattern.
- Oversized Brushes last longer and increase battery life for optimum trolling time at every level..
- Built-in Battery Indicator. Includes four levels of charge data to maximize fishing time.
- Fingertip control is available with a Wireless Hand-Held Remote.
- Mix and match up to four Wireless Hand-Helds or Wireless Foot Pedals in any combination.

Order No.	Mfg. No. / Description	Price
501470	(970100360) 48" Shaft 45# Thrust 12 volt	\$579.99 D
501754	(970100020) 48" Shaft 55# Thrust 12 volt	\$659.99 MAP
501757	(970100030) 54" Shaft 55# Thrust 12 volt	\$669.99 MAP
501766	(8M4000975) Wireless Mounting Plate	\$36.90 F

**MotorGuide Xi5 Wireless Remote**



- Wireless replacement remote for use with the MotorGuide Xi5 Trolling Motor.
- Before operation, the handheld remote must be synced with the trolling motor.
- 2.4 GHZ.

Order No.	Mfg. No. / Description	Price
501767	(8M0092068)	\$89.98 E

**MotorGuide PinPoint® GPS Navigation System**



- Highly accurate GPS technology with easy-to-use navigational features.
- For use with the MotorGuide Xi5 Trolling Motor.

Order No.	Mfg. No. / Description	Price
502518	(8M0092070)	\$629.98 S

**MotorGuide Replacement Remote for PinPoint® GPS**



- For use with Pinpoint GPS Xi5 Trolling Motor.
- Before operation, the handheld remote must be synced with the trolling motor.

Order No.	Mfg. No. / Description	Price
502520	(8M0092071)	\$143.98 F

## Minn Kota Riptide Ulterra Series Trolling Motors

- Saltwater.
- Bow mount.
- Auto Stow & Deploy - lets you get your motor in and out of the water using the included i-Pilot remote.
- Power Trim - lets you easily adjust the motor depth for changing conditions, using your remote.
- Digital Maximizer.
- Weedless Wedge 2 Prop.
- Advanced Corrosion Protection.
- Fully Encapsulated Electronics.
- Sacrificial Anode.
- 2-year warranty.

## INCLUDES: i-PILOT

- Ulterra i-Pilot - Advanced wireless remote uses GPS to remember fishing spots and paths, and can control speed, steering, cruise control and Advanced AutoPilot. And exclusively on i-Pilot for Ulterra, three new buttons let you stow and deploy your motor, or trim it up and down.

Order No.	Mfg. No. / Description	80# Thrust	24 volt	Price
476106	(1358950) 54" Shaft	80# Thrust	24 volt	\$1,989.99 MAP
476107	(1358951) 60" Shaft	80# Thrust	24 volt	\$1,999.99 MAP
476109	(1358960) 60" Shaft	112# Thrust	36 volt	\$2,349.99 MAP
476108	(1358961) 72" Shaft	112# Thrust	36 volt	\$2,499.99 MAP

## INCLUDES: i-PILOT AND UNIVERSAL SONAR 2

Order No.	Mfg. No. / Description	112# Thrust	36 volt	Price
476110	(1358913) 60" Shaft	112# Thrust	36 volt	\$2,449.99 MAP

## Minn Kota Riptide ST Series Trolling Motors

- Saltwater.
- Bow mount.
- Stow/Deploy Lever.
- Digital Maximizer.
- Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop. Indestructible Composite Shaft.
- Cool, Quiet Power. Advanced Corrosion Protection.
- Fully Encapsulated Electronics. Sacrificial Anode.
- CoPilot for Riptide ST. CoPilot wireless remote system comes standard giving you push-button control of prop on/off, speed and steering. The compact remote is waterproof and floats, and can be mounted on your lanyard or wrist for easy access.
- 2-year warranty.

Order No.	Mfg. No. / Description	80# Thrust	24 volt	Price
475094	(1363760) 54" Shaft	80# Thrust	24 volt	\$1,249.99 MAP

## INCLUDES: AUTOPILOT AND COPILOT

- AutoPilot - Digitally controlled AutoPilot locks onto any heading you choose and delivers you there.

Order No.	Mfg. No. / Description	80# Thrust	24 volt	Price
475174	(1363711) 60" Shaft	80# Thrust	24 volt	\$1,459.99 MAP
475177	(1363730) 60" Shaft	112# Thrust	36 volt	\$1,749.99 MAP

## INCLUDES: i-PILOT AND AUTOPILOT

Order No.	Mfg. No. / Description	55# Thrust	12 volt	Price
475141	(1363704) 54" Shaft	55# Thrust	12 volt	\$1,249.99 MAP
475142	(1363714) 54" Shaft	80# Thrust	24 volt	\$1,489.99 MAP
475144	(1363715) 60" Shaft	80# Thrust	24 volt	\$1,499.99 MAP
475146	(1363731) 60" Shaft	112# Thrust	36 volt	\$1,849.99 MAP
475147	(1363733) 72" Shaft	112# Thrust	36 volt	\$1,999.99 MAP

MINN KOTA



i-Pilot



Fun &amp; Flotation

Anchor &amp; Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit &amp; Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine &amp; Parts

Engine Care

Propellers

Seating &amp; Pedestals

Tops &amp; Covers

Pumps

Cleaning &amp; Care

Paint &amp; Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

## Minn Kota i-Pilot Accessory for Riptide ST Trolling Motors

MINN KOTA

- i-Pilot for Riptide ST.
- Record a track. Spot-Lock.
- CoPilot and Cruise Control.
- Advanced AutoPilot.
- i-Pilot wireless remote - LCD.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
477031	(1866305)	\$449.99 MAP

## Minn Kota i-Pilot Link Accessory for Riptide ST Trolling Motors

MINN KOTA

- Control from remote or Humminbird Fishfinder.
- Works in conjunction with your foot pedal.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
477020	(1866405)	\$799.99 MAP

## Minn Kota Corded Foot Pedal for Terrova/Riptide ST Trolling Motors

MINN KOTA

- Includes rotary speed control dial, momentary/constant on toggle, AutoPilot on/off toggle and an 18' cable with waterproof connector plug.
- Works in conjunction with CoPilot, i-Pilot and i-Pilot Link.

Order No.	Mfg. No. / Description	Price
477000	(1866075)	\$149.99 E



**Minn Kota Riptide SP Series Trolling Motors**



- Saltwater. Bow mount.
- Deploy-Assist lever.
- Digital Maximizer.
- Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- Advanced Corrosion Protection.
- CoPilot for Riptide SP. CoPilot wireless remote system comes standard giving you push-button control of prop on/off, speed and steering. The compact remote is waterproof and floats, and can be mounted on your lanyard or wrist for easy access.
- 2-year warranty.



i-Pilot

Order No.	Mfg. No. / Description	Price
475129	(1363550) 48" Shaft 55# Thrust 12 volt	\$839.99 MAP
475070	(1363560) 54" Shaft 70# Thrust 24 volt	\$999.99 MAP

**INCLUDES: i-PILOT**

- i-Pilot - This GPS-powered navigation system features an LCD remote for instant feedback, and it controls your boat for you, so you can focus on fishing. Set Spot-Locks to stay within 5 feet of a fishing spot, record and retrace paths in the water, take command of speed and steering, set cruise control and follow any bearing you want. Does not include foot pedal.

Order No.	Mfg. No. / Description	Price
475131	(1363553) 48" Shaft 55# Thrust 12 volt	\$1,229.99 MAP
475132	(1363563) 54" Shaft 70# Thrust 24 volt	\$1,269.99 MAP

**Minn Kota i-Pilot Replacement Remote**



- Features an LCD screen and ergonomic buttons to control active functions, speed, prop on/off status, battery power and GPS signal strength.
- Compact, waterproof, floats and has an easy-access battery compartment.
- i-Pilot Systems can learn multiple remotes for increase flexibility.



Order No.	Mfg. No. / Description	Price
477038	(1866350)	\$159.99 B

**Minn Kota i-Pilot Link Replacement Remote**



- The remote's full-color LCD screen displays your current function, user menus, GPS signal strength, prop status and battery state.
- Powered by a rechargeable battery, the remote is waterproof and it floats.
- The i-Pilot Link system (sold separately) can learn unlimited additional remotes for added flexibility.



Order No.	Mfg. No. / Description	Price
477026	(1866450)	\$349.98 LQ

**Minn Kota i-Pilot Link Charging Cable**



- This spare or replacement charging cable features a USB adapter that lets you choose between AC and DC power (AC and DC adapters not included).
- i-Pilot Link's wireless remote charges like a cell phone.



Order No.	Mfg. No. / Description	Price
477027	(1866460)	\$29.99 D

**Minn Kota i-Pilot Link Accessory for Riptide SP Trolling Motors**



- Control from remote or Humminbird Fishfinder.
- Replaces the foot pedal.
- 2-year warranty.



Order No.	Mfg. No. / Description	Price
477025	(1866415)	\$799.99 MAP

**Minn Kota Corded Foot Pedal for Riptide SP Trolling Motors**



- Works in conjunction with CoPilot.
- With an 18' cable and waterproof connector plug, this pedal delivers side-to-side steering control and includes momentary/constant on switch, speed control knob for precise adjustments.



Order No.	Mfg. No. / Description	Price
476722	(1866065)	\$99.99 E

**Minn Kota Micro Remote**



- i-Pilot and i-Pilot Link give you full command of your motor.
- But when you want simplified, compact control, grab the waterproof Micro-Remote accessory for quick command of Spot-Lock, speed, steering and Advanced AutoPilot.
- i-Pilot and Link can learn multiple remotes.



Order No.	Mfg. No. / Description	Price
477039	(1866360)	\$99.99 C

**Minn Kota i-Pilot Link Remote Holding Cradle**



- Secure your i-Pilot Link remote to your belt or console with this versatile cradle.
- Use the belt clip for constant easy access, or remove the belt clip and mount i-Pilot Link remote to your dash for simple, straightforward operation.



Order No.	Mfg. No. / Description	Price
477028	(1866470)	\$29.98 LQ

**Minn Kota CoPilot Remote for PowerDrive V2, PowerDrive or Riptide SP**



- For PowerDrive V2, PowerDrive or Riptide SP motors.
- This replacement wireless remote gives you control of steering, speed and on/off from anywhere on the boat.



Order No.	Mfg. No. / Description	Price
476721	(1866120)	\$49.99 E

## MotorGuide Xi5 Wireless Saltwater Trolling Motors

**MotorGuide**  
 NEVER STOP

- Saltwater.
- Bow mount, wireless remote control.
- Easy-to-read LED dashboard for quick status check of key operating modes.
- All-New Composite Shaft can withstand impact and obstructions.
- Next-Gen Digital Technology.
- Digital speed control delivers power, smoothly and incrementally, at the precise level needed by the operator.
- Low-Profile Mount - Uses anodized aluminum to prevent corrosion.
- Unique mechanism aligns and guides the motor into the stowed position and secures it in place.
- Secondary lock prevents unintentional deployment.
- Sophisticated Steering Transmission - Extra rigid shaft support and low-vibration steering motor reduce noise, vibration and harshness.
- Fully-Protected Electronics.
- 2-Blade Propeller - For maximum power and weedlessness.
- Hand-held remote provides outstanding control from anywhere on the boat.
- Composite shaft.
- 2-year limited warranty.

Pinpoint GPS Remote



Order No.	Mfg. No. / Description	Price
501788	(941700060) 48" Shaft 55# Thrust 12 volt	\$909.99 MAP
501789	(941700070) 54" Shaft 55# Thrust 12 volt	\$919.99 MAP
501790	(941700020) 54" Shaft 80# Thrust 24 volt	\$1,219.99 MAP
501791	(941700030) 60" Shaft 80# Thrust 24 volt	\$1,229.99 MAP
501792	(941700040) 54" Shaft 105# Thrust 36 volt	\$1,419.99 MAP
501793	(941700050) 60" Shaft 105# Thrust 36 volt	\$1,429.99 MAP

## INCLUDES: PINPOINT GPS REMOTE.

- Pinpoint uses an ultra-precise GPS receiver and precision control algorithms for incredibly accurate performance. A compact, easy-to-use remote controls these Pinpoint features: Anchor, Heading Lock, Route and Cruise Control.

Order No.	Mfg. No. / Description	Price
501806	(941700080) 54" Shaft 55# Thrust 12 volt	\$1,199.99 MAP
501828	(941700110) 48" Shaft 80# Thrust 24 volt	\$1,459.99 MAP
501807	(941700090) 60" Shaft 80# Thrust 24 volt	\$1,479.99 MAP
501808	(941700100) 60" Shaft 105# Thrust 36 volt	\$1,799.99 MAP



Fun &amp; Flotation

Anchor &amp; Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit &amp; Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine &amp; Parts

Engine Care

Propellers

Seating &amp; Pedestals

Tops &amp; Covers

Pumps

Cleaning &amp; Care

Paint &amp; Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Minn Kota Fortrex Series Trolling Motors



- Freshwater.
- Bow mount, foot control.
- Fortrex Foot Pedal.
- Removable Bowguard 360°.
- Digital Maximizer.
- Illuminated Directional Indicator.
- Push-to-Test Battery Meter.
- Lift-Assist's stainless steel, nitrogen-charged gas spring makes stow and deploy easy.
- Mono-Arm Design- That extruded, anodized aluminum arm doesn't just look tough. The Mono-Arm Design gives it ruggedness and strength that's unmatched by any other motor on the water.
- Counter-Tension Stabilizer (CTS). Utilizes an integrated spring that applies force whether the motor is stowed or deployed. On the water, that translates to a motor with no ply, no give, reduced steering torque and years of silent operation.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475590	(1368660) 45" Shaft 80# Thrust 24 volt	\$1,229.99 MAP
475591	(1368661) 52" Shaft 80# Thrust 24 volt	\$1,259.99 MAP
475594	(1368662) 62" Shaft 80# Thrust 24 volt	\$1,227.98 LQ
475599	(1368687) 45" Shaft 112# Thrust 36 volt	\$1,389.99 MAP
475602	(1368688) 52" Shaft 112# Thrust 36 volt	\$1,419.99 MAP

INCLUDES: UNIVERSAL SONAR 2

Order No.	Mfg. No. / Description	Price
475593	(1368670) 45" Shaft 80# Thrust 24 volt	\$1,329.99 MAP
475592	(1368671) 52" Shaft 80# Thrust 24 volt	\$1,359.99 MAP
475609	(1368690) 45" Shaft 101# Thrust 36 volt	\$1,419.98 LQ
475610	(1368695) 45" Shaft 112# Thrust 36 volt	\$1,489.99 MAP
475613	(1368696) 52" Shaft 112# Thrust 36 volt	\$1,519.99 MAP

Minn Kota Edge Series Trolling Motors



- Freshwater.
- Bow mount, foot control.
- Edge Mount - Features an extruded, anodized aluminum arm that's built with uncompromising strength.
- Latch & Door Bracket.
- Edge Foot Pedal.
- Speed Control - 5 Speed.
- Directional Indicator.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475212	(1355946) 36" Shaft 45# Thrust 12 volt	\$379.99 0
475214	(1355947) 45" Shaft 45# Thrust 12 volt	\$384.99 0
475290	(1355956) 45" Shaft 55# Thrust 12 volt	\$519.99 0
475292	(1355957) 52" Shaft 55# Thrust 12 volt	\$534.99 0
475296	(1355970) 45" Shaft 70# Thrust 24 volt	\$599.99 0
475297	(1355971) 52" Shaft 70# Thrust 24 volt	\$614.99 0

EDGE SERIES TROLLING MOTOR WITH PiranhaMAX 143 FISHFINDER



- PiranhaMAX 143 Fishfinder Features:
- Display size - diagonal: 4". Display pixel matrix: 128H x 160V. Display colors grayscale: 4 level grayscale.
- Sonar standard: Single Beam.
- Standard sonar coverage: 20° @ -10db.
- Standard sonar frequency: 200 kHz.
- Power output: 100 watts (RMS). 800 watts (Peak to Peak).
- Depth capability: 600 ft.

Order No.	Mfg. No. / Description	Price
475298	(1355959) 45" Shaft 55# Thrust 12 volt	\$629.98 LQ

Minn Kota Maxxum Series Trolling Motors



- Freshwater.
- Bow mount, foot control.
- Maxxum Mount.
- Bowguard 360°.
- Illuminated Directional Indicator.
- Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475323	(1368553) 42" Shaft 55# Thrust 12 volt	\$798.82 0
475410	(1368561) 42" Shaft 70# Thrust 24 volt	\$859.99 0
475424	(1368562) 52" Shaft 70# Thrust 24 volt	\$889.99 0
475448	(1368580) 42" Shaft 80# Thrust 24 volt	\$1,079.99 0
475460	(1368581) 52" Shaft 80# Thrust 24 volt	\$1,109.99 0

INCLUDES: 5 SPEED CONTROL

- 5-speed motors put you in command with forward, reverse and multiple speed settings.

Order No.	Mfg. No. / Description	Price
475397	(1368560) 42" Shaft 70# Thrust 24 volt	\$749.99 0

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.



## MotorGuide Tour Edition Trolling Motors

**MotorGuide**  
NEVER STOP.


- Freshwater.
- Bow mount, foot control.
- Stainless steel shafts, metal heads and metal pedals.
- Completely sealed Digital variable speed module.
- Soft-start feature.
- Quiet, smooth variable speed operation.
- Machete III Black Prop.
- No play, pull-pull adjustable steering with stainless steel pulleys.
- Compact, hydrodynamic, lightweight lower units.
- MicroSwitch is designed to withstand the demands of harsh, wet tournament conditions.
- Gator Spring Mount.

Order No.	Mfg. No. / Description	Price
501107	(930010390) 45" Shaft 75# Thrust 24 volt	\$868.92 LQ
501103	(9BT52GAAF) 50" Shaft 82# Thrust 24 volt	\$1,101.31 LQ
501139	(9BX43GAAF) 45" Shaft 109# Thrust 36 volt	\$1,182.13 LQ
501141	(9BX53GAAF) 50" Shaft 109# Thrust 36 volt	\$1,192.24 LQ

## MotorGuide Tour Edition Trolling Motors with Built-in Lowrance Transducer

**MotorGuide**  
NEVER STOP.


- Freshwater.
- Bow mount, hand control.
- Stainless steel shafts, metal heads and metal pedals.
- Completely sealed Digital variable speed module.
- Soft-start feature.
- Quiet, smooth variable speed operation.
- Machete III Black Prop.
- No play, pull-pull adjustable steering with stainless steel pulleys.
- Compact, hydrodynamic, lightweight lower units.
- MicroSwitch is designed to withstand the demands of harsh, wet tournament conditions.
- Gator Spring Mount.
- MotorGuide has teamed up with Lowrance to deliver one of the finest sonar pictures ever. Includes a built-in Lowrance 200/83 kHz transducer and temperature sensor.

Order No.	Mfg. No. / Description	Price
501109	(930011030) 50" Shaft 82# Thrust 24 volt	\$1,172.04 LQ

## MotorGuide X3 Freshwater Edition Trolling Motors

**MotorGuide**  
NEVER STOP.

- Freshwater.
- Bow mount, foot control.
- Rigid aircraft-grade aluminum mount, stainless steel bushings and outer shaft and composite shaft with a lifetime guarantee.
- 2-Blade Weedless Propeller.
- Quick-view Directional Indicator.
- Easy to stow and deploy.
- Classic five-speed operation.
- Ergonomic, heel-toe operated foot pedal is easy to use.
- Hinged "door" for easy motor height adjustment and removal.
- Fewer metal-to-metal interfaces, precision bearings and new composite locking pins.
- Proprietary Variable Ratio Steering (patent pending) delivers precise higher-response steering in the primary angling zone.
- Torque steering feedback is reduced for smoother operation.
- Premium dual-cable, pull-pull steering is standard.
- Composite shaft.
- 2-year limited warranty.



Order No.	Mfg. No. / Description	Price
501770	(940200050) 36" Shaft 45# Thrust 12 volt	\$399.99 B
501771	(940200060) 45" Shaft 45# Thrust 12 volt	\$409.99 B
501772	(940200070) 50" Shaft 45# Thrust 12 volt	\$429.99 B
501773	(940200080) 36" Shaft 55# Thrust 12 volt	\$433.99 B
501774	(940200090) 45" Shaft 55# Thrust 12 volt	\$544.99 B
501775	(940200100) 50" Shaft 55# Thrust 12 volt	\$565.99 B
501776	(940200110) 45" Shaft 70# Thrust 12 volt	\$629.99 B
501777	(940200120) 50" Shaft 70# Thrust 12 volt	\$648.99 B

## MotorGuide X3 Freshwater Edition Trolling Motors

**MotorGuide**  
NEVER STOP.

- Freshwater.
- Bow mount, hand control.
- Rigid aircraft-grade aluminum mount, stainless steel bushings and outer shaft and composite shaft with a lifetime guarantee.
- Fewer metal-to-metal interfaces, precision bearings, and new composite locking pins eliminate more noise and ensure noise-free operation over time.
- Proprietary Variable Ratio Steering (patent pending) delivers precise higher-response steering in the primary angling zone.
- Torque steering feedback is reduced for smoother operation.
- Premium dual-cable, pull-pull steering is standard.
- Ergonomic, heel-toe operated foot pedal is easy to use.
- 2-Blade Weedless Propeller.
- Hinged "door" for easy motor height adjustment and removal.
- Quick-view directional indicator.
- Easy to stow and deploy.
- Extending handle.
- Composite shaft.
- 2-year limited warranty.



## INCLUDES: CLASSIC 5-SPEED OPERATION

Order No.	Mfg. No. / Description	Price
501778	(940200130) 50" Shaft 45# Thrust 12 volt	\$299.99 LQ

## INCLUDES: DIGITAL SPEED OPERATION

Order No.	Mfg. No. / Description	Price
501816	(940200190) 50" Shaft 55# Thrust 12 volt	\$569.99 S

Fun &amp; Flotation

Anchor &amp; Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit &amp; Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine &amp; Parts

Engine Care

Propellers

Seating &amp; Pedestals

Tops &amp; Covers

Pumps

Cleaning &amp; Care

Paint &amp; Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

**Minn Kota Maxxum Series Trolling Motors**



- Freshwater.
- Bow mount, hand control.
- Maxxum Mount.
- Bowguard 360°.
- Illuminated Directional Indicator.
- Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop.
- Tilt-Extend Tiller.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475462	(1368640) 52" Shaft 80# Thrust 24 volt	\$949.99 0

**INCLUDES: 5-SPEED CONTROL**

- 5-speed motors put you in command with forward, reverse and multiple speed settings.

Order No.	Mfg. No. / Description	Price
475505	(1368620) 52" Shaft 55# Thrust 12 volt	\$599.99 0
475520	(1368630) 52" Shaft 70# Thrust 24 volt	\$749.99 0

**Minn Kota Riptide SM Series Trolling Motors**



- Saltwater.
- Bow mount, hand control.
- Tilt-Extend Tiller.
- Quick-Lock Cam Depth Adjuster.
- Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop.
- Advanced Corrosion Protection.
- Fully Encapsulated Electronics.
- Sacrificial Anode.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

**INCLUDES: 5-SPEED CONTROL AND LATCH & DOOR DESIGN**

Order No.	Mfg. No. / Description	Price
475041	(1363420) 42" Shaft 55# Thrust 12 volt	\$599.99 0
475043	(1363421) 52" Shaft 55# Thrust 12 volt	\$629.99 0
475071	(1363425) 52" Shaft 70# Thrust 24 volt	\$699.99 0

**INCLUDES: DIGITAL MAXIMIZER AND LATCH & DOOR DESIGN**

Order No.	Mfg. No. / Description	Price
475031	(1363422) 52" Shaft 55# Thrust 12 volt	\$699.99 MAP
475118	(1363447) 52" Shaft 80# Thrust 24 volt	\$999.99 MAP

**INCLUDES: DIGITAL MAXIMIZER AND BOWGUARD 360°**

Order No.	Mfg. No. / Description	Price
475119	(1363445) 52" Shaft 80# Thrust 24 volt	\$1,029.99 MAP
475120	(1363446) 62" Shaft 80# Thrust 24 volt	\$1,059.99 MAP

**Minn Kota Edge Series Trolling Motors**



- Freshwater.
- Bow mount, hand control.
- Edge Mount - Features an extruded, anodized aluminum arm that's built with uncompromising strength.
- Latch & Door Bracket - Makes it easy to remove the motor from the mount.
- 5 Speed Control.
- Directional Indicator.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475216	(1355945) 45" Shaft 45# Thrust 12 volt	\$299.99 0
475294	(1355955) 52" Shaft 55# Thrust 12 volt	\$469.99 0

**Minn Kota Riptide SF Series Trolling Motors**



- Saltwater.
- Bow mount, hand control.
- Lift-Assist.
- Mono-Arm Design.
- Counter-Tension Stabilizer (CTS).
- Tilt-Extend Tiller.
- Removable Bowguard 360°.
- Quick-Lock Cam Depth Adjuster.
- Digital Maximizer. Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop. Advanced Corrosion Protection.
- Fully Encapsulated Electronics. Sacrificial Anode.
- Indestructible Composite Shaft. Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475109	(1363640) 52" Shaft 80# Thrust 24 volt	\$1,199.99 MAP
475110	(1363641) 62" Shaft 80# Thrust 24 volt	\$1,209.99 MAP
475116	(1363660) 62" Shaft 112# Thrust 36 volt	\$1,299.99 MAP

**Minn Kota Riptide SE Series Trolling Motors**



- Saltwater.
- Bow mount, hand control.
- Riptide SE Mount - Features an extruded, anodized aluminum arm that's built with uncompromising strength.
- It also features rock-solid stowing and a Latch & Door design.
- Tilt-Extend Tiller.
- Digital Maximizer.
- Quick-lock Cam Depth Adjuster. Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop. Advanced Corrosion Protection.
- Fully Encapsulated Electronics. Sacrificial Anode.
- Indestructible Composite Shaft. Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
475033	(1355920) 52" Shaft 70# Thrust 24 volt	\$829.99 MAP

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

## MotorGuide Great White Saltwater Edition Trolling Motors

**MotorGuide**  
NEVER STOP.

- Saltwater.
- Bow mount, hand control.
- Ultra pure aluminum coating.
- Stainless steel shaft, fasteners and control cables.
- Anodized aluminum mounts and components.
- Completely sealed Digital module.
- Soft-start feature.
- Quiet, smooth operation.
- Machete III propeller.
- Compact, lightweight lower units.
- Dual saltwater anodes for added corrosion protection.
- Stainless steel shaft.



Order No.	Mfg. No. / Description	Thrust	Voltage	Price
501710	(924410050) 50" Shaft	82# Thrust	24 volt	\$999.99 MAP
501713	(924410060) 60" Shaft	82# Thrust	24 volt	\$1,049.99 MAP
501725	(924410070) 50" Shaft	109# Thrust	36 volt	\$1,099.99 MAP
501727	(924410080) 60" Shaft	109# Thrust	36 volt	\$1,149.99 MAP

## MotorGuide X3 Saltwater Edition Trolling Motor

**MotorGuide**  
NEVER STOP.

- Saltwater.
- Bow mount, hand control.
- A dual cable pull-pull steering system eliminates slack, while the innovative patent-pending Variable Ratio Technology reduces torque steer feedback and improves responsiveness.
- Digital Power Management Technology.
- All New Mount - The X3 mounting bracket is built tough with aircraft-grade extruded aluminium to minimize flex and provide precision control under high-thrust.
- Powerful Dual Blade Propeller - Comes equipped with a 2 blade propeller for maximum power and weedlessness.
- Composite shaft.



Order No.	Mfg. No. / Description	Thrust	Voltage	Price
501820	(941300010) 50" Shaft	55# Thrust	12 volt	\$599.99 S

## Minn Kota PowerDrive V2 Series Trolling Motors

**MINN KOTA**

- Freshwater.
- Pontoon mount, foot control.
- Deploy-Assist lever.
- Aluminum Quick Release Bracket.
- PowerDrive V2 Foot Pedal.
- Digital Maximizer.
- Push-to-Test Battery Meter.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.



Order No.	Mfg. No. / Description	Thrust	Voltage	Price
474733	(1358712) 48" Shaft	54# Thrust	12 volt	\$619.99 B
474738	(1358722) 48" Shaft	68# Thrust	24 volt	\$769.99 O

## Minn Kota Pontoon Hand Control Series Trolling Motors

**MINN KOTA**

- Freshwater.
- Pontoon mount, hand control.
- Compact hand control mount - Frees up more deck space.
- Tilt twist tiller.
- 5 Speed.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.



Order No.	Mfg. No. / Description	Thrust	Voltage	Price
474742	(1355954) 52" Shaft	55# Thrust	12 volt	\$429.99 O
474744	(1355975) 52" Shaft	70# Thrust	24 volt	\$529.99 B

## MotorGuide X3 Freshwater Edition Trolling Motor

**MotorGuide**  
NEVER STOP.

- Freshwater.
- Pontoon mount, hand control.
- Rigid aircraft-grade aluminum mount, stainless steel bushings and outer shaft and composite shaft with a lifetime guarantee.
- Fewer metal-to-metal interfaces, precision bearings, and new composite locking pins eliminate more noise and ensure noise-free operation over time.
- 2-Blade Weedless Propeller.
- Hinged "door" for easy motor height adjustment and removal.
- Quick-view directional indicator.
- Easy to stow and deploy.
- Classic five-speed operation.
- Extending handle.
- Composite shaft.
- 2-year limited warranty.

Order No.	Mfg. No. / Description	Thrust	Voltage	Price
501818	(940200230) 50" Shaft	55# Thrust	12 volt	\$419.99 S



Fun &amp; Flotation

Anchor &amp; Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit &amp; Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine &amp; Parts

Engine Care

Propellers

Seating &amp; Pedestals

Tops &amp; Covers

Pumps

Cleaning &amp; Care

Paint &amp; Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Minn Kota Endura Max Trolling Motors



- Freshwater.
- Transom mount, hand control.
- Digital Maximizer.
- Variable Speed Control.
- Telescoping Handle.
- Lever-Lock Bracket.
- Push-to-Test Battery Meter.
- Power Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
474850	(1352140) 36" Shaft 40# Thrust 12 volt	\$219.99 C
474855	(1352145) 36" Shaft 45# Thrust 12 volt	\$239.99 C
474860	(1352150) 36" Shaft 50# Thrust 12 volt	\$259.99 C
474870	(1352155) 36" Shaft 55# Thrust 12 volt	\$279.99 C
474875	(1352156) 42" Shaft 55# Thrust 12 volt	\$284.99 C

Minn Kota Endura C2 Series Trolling Motors



- Freshwater.
- Transom mount, hand control.
- Ergonomic, 6" telescoping handle.
- Lever-Lock Bracket.
- 5 Speed.
- Power Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

Order No.	Mfg. No. / Description	Price
474830	(1352230) 30" Shaft 30# Thrust 12 volt	\$109.99 B
474835	(1352240) 36" Shaft 40# Thrust 12 volt	\$169.99 C
474840	(1352250) 36" Shaft 50# Thrust 12 volt	\$209.99 C
474845	(1352256) 42" Shaft 55# Thrust 12 volt	\$234.99 C

MotorGuide Varimax Freshwater Edition Trolling Motors



- Freshwater.
- Transom mount, hand control.
- BluVis Digital Variable Speed Control - Shows direction, precise speed settings and accurate battery voltage.
- Taper-Lock Mount.
- Twist-Turn Control.
- Large diameter 1.25" aluminum shaft.
- Powerful 3.5" diameter VariMAX Digital motors.
- One-touch, rapid slide-depth adjustment collar.
- Extending Tri-Lobe, soft-touch handle for the perfect feel and control.
- 12 volt motors: 1-year limited warranty.

Order No.	Mfg. No. / Description	Price
501300	(966000010) 30" Shaft 40# Thrust 12 volt	\$251.35 LQ
501310	(966000020) 36" Shaft 40# Thrust 12 volt	\$261.62 LQ
501315	(966000030) 36" Shaft 45# Thrust 12 volt	\$271.88 LQ
501291	(966010050) 36" Shaft 55# Thrust 12 volt	\$291.98 LQ
501320	(966000050) 36" Shaft 55# Thrust 12 volt	\$333.98 LQ

Minn Kota Riptide Transom Series Trolling Motors



- Saltwater.
- Transom mount, hand control.
- Push-to-Test Battery Meter.
- Advanced Corrosion Protection.
- Full Encapsulated Electronics.
- Sacrificial Anode.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

INCLUDES: VARIABLE SPEED CONTROL

- Tilt/Extend Tiller.
- Weedless Wedge 2 Prop.

Order No.	Mfg. No. / Description	Price
475108	(1363831) 42" Shaft 80# Thrust 24 volt	\$719.99 MAP

INCLUDES: 5-SPEED CONTROL

- Telescoping Handle.
- Power Prop.

Order No.	Mfg. No. / Description	Price
475114	(1363844) 36" Shaft 45# Thrust 12 volt	\$249.99 0
475115	(1363854) 42" Shaft 55# Thrust 12 volt	\$369.99 0

MotorGuide R3 Saltwater Edition Trolling Motors



- Saltwater.
- Transom mount, hand control.
- The aluminum alloy construction and stainless steel hinge pins make it one of the most powerful and durable trolling motors available.
- 5 speeds forward/2 speeds reverse controls and reversible motor head.
- Ergonomic extending handle and a durable multi-position angle adjustment aluminum mount.
- Aluminum alloy construction with a rugged powder coat finish.
- Digital Power Management Technology.
- Includes an easy-to-use tilt/stow/deploy mechanism and swing over knobs on the clamp screws, allowing you to lock the motor to the transom.
- Stainless steel shaft.

Order No.	Mfg. No. / Description	Price
501822	(941000030) 18" Shaft 45# Thrust 12 volt	\$289.99 S
501824	(941000010) 36" Shaft 45# Thrust 12 volt	\$299.99 S
501826	(941000020) 36" Shaft 55# Thrust 12 volt	\$419.99 S

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

**Minn Kota Extension Handles**



- Provides easier steering and speed control for Minn Kota hand controlled bow-mount, transom-mount or small outboard motors.
- These extension handles let you fish more comfortably and attach easily to your trolling motor's tiller handle.

Order No.	Mfg. No. / Description	Price
476615	(1854101) MKA-18 Length 18"	\$19.99 D
476603	(1854100) MKA-7 Length 30"	\$29.99 D

**MotorGuide Universal Extension Handle**



- Made for trolling motors and kicker engines.
- Locks into place to fit most transom-mount trolling motors and popular tiller engines.
- Built out of aluminum tubing with soft-grip handles and adjustable connectors for a solid connection.

Order No.	Mfg. No. / Description	Price
5010060	(MGA504A1) 14" Extension Handle	\$17.10 LQ

**T-H Marine The Extender™ Trolling Motor Handle**

- For hand controlled electric fishing motors.
- Easily installs on any motor with a 1" or 1-1/8" diameter shaft.
- Constructed of high quality cast aluminum with a stainless steel shaft, stainless steel hardware, nylon bushings with molded plastic knobs.
- The shaft is adjustable from 0" - 30" long.



Order No.	Mfg. No. / Description	Price
642202	(EX-1-DP)	\$86.98 Q

**Minn Kota Universal Sonar 2 Adapter Cables**



- Choose from any of the following plug-in adapters to connect your motor to your favorite brand of sonar or fishfinder.
- Shielded, IP68-rated waterproof connectors are metal tipped to prevent sonar interference.

Order No.	Mfg. No. / Description	Price
476566	(1852068) MKR-US2-8 Humminbird 7-pin	\$29.99 C
476567	(1852069) MKR-US2-9 Lowrance 6-pin/Eagle Blue	\$29.99 E
476568	(1852060) MKR-US2-10 Lowrance	\$29.99 E

**MotorGuide Sonar Adapter**



- The Sonar Adapters are designed to provide clean, clear signals for the leading brands of sonar.
- With Blue/Gray 7-Pin Connector.

Order No.	Mfg. No. / Description	Price
5010029	(8M4001959) Lowrance 6-pin	\$35.99 F

**Big Foot Trolling Motor Switch**



- Two switches in one.
- Momentary and On/Off for all hand operated 12V or 24V Trolling Motors.
- Hand or foot activated On/Off lever.
- Protective switch cap.
- 32" heavy duty marine wiring.

Order No.	Mfg. No. / Description	Price
2001386	(BFS-2)	\$23.98 H

**T-H Marine Sure Foot™ Trolling Motor Foot Switches**



- For manually operated (hand controlled) trolling motors that provides the convenience of turning the motor on by simply pressing down on the switch with your foot without having to reach the trolling motor head.
- Rated up to 50 amps DC and features a 15° tilt angle for easy operation.

Order No.	Mfg. No. / Description	Price
640257	(FCS-1-DP)	\$22.98 Q
640258	(FCS-2-DP) With Continuous Lever	\$23.98 Q

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors**
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

**MotorGuide Wireless Hand-Held Remote**

**MotorGuide**  
NEVER STOP.



- Take control from anywhere in the boat with our exclusive high-frequency remote.
- For use with Wireless Series trolling motor.

Order No. Mfg. No. / Description Price  
**501762** (M887657) **\$87.58** E

**MotorGuide PinPoint® GPS Navigation System**

**MotorGuide**  
NEVER STOP.



502520

- Highly accurate GPS technology with easy-to-use navigational features.
- For use with the MotorGuide Xi5 Trolling Motor.

Order No. Mfg. No. / Description Price  
**502518** (8M0092070) **\$629.98** S  
**502520** (8M0092071) Replacement Remote **\$143.98** F

**MotorGuide NMEA 2000® Starter Kit**

**MotorGuide**  
NEVER STOP.



- An on-board NMEA 2000 network is required for connecting a MotorGuide Pinpoint GPS - equipped Xi5 trolling motor with a compatible Lowrance fish finder/chartplotter.

Order No. Mfg. No. / Description Price  
**502524** (8M0092086) **\$95.98** F

**T-H Marine Troll-Tamer Trolling Motor Stabilizer Lock**



- Prevents damage to trolling motors.
- Locks motor to deck securely.
- Locking pin with quick release toe kick base.
- All stainless steel - no rust or corrosion.
- Fits Minn Kota Terrova and AutoPilot

Order No. Mfg. No. / Description Price  
**641872** (RMC-108-DP) Motor to Deck: 5" to 8" **\$151.98** H  
**641873** (RMC-109-DP) Motor to Deck: 8" to 12" **\$151.98** H

**MotorGuide Xi5 Wireless Remote**

**MotorGuide**  
NEVER STOP.



- Wireless replacement remote for use with the MotorGuide Xi5 Trolling Motor.
- Before operation, the handheld remote must be synced with the trolling motor.
- 2.4 GHZ.

Order No. Mfg. No. / Description Price  
**501767** (8M0092068) **\$89.98** E

**MotorGuide NMEA 2000® Gateway Kit**

**MotorGuide**  
NEVER STOP.



- MotorGuide and Lowrance have brought their leading trolling motor, GPS navigation, and fishfinder/chartplotter technologies together to bring anglers a new level of functionality and boat control.
- All the functions controlled by the Pinpoint GPS hand-held remote (Anchor, Jog, Heading Lock, Route Record/Playback and Cruise Control) can be operated from a compatible Lowrance display, utilizing Lowrance SmartSteer.
- The intuitive user interface makes it easy for anglers to create new fishing strategies, while the electronics and the trolling motor do the rest.

Order No. Mfg. No. / Description Price  
**502522** (8M0092085) **\$349.98** F

**RAM Trolling Motor Stabilizer Mount**



- Consists of a double socket arm, 2.5" diameter round base that contains the universal AMP's hole pattern and single strap base.
- The strap will accommodate rails from 0.5" to 2" in diameter.
- The trolling motor stabilizer will take every bit of the vibration out of your trolling motor while all the time protecting the head, shaft and mount from damage.
- The maximum allowable distance between the mounting surface on the boat and the lowest point of the trolling motor shaft is 8.75".
- Distances shorter than this are compatible.

Order No. Mfg. No. / Description Price  
**672010** (RAM-108) **\$53.98** MAP

**MotorGuide Bounce Buster II**

**MotorGuide**  
NEVER STOP.



- For 21, 21R, 24 and 24R Gator Mounts.

Order No. Mfg. No. / Description Price  
**502515** (MGA097B6) **\$45.00** F

**T-H Marine Bounce Buster Coaster**



- Protects decks from Bounce Buster damage.
- Fits Minn Kota Bow Mount Stabilizer Rods.

Order No. Mfg. No. / Description Price  
**641874** (BBC-1-DP) **\$7.98** H

**Minn Kota Bow-Mount Stabilizer Kit**



- Reduces bounce on Maxxum or Riptide SM bow mount trolling motors.
- Attaches to the top side of the upper arm of the scissors mount.
- When stowed, the stabilizer is positioned vertically between the upper arm of the bracket and the deck of the boat.
- Rubber bumper protects deck finish.

Order No. Mfg. No. / Description Price  
**477047** (1862013) MKA-4 **\$29.99 C**

**MotorGuide Tie Down Strap**



- The adjustable hook and loop strap keeps your trolling motor safely secured while trailering or on the water.

Order No. Mfg. No. / Description Price  
**5010063** (MGA507A1) **\$12.60 Q**

**Minn Kota Cable and Handle**



- For Minn Kota cable steer bow-mount motors, this replacement handle features an ergonomic soft-grip design with an ultra-strong, abrasion-resistant, coated stainless steel braided cable.
- Compatible with cable steer bow-mount motors: Fortrex, Maxxum, Edge, Riptide SF, Riptide SM and Riptide SE.

Order No. Mfg. No. / Description Price  
**476430** (1854125) **\$49.99 C**

**MotorGuide Nylon Pull Rope**



Order No. Mfg. No. / Description Price  
**502232** (M879192T) Length 48" **\$3.07 F**

**T-H Marine G-Force Equalizer™ Trolling Motor Lift Assist**



- Reduce the lifting weight of your trolling motor by as much as 50%.
- The G-Force Equalizer trolling motor lift assist system consists of two air pistons that attach to almost any MotorGuide Gator Mount to provide effortless lifting in-and-out of the water.
- Complete with easy-to-follow instructions, drilling template and marine-grade hardware, the Equalizer is quick and straightforward to install.
- A great way to offset the added weight of StructureScans and Hydrowaves, so your time on the water is as comfortable as possible.

Order No. Mfg. No. / Description Price  
**642684** (GFEQMGBKDP) MotorGuide, Black **\$119.98 Q**  
**642686** (GFEQMGBUDP) MotorGuide, Blue **\$119.98 Q**  
**642688** (GFEQMGRDP) MotorGuide, Red **\$119.98 Q**

**Minn Kota Bow-Mount Stabilizer Kit**



- Reduces motor bouncing when in stowed position.
- Attaches to the left or right side of bowguard.
- Pivots into vertical position and rests on the boat deck when motor is stowed.
- Rotates in the horizontal position with bowguard when the motor is deployed.
- Includes rubber bumper to protect deck finish.
- Stainless steel hardware tested for saltwater use.
- Fits any Fortrex or Riptide SF bow mount trolling motor.

Order No. Mfg. No. / Description Price  
**476431** (1862050) MKA-50 **\$44.99 C**

**Boater Sports Trolling Motor Pull Cord**



- Durable, abrasion resistant 48" nylon pull cord with heavy duty plastic handle.

Order No. Mfg. No. / Description Price  
**1-52245** (52245) **\$5.95 H**

**T-H Marine G-Force™ Trolling Motor Replacement Handle and Cable**



- This trolling motor replacement release and lift system is a rugged, nylon jacketed stainless steel cable with a large comfortable cushioned grip handle.
- Fits most models and makes.
- Comes complete with a hook-n-loop strap to secure to the motor shaft while underway.

Order No. Mfg. No. / Description Price  
**642690** (GFHCA1RDP) Handle & Cable w/Trolling Motor Clamp, Red **\$50.98 Q**  
**642647** (GFH-1R-DP) Replacement Cable Handle, Red **\$46.98 H**  
**642650** (GFH-1G-DP) Replacement Cable Handle, Black **\$46.98 H**

**Boater Sports Trolling Motor Mounting Isolators**



- For mounting bow mount motors.
- Set of (4) "T-Type" isolators with bolts.

Order No. Mfg. No. / Description Price  
**2000595** (RL8374) **\$15.98 H**

**MotorGuide Mounting Isolators**



- Absorbs shock and protects electronics.
- Ideal for mounting all marine accessories without having to go under the deck.
- Sold 4 per package.

Order No. Mfg. No. / Description Price  
**502319** (MGA015PB6) **\$16.20 F**

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

**MotorGuide Wireless Foot Pedal**



- For use with all Wireless Series trolling motors.
- On/off, right/left and faster/slower wireless motor commands make it a cinch to master for novice and expert alike.

Order No.	Mfg. No. / Description	Price
501764	(8M4000952)	\$95.40 D

**Aronda Foot Pedal Recess**



- Finally an economical aftermarket foot pedal recess for the deck of your Bass Boat!
- This recess allows more even weight distribution while fishing for less stress on the knees and back.
- One size fits most trolling motor foot pedals.
- Fiberglass construction with 1/2" plywood bottom reinforcing for strength and durability.

Order No.	Mfg. No. / Description	Price
2000025	(RFP-B) Black	\$69.98 G
2000026	(RFP-G) Gray	\$69.98 G
2000027	(RFP-W) White	\$69.98 G

**MotorGuide Trolling Motor Mounting Kit**



- Absorbs shock and protects electronics.
- Stainless steel bolts, fender washers and nylon lock nuts fit all trolling motors.
- Four per package.

Order No.	Mfg. No. / Description	Price
5010021	(8M4000873)	\$13.99 K

**MotorGuide Removable Mounting Plates**



- Universal hole patterns.
- Makes motor removal and installation fast and simple.
- Fits Gator Flex 360, 20.8, 21, 21R, 24 and 24R mounts.

Order No.	Mfg. No. / Description	Price
5010058	(MGA501A2) Black	\$114.99 F
502321	(MGA515A2) White	\$103.50 F

**MotorGuide Removable Mount**



- Aluminum construction.
- Specially designed for fish-and-ski and pontoon boats. Fits 20.5 mount.

Order No.	Mfg. No. / Description	Price
502511	(MGA092X1)	\$112.98 LQ

**Minn Kota Battery Power Center**



- For small boat, transom applications, these easy access external battery terminals allow trolling motor leads and charger leads to be connected without opening the box.
- Built-in battery meter displays battery state of charge.
- Includes two 12 volt accessory plugs, two manual reset circuit breakers (10 amp for the accessory plugs and 60 amp breaker for the trolling motor).
- Fits group 24 and 27 size batteries.

Order No.	Mfg. No. / Description	Price
476718	(1820175)	\$64.99 D

**Swivl-Eze Trol-Lock Motor Mounts**



- Unique, Trol-Lock products let you remove trolling motor in seconds.
- 5-1/2" x 20-1/2" black powder coated base with 5-1/2" diameter mounting plates.

**FOR MOTORGUIDE TROLLING MOTORS WITH 07 AND 16 MOUNTS**

- Max. torque: 2,604 - lb. - in.
- Retro fits the 01 and 15 mounts.
- Comes with glass filled plastic mounting pads and step pad covers.

Order No.	Mfg. No. / Description	Price
587370	(5000)	\$99.98 LQ

**FOR MOTORGUIDE TROLLING MOTORS WITH 20.5 AND 21 MOUNTS**

- Max. torque: 6,540 - lb. - in.
- Retro fits the 20 and 25 mounts.
- Comes with aluminum mounting pads.

Order No.	Mfg. No. / Description	Price
587375	(5650)	\$159.98 LQ

**MotorGuide Xi5 Quick Release Bracket**



- The low profile and small footprint design saves space.
- Optional security clasp for a padlock protects the motor from theft.
- Solid construction with tough nylon and stainless steel hardware.
- White nylon.
- Thread locking clamp style eliminates noise and movement.
- For Saltwater Motors.

Order No.	Mfg. No. / Description	Price
501769	(8M0092063)	\$71.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.



**Minn Kota Quick Release Bracket Mounts**



- They provide easy removal of your motor for storage and safety, and they integrate seamlessly with your boat's design.

**MKA-16-02 - QUICK RELEASE BRACKET MOUNT**

- For use with Ulterra, Terrova, PowerDrive V2, PowerDrive or Pontoon PowerDrive V2 bow mount trolling motor.
- Extruded aluminum design features a side screw secure locking system.

Order No. Mfg. No. / Description Price  
**476595** (1854013) MKA-16-02 **\$49.99** E

**MKA-23 - QUICK RELEASE BRACKET MOUNT**

- For use with Fortrex, Maxxum, Maxxum Pro, All Terrain or Edge bow mount trolling motor.
- High-yield composite construction is super strong and impervious to corrosion.
- Low-profile design leaves deck clear when the motor is removed.
- Locking handle with stainless steel pins can be secured with a padlock.

Order No. Mfg. No. / Description Price  
**476635** (1854023) MKA-23 **\$99.99** D

**MKA-52/62 - QUICK RELEASE BRACKET MOUNT**

- For use with Fortrex or Maxxum bow mount trolling motors.
- Fits 52" and 62" shaft foot control models and 62" shaft hand control motors.
- Extruded aluminum design of these brackets features a side screw that provides a quiet and secure locking system.

Order No. Mfg. No. / Description Price  
**476627** (1862016) MKA-52/62 **\$149.99** E

**RTA-17 - QUICK RELEASE BRACKET MOUNT**

- For use with Riptide ST or Riptide SP bow mount trolling motors.
- High-yield composite construction is super strong and impervious to corrosion.
- Low-profile design leaves deck clear when the motor is removed.
- Locking handle with stainless steel pins can be secured with a padlock.

Order No. Mfg. No. / Description Price  
**476667** (1854017) RTA-17 **\$79.99** E

**RTA-19 - QUICK RELEASE BRACKET MOUNT**

- For use with Riptide SF, Riptide SM or Riptide SE bow mount trolling motors.
- High-yield composite construction is super strong and impervious to corrosion.
- Low-profile design leaves deck clear when the motor is removed.
- Locking handle with stainless steel pins can be secured with a padlock.

Order No. Mfg. No. / Description Price  
**476630** (1854019) RTA-19 **\$99.99** E

**Minn Kota Quick Release Scissor Mount**



- Instantly attach or detach any All Terrain bow mount motor.
- Constructed of high-grade anodized aluminum for lightweight and rugged durability.
- Features a unique locking, quick-release design.

Order No. Mfg. No. / Description Price  
**476209** (1862015) MKA-8 **\$48.98** LQ

**Minn Kota Universal Mounting Bracket**



- Allows you to easily switch between cable steer and electric steer bow mount trolling motors.
- Utilizes existing mounting hole patterns.
- No additional drilling is required.
- Innovative positioning mechanism allows motor to slide inboard (up to 6") for additional clearance when launching boat.
- Removable top plate allows motor to be easily removed for storage and security.

Order No. Mfg. No. / Description Price  
**476999** (1854040) MKA-47 **\$149.99** E

**T-H Marine Trolling Motor Mount**



- Designed for clamp-on type electric trolling motors.
- Cast aluminum bracket with marine wood mounting block.
- Maximum trolling motor thrust of 36 pounds.
- Motor must be removed and stowed before operating boat or trailering.
- Not designed for outboard of any horsepower.

Order No. Mfg. No. / Description Price  
**641109** (TMM-1-DP) **\$61.98** H

**Boater Sports Trolling Motor Bracket**



- Heavy duty aluminum construction.
- Universal mounting bracket is designed to accommodate all bow mount trolling motors.
- Adapts to fit on both bow and stern applications.
- 6" wide by 16" long and adjusts from 3-1/8" to 4" in height.

Order No. Mfg. No. / Description Price  
**210060** (EBG) **\$33.98** H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors**
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Boater Sports Trolling Motor Props



- These replacement trolling motor props are designed for use with Minn Kota trolling motors.
- Made from impact-resistant nylon, these will fit your motor with no modification and will last just as long as the original prop.
- Designed for strength, durability and efficiency, these props will mow through the roughest of undergrowth.

Order No.	Mfg. No.	Description	Hub Span	Blade Height	Hub Size	Shaft	Price
2100041	(BS-2)	Replaces Minn Kota Propeller - MKP-2	3-1/4"	9"	1-1/2"	3/8"	<b>\$13.98</b> H
2100046	(BS-6)	Replaces Minn Kota Propeller - MKP-6	3"	10"	1-1/2"	3/8"	<b>\$15.98</b> H
2100047	(BS-7)	Replaces Minn Kota Propeller - MKP-7	3-1/2"	11"	2-1/4"	3/8"	<b>\$19.98</b> H
2100052	(BS-8)	Replaces Minn Kota Propeller - MKP-8	3-5/8"	11"	2-3/8"	1/2"	<b>\$26.98</b> H
2100042	(BS-24)	Replaces Minn Kota Propeller - MKP-24	4"	11"	2-3/8"	1/2"	<b>\$19.98</b> H
2100043	(BS-32)	Replaces Minn Kota Propeller - MKP-32	3-5/8"	11"	2-3/8"	1/2"	<b>\$19.98</b> H
2100044	(BS-33)	Replaces Minn Kota Propeller - MKP-33	4"	11"	2-3/8"	1/2"	<b>\$19.98</b> H

Minn Kota Weedless Wedge 2 Propellers



- This 100% weedless prop features a unique, patented design with swept-back and flared blades that "wedge" weeds away while conserving battery power.

MKP-32 - FITS 3-5/8" MOTOR DIAMETERS.

- Motor Models with Serial Number Prefix "WW" or "J" through "O".
- For use with: All Terrain 46, 47, 50, 55, 65, 70; Camo 55; Edge 45, 50, 55, 70; Endura 46, 50, 55; Endura C2 50, 55; Endura Max 50, 55; Engine Mount 55; Maxxum 55, 65, 70; Maxxum Transom 40, 50, 55, 70; Pontoon Hand Control 55, 70; Pontoon PowerDrive V2 54, 68; PowerDrive 50, 55, 65, 70; PowerDrive V2 55, 65, 70; Riptide 50, 55, 65, 70; Riptide SP 55, 70; Riptide ST 55; Terrova 55; Traxxis 46, 50, 55, 70; Vector 46, 55, 70 Vector 3X 46, 55, 70.
- Prop nut kit: "A" (MKP-9).

Order No.	Mfg. No. / Description	Price
476286	(1865017) MKP-32	<b>\$26.99</b> LQ

MKP-33 - FITS 4" MOTOR DIAMETERS.

- Motor Models with Serial Number Prefix "WW" or "J" through "O".
- For use with: Engine Mount 80, 101, 160, 202; Fortrex 80, 101; Maxxum 80, 101; Maxxum Transom 80, 101; PowerDrive V2 80; Riptide 80, 101; Riptide Pro 80, 101; Riptide SF 80, 101; Riptide SM 80, 101; Riptide ST 80, 101; Terrova 80, 101; Traxxis 80, 101; Vantage 80, 101; Vector 3X 80, 101; All Trim-N-Troll Kits.
- Prop nut kit: "E" (MKP-34).

Order No.	Mfg. No. / Description	Price
476287	(1865018) MKP-33	<b>\$39.99</b> C

MKP-38 - FITS 4-1/2" MOTOR DIAMETERS.

- Motor Models with Serial Number Prefix "O"
- For use with: Fortrex 112, Terrova 112, Riptide ST 112, Riptide SF 112 and Riptide Transom 112.
- Prop nut kit: "E" (MKP-34).

Order No.	Mfg. No. / Description	Price
476427	(1865023) MKP-38	<b>\$39.99</b> C

Minn Kota Weedless Wedge Propellers



- This 100% weedless prop is designed to push weeds away and conserve battery power.

MKP-6 - FITS 3-1/4" MOTOR DIAMETERS.

- Motor Models with Serial Number Prefix "MKJ", "MKA" or "J" through "O".
- For use with: All Terrain 30, 33, 36, 42, 44; Camo 55; Edge 40, 45; Endura 46, 50, 55; Endura C2 50, 55; Endura Max 40, 45; Endura Pro 32, 38; Maxxum Transom 33, 40; PowerDrive 36, 40; PowerDrive V2 40, 42, 45; Traxxi 40, 45.
- Prop nut kit: "A" (MKP-9).

Order No.	Mfg. No. / Description	Price
476261	(1865003) MKP-6	<b>\$16.99</b> C

MKP-7 - FITS 3-5/8" MOTOR DIAMETERS.

- Motor Models with Serial Number Prefix "MKJ", "MKA" or "J" through "O".
- For use with: All Terrain 46, 47, 50, 55, 65, 70; Camo 55; Edge 45, 50, 55, 70; Endura 46, 50, 55; Endura C2 50, 55; Endura Max 50, 55; Endura Pro 46; Maxxum 55, 65, 70; Maxxum Transom 46, 50, 55, 70; Pontoon 54, 64; PowerDrive 50, 55, 65, 70; PowerDrive V2 55, 65, 70; Riptide 50, 55; Terrova 55; Traxxis 46, 50, 55, 70; Vector 46, 55; Vector 3X 45, 55, 70.
- Prop nut kit: "A" (MKP-9).

Order No.	Mfg. No. / Description	Price
476273	(1865006) MKP-7	<b>\$24.99</b> C

MKP-7 - FITS 4" MOTOR DIAMETERS.

- Motor Models with Serial Number Prefix "MKJ" or "MKA".
- For use with: Maxxum 65, 74, 80; Maxxum Transom 74; PowerDrive 74; Vantage 74; Vector 3X 74.
- Prop nut kit: "B" (MKP-10).

Order No.	Mfg. No. / Description	Price
476285	(1865007) MKP-8	<b>\$34.99</b> C

MKP-24 - FITS 4" MOTOR DIAMETERS.

- Motor Models with Serial Number Prefix "MKA".
- For use with: Maxxum 101; Riptide 101; Vantage 101; Vector 3X 101.
- Prop nut kit: "D" (MKP-23).

Order No.	Mfg. No. / Description	Price
476425	(1865013) MKP-24	<b>\$37.99</b> C

Minn Kota Power Propeller



- Fits 3-1/4" diameter.
- Motor Models with Serial Number Prefix "MKJ", "MKA" or "J" through "O".
- For use with: All Terrain 30, 33, 36, 42; Camo 44, 45; Classic 28; Edge 40, 45; Endura 30, 34, 38, 40, 45; Endura C2 30, 34, 38, 40, 45; Endura Max 40, 45; Endura Pro 32, 38; Maxxum Transom 33, 40; PowerDrive 40; PowerDrive V2 40, 42, 45; Riptide 40, 45; Traxxis 33, 40, 45.
- Prop nut kit: "A" (MKP-9).

Order No.	Mfg. No. / Description	Price
476223	(1865002) MKP-2	<b>\$13.99</b> C

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

**MotorGuide Propellers**

**2-BLADE POWER PROPELLER - 3" HUB SIZE**

- Application: Power and efficiency.

Order No.	Mfg. No. / Description	Price
502028	(MGA0476B)	\$30.60 F

**2-BLADE POWER PROPELLER - 3-1/2" HUB SIZE**

- Application: Power and efficiency.

Order No.	Mfg. No. / Description	Price
502030	(MGA0495B)	\$30.60 F

**2-BLADE SAFARI WEEDLESS PROPELLER - 3-1/2" HUB SIZE**

- Application: Weedless and power.

Order No.	Mfg. No. / Description	Price
502033	(8M0028330)	\$30.60 F



**3-BLADE ALUMINUM MACHETE PROPELLER - 3-1/2" HUB SIZE**

- Application: Shallow and durability.

Order No.	Mfg. No. / Description	Price
502042	(MGA087M)	\$53.10 F

**3-BLADE COMPOSITE MACHETE III PROPELLER - 3-1/2" HUB SIZE**

- Application: Speed and efficiency.

Order No.	Mfg. No. / Description	Price
502054	(MGA089B) Black	\$30.60 F
5010055	(MGA089G) Grey	\$44.99 F

**MotorGuide Prop Nut Wrench Kit**



- Comes complete with spare prop nut and two prop pins.
- New prop nuts have a brass insert and allow for fast prop changes.

Order No.	Mfg. No. / Description	Price
502117	(MGA050B6)	\$14.40 F

**Minn Kota Prop Nut Kit**



- Each kit includes a prop nut and washer.
- A crescent wrench is required for installation.

Order No.	Mfg. No. / Description	Price
476297	(1865010) MKP-9 "A"	\$6.99 C

**T-H Marine G-Force Eliminator™ Trolling Motor Prop Nuts**



- Machined from 6061 Billet Aluminum.
- Anodized protected.
- Wider contact area for a more stable prop.
- It acts as a heat sink and has built-in cooling ports that reduce the operating temperature for longer battery and trolling motor life.
- Made to fit most Minn Kota and MotorGuide trolling motors.
- Comes in an assortment of colors to provide a sleek, matching aesthetic.
- O-ring dampens noise/vibration and secures nut.
- No tools needed.
- Designed and made in the U.S.A. Patent pending.
- Please Note: Will not work with Kipawa and Hydrilla Hacker Props.

Order No.	Mfg. No. / Description	Price
642660	(GFELMGBKDP) MotorGuide Black	\$63.98 Q
642662	(GFELMGBUDP) MotorGuide Blue	\$63.98 Q
642664	(GFELMGCDP) MotorGuide Clear Silver	\$63.98 Q
642666	(GFELMGRDP) MotorGuide Red	\$63.98 Q
642668	(GFELMKBKDP) Minn Kota 80, 101, 112 Black	\$63.98 Q
642670	(GFELMKBUDP) Minn Kota 80, 101, 112 Blue	\$63.98 Q
642672	(GFELMKCDP) Minn Kota 80, 101, 112 Clear Silver	\$63.98 Q
642674	(GFELMKRDP) Minn Kota 80, 101, 112 Red	\$63.98 Q
642676	(GFELMKSBDKDP) Minn Kota 35-70 Black	\$63.98 Q
642678	(GFELMKSBUDP) Minn Kota 35-70 Blue	\$63.98 Q
642680	(GFELMKSCDP) Minn Kota 35-70 Clear Silver	\$63.98 Q
642682	(GFELMKSRDP) Minn Kota 35-70 Red	\$63.98 Q

**MotorGuide Prop Nuts**



- Includes: (5) Prop nuts.
- New prop nuts have a brass insert and allow for fast prop changes.

Order No.	Mfg. No. / Description	Price
502105	(MAR09902T)	\$4.03 F

**Marpac Prop Pin**



- Fits MotorGuide propellers.
- Sold 2 per pack.

Order No.	Description	Price
7-0019B	Sold in Bulk	\$6.98 G

**MotorGuide 63" Cable Assembly with Stud**



Order No.	Mfg. No. / Description	Price
502573	(M9377)	\$24.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.


- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors**
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

**Marpac Micro Switch for Trolling Motors**



Order No.	Description	Price
7-0018	Sold per Package	\$21.98 G
7-0018B	Sold in Bulk	\$21.98 G

**Marpac Breaker Bracket and Boot**



Order No.	Description	Price
7-1170	Breaker Bracket and Boot	\$3.95 H

**Marpac Male Boat Side Connectors**




Order No.	Description	Price
7-1304	12 volt, 2 Wires	\$12.98 G
7-1308	24 volt, 3 Wires	\$13.98 G

**Marpac Female Motor Side Plugs**



Order No.	Description	Price
7-1306	12 volt, 2 Wires	\$11.98 G
7-1310	24 volt, 3 Wires	\$11.98 G

**MotorGuide 50 amp Plug**




Order No.	Mfg. No. / Description	Price
5010023	(8M4000953)	\$13.99 F

**Circuit Breaker**



Order No.	Mfg. No. / Description	Price
700843	(W23X1A1G10) 10 amp	\$45.98 B

**Boater Sports Breaker Bracket and Boot**




Order No.	Description	Price
1-51111	(BK/BB-1-BS)	\$3.95 H

**Boater Sports Male Boat Side Connectors**




Order No.	Mfg. No. / Description	Price
1-51445	(51445) 12 volt, 2 Wires	\$11.99 H
1-51447	(51447) 24 volt, 3 Wires	\$15.75 J

**Boater Sports Female Motor Side Plugs**




Order No.	Mfg. No. / Description	Price
1-51446	(51446) 12 volt, 2 Wires	\$9.19 H
1-51448	(51448) 24 volt, 3 Wires	\$13.75 J

**Marpac Breaker Kit**



Order No.	Description	Price
7-1169	Breaker Kit	\$9.98 H

**Boater Sports Breaker Kit**



Order No.	Description	Price
1-51110	(51110)	\$10.95 H

**Sierra Male Boat Side Connectors**



Order No.	Mfg. No. / Description	Price
181052	(WH10520) 12 volt, 2 Wires	\$20.29 H
181054	(WH10540) 24 volt, 3 Wires	\$24.29 H

**Sierra Female Motor Side Plugs**



Order No.	Mfg. No. / Description	Price
181053	(WH10530) 12 volt, 2 Wires	\$18.29 H
181055	(WH10550) 24 volt, 3 Wires	\$21.49 H

**MotorGuide 50 amp Power Receptacle**



Order No.	Mfg. No. / Description	Price
5010024	(8M4000954)	\$16.99 F

- Includes: 50 amp in-line circuit breaker, bracket and boot.
- Manual reset button.
- For use with higher amperage accessories.
- For use with 12V or 24V systems.

- Can be used with most either manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements, reducing corrosion.

- 8 Gauge.
- 6" wire with butt connector.
- Ready-wired.

- 8 Gauge.
- 6" wire with butt connector.
- Ready-wired.

- Can be used with most either manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements, reducing corrosion.

- Can be used with most either manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements, reducing corrosion.

- 8 Gauge wire with butt connectors.
- Mounting screws included.

- 8 Gauge wire.
- Includes butt connectors.

- 8 Gauge wire with butt connectors.

- 8 Gauge wire.
- Includes butt connectors.

- MotorGuide Trolling Motor Power Receptacle.
- 50 amp, matching two-prong 12, 24 or 36-volt trolling motor receptacle for bow-panel installation.
- Provides a safe and solid connection.

**Marpac Male Trolling Motor Plugs - Motor Side**



- 10 Gauge wire with butt connectors.

Order No.	Description	Price
7-1298	12 volt, 2 Wires	\$10.98 G
7-1302	24 volt, 3 Wires	\$13.98 G

**Boater Sports Male Trolling Motor Plugs - Motor Side**



- 10 Gauge wire.
- Includes butt connectors.

Order No.	Mfg. No. / Description	Price
1-51441	(51441) 12 volt, 2 Wires	\$9.95 H
1-51443	(51443) 24 volt, 3 Wires	\$9.19 H

**Sierra Male Trolling Motor Plugs**



- 10 Gauge wire with butt connector
- Ready-wired.

Order No.	Mfg. No. / Description	Price
181048	(WH10480) 12 volt, 2 Wires	\$16.79 H
181050	(WH10500) 24 volt, 3 Wires	\$19.69 H

**Marpac Female Trolling Motor Sockets - Boat Side**



- 10 Gauge wire with butt connectors.
- Mounting screws included.

Order No.	Description	Price
7-1296	12 volt, 2 Wires	\$10.98 G
7-1300	24 volt, 3 Wires	\$13.98 G

**Boater Sports Female Trolling Motor Sockets - Boat Side**



- 10 Gauge wire.
- Includes butt connectors.

Order No.	Mfg. No. / Description	Price
1-51442	(51442) 2 Wire, 10 Gauge	\$9.95 H
1-51444	(51444) 3 Wire, 10 Gauge	\$11.99 H

**Sierra Female Trolling Motor Sockets**



- 10 Gauge wire with butt connector.
- Ready-wired.

Order No.	Mfg. No. / Description	Price
181047	(WH10470) 12 volt, 2 Wires	\$19.49 H
181049	(WH10490) 24 volt, 3 Wires	\$22.39 H

**Sierra Trolling Motor Connector**



- 6", 8 GA, 12 volt, with butt connectors.
- V-Groove.

Order No.	Mfg. No. / Description	Price
772230	(WH10610) Male, Boat Side	\$14.98 H

**Sierra Trolling Motor Socket and Plug**



- 6", 8 GA, 12 volt, with butt connectors.
- V-Groove.

Order No.	Mfg. No. / Description	Price
772229	(WH10600) Female, Motor Side	\$13.98 H

**Boater Sports Trolling Motor Plugs - 4 Prong**



1-51556

1-51555

- 4 prong locking plug or socket for trolling motors.
- Replaces: Marincos 2018BR & 2018BP-24.

Order No.	Mfg. No. / Description	Price
1-51555	(51555) Female, Boat Side	\$19.95 H
1-51556	(51556) Male, Motor Side	\$19.95 H

**T-H Marine Trolling Motor Plugs and Receptacle**



641870

641882



- Heavy duty use.
- Handles high amps.
- Water tight seal.
- Gold contacts.
- Original equipment on Ranger Boats.
- Easily handles 12 or 24 volt systems.

**TROLLING MOTOR MALE PLUG - BLACK**

Order No.	Mfg. No. / Description	Price
641870	(TMBMP-1-DP)	\$34.98 H


**BATTERY CHARGER MALE PLUG - RED**

Order No.	Mfg. No. / Description	Price
641894	(TMRCP-1-DP)	\$32.98 LQ

**FEMALE BASE RECEPTACLE - BLACK**

Order No.	Mfg. No. / Description	Price
641882	(TMFR-1-DP)	\$53.98 H

**Boater Sports Trolling Motor Plugs - 3 Prong**



1-51558

1-51557

- 3 prong locking plug or socket for trolling motors.
- Replaces: Marincos 305CRR & 305BP.

Order No.	Mfg. No. / Description	Price
1-51557	(51557) Female, Boat Side	\$19.95 H
1-51558	(51558) Male, Motor Side	\$19.95 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors**
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

**Marinco ConnectCharger™ Inlet**

**MARINCO**



- Designed to accept plug-in Guest Connect Charge On-board Battery Chargers.
- Features universal mounting: Use three screw through the faceplate to mount it from the front or use a threaded locking ring to mount it to the dash from the rear.
- The watertight lid snaps closed to protect the AC plug.

Order No.	Mfg. No. / Description	Price
217910	(150CCI)	\$26.98 F

**Marinco 6 Gauge ConnectPro Wire Receptacle Adapter**

**MARINCO**



- Allows 6 gauge wire connection to ConnectPro Receptacle.
- Corrosion resistant, plated brass electrical components.

Order No.	Mfg. No. / Description	Price
217617	(12VBRAD) 12 Volt	\$22.98 F

**Minn Kota Trolling Motor Plug and Receptacle**

**MARINCO**



- Universal design for 2 or 3 wire configurations on 12 to 36 volt systems.
- Watertight sealing cap and corrosion resistant, electrical components.
- Requires a standard 1-1/8" diameter mounting hole.

Order No.	Mfg. No. / Description	Price
476590	(1865102) MKR-18	\$29.99 E

**Marinco Charger Plug (Male)**

**MARINCO**



- Charger plug (male) connects to a 12 volt battery charger to allow simultaneous charging of two 12 volt batteries when plugged into the receptacle.

Order No.	Mfg. No. / Description	Price
217972	(2018BP-12) Red	\$31.98 F

**Marinco Trolling Motor Plug (Male)**

**MARINCO**



- Trolling motor plug (male) connects to the trolling motor.
- Jumpered internally to supply 12 volt and 24 volt power to the trolling motor when plugged into the receptacle.
- Max. rating is 60 amps.

Order No.	Mfg. No. / Description	Price
217984	(2018BP-24) Black	\$26.98 F

**Marinco Receptacle**

**MARINCO**



- Designed for use with Marinco Charger and Trolling Motor plugs.
- Glass reinforced corrosion resistant nylon.
- Accepts 8 gauge stranded wire or up to 6 gauge with ring terminals.
- 12/24 volt locking.

Order No.	Mfg. No. / Description	Price
217960	(2018BR) Black	\$55.98 F

**Marinco Hard Wired Charger Inlets**

**MARINCO**



- 15 amp straight blade inlet.
- Low profile cap won't catch fishing line.
- Mounts easily to fiberglass and aluminum hulls.
- Perma-Lock terminals and color coded wire entrance holes make wiring a snap.
- UV resistant housing/cap.
- Universal mount.

Order No.	Mfg. No. / Description	Price
217908	(150BBI) Black	\$26.98 F
218640	(150BBIW) White	\$29.98 G

**Marinco ConnectPro Trolling Motor Plug and Receptacle**

**MARINCO**



- The ConnectPro has superior electric current carrying capacity to eliminate problems that rob motors of power and reduce battery life.
- Features a locking plug and receptacle with spring clamping connections which provides a secure electrical contact.
- Universal design for 2 or 3 wire configuration; 12, 24, 12/24, 24/36 or 36 volt systems.
- Corrosion resistant, plated brass electrical components.

Order No.	Mfg. No. / Description	Price
217940	(12VBP) ConnectPro Plug Only	\$22.98 F
217941	(12VBR) ConnectPro Receptacle Only	\$28.98 F
217942	(12VCP) ConnectPro Receptacle and Plug Kit	\$47.98 F

**Marinco Receptacle with Flip Lid**

**MARINCO**



- Spring loaded flip lid cover and receptacle, pre-assembled.
- The receptacle is glass reinforced corrosion resistant nylon.
- Accepts 8 gauge stranded wire or up to 6 gauge with ring terminals.
- 12/24 volt locking.

Order No.	Mfg. No. / Description	Price
217996	(2018BR-MB) Black	\$81.98 F

**Marinco Trolling/Charging System Package**

**MARINCO**



- Package includes: 217972 (2018BP-12), 217984 (2018BP-24) and 217996 (2018BR-MB).
- Enclosed in one package and economically priced.

Order No.	Mfg. No. / Description	Price
218001	(2018PKG)	\$110.98 F

Fun & Flotation  
Anchor & Dock  
Safety  
Electronics

Trolling Motors

Lighting  
Electrical  
Topside Acc.  
Cockpit & Deck  
Instruments

Steering, Controls  
Perform.  
Fuel System  
Engine & Parts

Engine Care  
Propellers

Seating & Pedestals  
Tops & Covers

Pumps  
Cleaning & Care

Paint & Paint Acc.  
Hardware, Fasteners

Trailer  
Misc.

Comm.



**2016 RIGGING ALLOWANCE PROGRAM - QUALIFYING MINN KOTA MOTORS**  
Effective 10/5/15 - 9/30/16

PRODUCT DESCRIPTION	SHAFT LENGTH	PROD. CODE	UPC 29402	SHAFT LENGTH	PROD. CODE	UPC 29402	SHAFT LENGTH	PROD. CODE	UPC 29402
<b>EDGE SERIES</b>									
EDGE 55L&D	45"	1355956	03631-8	52"	1355957	03632-5			
EDGE 55L&D/HAND	52"	1355955	03630-1						
EDGE 70L&D	45"	1355970	03634-9	52"	1355971	03635-6			
<b>FORTREX SERIES</b>									
FORTREX 80	45"	1368660	03194-8	52"	1368661	03195-5			
FORTREX 80US2	45"	1368670	03197-9	52"	1368671	03198-6			
FORTREX 112	45"	1368687	04064-3	52"	1368688	04065-0			
FORTREX 112US2	45"	1368685	04066-7	52"	1368689	04067-4			
FORTREX 112US2	62"	1368687	04068-1						
FORTREX 112/HAND	52"	1368686	04063-6	62"	1368672	03199-3			
<b>MAXXUM BOW MOUNT SERIES</b>									
MAXXUM 55BG	42"	1368553	02251-9	52"	1368554	02252-6			
MAXXUM 55S/C/HAND	52"	1368620	03308-9						
MAXXUM 70BG	42"	1368561	02254-0	52"	1368562	02255-7			
MAXXUM 70S/C/HAND	52"	1368630	03309-6						
MAXXUM 70S/C/BG	42"	1368560	02253-3						
MAXXUM 80BG	42"	1368580	02259-5	52"	1368581	02260-1			
MAXXUM 80B/G/HAND	52"	1368640	03310-2						
<b>POWERDRIVE V2 SERIES</b>									
55 PD V2	48"	1358710	02886-2	54"	1358711	02887-9			
55 PD V2/US2	54"	1358751	02903-7						
55 PD V2/AP	54"	1366201	02886-0						
55 PD V2/AP/US2	54"	1366251	02980-7						
55 PD V2 w/ i-Pilot (no foot pedal)	48"	1358740	03647-9	54"	1358741	03648-6			
55 PD V2/US2 w/ i-Pilot (no foot pedal)	54"	1358753	03650-9						
70 PD V2	54"	1358720	02900-6	60"	1358721	02901-3			
70 PD V2/US2	54"	1358755	02904-4	60"	1358756	02905-1			
70 PD V2/AP	60"	1366211	02888-4						
70 PD V2/AP/US2	54"	1366260	02991-4	60"	1366261	02992-1			
70 PD V2 w/ i-Pilot (no foot pedal)	54"	1358726	03649-3						
70 PD V2/US2 w/ i-Pilot (no foot pedal)	60"	1358758	03651-6						
<b>TERROVA SERIES</b>									
TERROVA 55	48"	1358800	02906-8	54"	1358801	02907-5			
TERROVA 55US2 w/ i-Pilot incl. foot pedal	45"	1358854	03691-2	54"	1358853	03652-3			
TERROVA 55US2 w/Link incl ft pedal	54"	1358855	03813-8						
TERROVA 55/HP	54"	1358804	04376-7						
TERROVA 80	60"	1358811	02909-9	60"	1358861	02915-0			
TERROVA 80US2	54"	1358860	02914-3	60"	1358865	03654-7			
TERROVA 80US2 w/ i-Pilot incl. foot pedal	45"	1358864	03653-0	60"	1358867	03815-2			
TERROVA 80US2 w/Link incl ft pedal	45"	1358866	03814-5						
TERROVA 80/AP/US2	60"	1366161	02927-3						
TERROVA 80/AP/US2 w/ i-Pilot incl ft pedal	72"	1358868	04196-1						
TERROVA 112US2 w/Link incl ft pedal	60"	1358840	04071-1	60"	1358842	04073-5			
TERROVA 112US2 w/ i-Pilot incl ft pedal	54"	1358841	04072-8						
TERROVA 112US2	60"	1358843	04079-7						
TERROVA 112/AP/US2	60"	1366180	04074-2						
TERROVA 112US2 w/ i-Pilot incl. foot pedal	72"	1368844	04193-0						
<b>UL TERRA SERIES</b>									
UL TERRA 80US2-80" w/ i-Pilot Link	60"	1358901	04089-9						
UL TERRA 112US2-60" w/ i-Pilot Link	60"	1358911	04089-6	60"	1358900	03820-6			
UL TERRA 80US2-45" w/ i-Pilot	45"	1358902	04155-8	60"	1358910	03821-3			
UL TERRA 112US2-45" w/ i-Pilot	45"	1358912	04156-5						
UL TERRA 112/HP/US2	72"	1358913	04330-9						
<b>RIP TIDE FORTREX SERIES</b>									
RT SF 80BG	52"	1363840	03206-8	62"	1363841	03207-5			
RT 112/SF/BG/HAND	62"	1363660	04075-9						
<b>RIP TIDE SE SERIES</b>									
RT 55/SEL&D	52"	1355915	03645-5						
RT 70/SEL&D	52"	1355920	03646-2						
<b>RIP TIDE MAXXUM SERIES</b>									
RT 55/SML&D/SC	42"	1363420	03312-6	52"	1363421	03313-3			
RT 55/SML&D	52"	1363422	03314-0						
RT 70/SML&D/SC	52"	1363425	03315-7						
RT 80/SML&D	52"	1363447	03318-8						
RT 80/SMBG	52"	1363445	03316-4	62"	1363446	03317-1			
<b>RIP TIDE POWERDRIVE V2</b>									
RT 55/SP/CP	48"	1363550	02930-3	54"	1363554	03875-6			
RT 55/SP w/ i-Pilot (no foot pedal)	48"	1363553	03656-1						
RT 70/SP/CP	54"	1363560	02931-0						
RT 70/SP w/ i-Pilot (no foot pedal)	54"	1363563	03657-8						
<b>RIP TIDE TERROVA SERIES</b>									
RT 55/ST w/ i-Pilot (no foot pedal)	54"	1363704	03658-5						
RT 80/ST/CP	54"	1363760	02968-9	60"	1363715	03743-8			
RT 80/ST/CP/AP	60"	1363711	02934-1						
RT 80/ST w/ i-Pilot (no foot pedal)	54"	1363714	03658-2						
RT 112/ST/CP/AP	60"	1363730	02934-1						
RT 112/ST w/ i-Pilot NO foot pedal	60"	1363731	04077-3						
RIP TIDE TERROVA 112/HP	72"	1363733	04322-4						
<b>RIP TIDE UL TERRA SERIES</b>									
RIP TIDE UL TERRA 80/HP	54"	1358950	04175-6	60"	1358951	04176-3			
RIP TIDE UL TERRA 112/HP	60"	1358960	04177-0	72"	1358961	04331-6			





# 2016 MotorGuide Trolling Motor Rigging Rebates

Effective Dates: January 1, 2016 through December 31, 2016

**Any motor sold and installed by a dealer qualifies for a \$25 cash rebate**

Motors submitted for the MotorGuide Rigging Rebate are **not** eligible for the MotorGuide consumer retail incentives.

Model Number	Model Description (Model, Thrust, Style, Shaft Length, Voltage & Mount)	UPC Code
<b>Bow Mount Motors - Freshwater Use</b>		

## X3 Foot Control Motors

940200050	X3-45FW 36" 12V	0-89287-10682-7
940200060	X3-45FW 45" 12V	0-89287-10683-4
940200070	X3-45FW 50" 12V	0-89287-10684-1
940200080	X3-55FW 36" 12V	0-89287-10685-8
940200090	X3-55FW 45" 12V	0-89287-10686-5
940200100	X3-55FW 50" 12V	0-89287-10687-2
940200110	X3-70FW 45" 24V	0-89287-10688-9
940200120	X3-70FW 50" 24V	0-89287-10689-6
940200220	X3-55FW 36" 12V DIGITAL	0-22697-20022-8
940200170	X3-55FW 45" 12V DIGITAL	0-22697-20017-4
940200180	X3-70FW 45" 24V DIGITAL	0-22697-20018-1

## X3 Hand Control Motors

940200200	X3-45FW 50" HB 12V, HAND	0-22697-20020-4
940200210	X3-55FW 50" HB 12V, HAND	0-22697-20021-1
940200190	X3-55FW 50" HB 12V DIGITAL, HAND	0-22697-20019-8
940200230	X3-55FW 50" HB 12V DIGITAL PONTOON	0-22697-20023-5

## X5 Foot Control Motors

940500010	X5-55FW FB 45" DIGITAL 12V	0-22697-50001-4
940500080	X5-55FW FB 45" DIGITAL 12V SNR	0-22697-50008-3
940500170	X5-70FW FB 45" DIGITAL 24V	0-22697-17000-2
940500180	X5-70FW FB 45" DIGITAL 24V SNR	0-22697-18000-1
940500020	X5-80FW FB 45" DIGITAL 24V	0-22697-50002-1
940500090	X5-80FW FB 45" DIGITAL 24V SNR	0-22697-50009-0
940500030	X5-80FW FB 50" DIGITAL 24V	0-22697-50003-8
940500100	X5-80FW FB 50" DIGITAL 24V SNR	0-22697-50010-6
940500040	X5-80FW FB 60" DIGITAL 24V	0-22697-50040-3
940500110	X5-80FW FB 60" DIGITAL 24V SNR	0-22697-50011-3
940500050	X5-105FW FB 45" DIGITAL 36V	0-22697-50005-2
940500120	X5-105FW FB 45" DIGITAL 36V SNR	0-22697-50012-0
940500060	X5-105FW FB 50" DIGITAL 36V	0-22697-50006-9
940500130	X5-105FW FB 50" DIGITAL 36V SNR	0-22697-50013-7
940500070	X5-105FW FB 60" DIGITAL 36V	0-22697-50007-6
940500140	X5-105FW FB 60" DIGITAL 36V SNR	0-22697-50014-4

**Transom Mount Motors - Freshwater Use**

## **Bulldog**

921500020	BULLDOG 40 30" 03MT	0-89287-10479-3
921500090	BULLDOG 54 30" 09MT	0-89287-10590-5

## **R3**

940100170	R3-30 HT 30" 12V 03MT	0-22697-94017-9
940100160	R3-40 HT 36" 12V 03MT	0-22697-94020-9
940100150	R3-45 HT 36" 12V 09MT	0-22697-94030-8
940100140	R3-55 HT 36" 12V 09MT	0-22697-94050-6
940100200	R3-40 HT 36" 12V DIGITAL 03MT	0-22697-01002-5
940100180	R3-45 HT 36" 12V DIGITAL 09MT	0-22697-10018-4
940100190	R3-55 HT 36" 12V DIGITAL 09MT	0-22697-10019-1
940100210	R3-55 HT 42" 12V DIGITAL 09MT	0-22697-10021-4

### *Electric Steer Motors - Freshwater Use*

## **Wireless**

970100360	W45 48" 12V w/ Foot Pedal	0-22697-10036-8
970100020	W55 48" 12V w/ Foot Pedal	0-89287-10256-0
970100030	W55 54" 12V w/ Foot Pedal	0-89287-10257-7
970100060	W55 60" 12V w/ Foot Pedal	0-89287-10260-7
970100040	W75 54" 24V w/ Foot Pedal	0-89287-10258-4
970100050	W75 60" 24V w/ Foot Pedal	0-89287-10259-1

## **Xi5**

940800210	Xi5-55FW 45" 12V FP SNR GPS	0-89287-10690-2
940800170	Xi5-55FW 48" 12V FP	0-89287-10678-0
940800211	Xi5-55FW 48" 12V FP SNR GPS	0-22697-94211-1
940800180	Xi5-55FW 54" 12V FP	0-89287-10679-7
940800220	Xi5-55FW 54" 12V FP SNR GPS	0-89287-10691-9
940800270	Xi5-80FW 45" 24V FP SNR GPS	0-22697-94080-3
940800080	Xi5-80FW 54" 24V FP	0-89287-10668-1
940800230	Xi5-80FW 54" 24V FP SNR GPS	0-89287-10692-6
940800090	Xi5-80FW 60" 24V FP	0-89287-10666-7
940800240	Xi5-80FW 60" 24V FP SNR GPS	0-89287-10693-3
940800280	Xi5-105FW 48" 36V FP SNR GPS	0-22697-94280-7
940800130	Xi5-105FW 54" 36V FP	0-89287-10673-5
940800250	Xi5-105FW 54" 36V FP SNR GPS	0-89287-10694-0
940800140	Xi5-105FW 60" 36V FP	0-89287-10676-6
940800260	Xi5-105FW 60" 36V FP SNR GPS	0-89287-10695-7

### *Bow Mount Motors - Saltwater Use*

## **X3**

941300010	X3-55SW 50" HB 12V DIGITAL, HAND	0-22697-30001-0
-----------	----------------------------------	-----------------

## **Saltwater**

924410050	SW82 HBV 50" 24V 21RMT	0-89287-10235-5
924410060	SW82 HBV 60" 24V 24RMT	0-89287-10236-2
924410070	SW109 HBV 50" 36V 21RMT	0-89287-10237-9
924410080	SW109 HBV 60" 36V 24RMT	0-89287-10238-6

### *Transom Mount Motors - Saltwater Use*

## **R3**

941000030	R3-45SW HT 18" 12V DIGITAL 09MT	0-22697-10000-9
941000010	R3-45SW HT 36" 12V DIGITAL 09MT	0-22697-41000-9
941000020	R3-55SW HT 36" 12V DIGITAL 09MT	0-22697-41002-3

## **Saltwater**

9CT42KQAX	SW82 HTV 45" 24V 09MT	0-89287-10021-4
9CX53KQAX	SW109 HTV 50" 36V 09MT	0-89287-10022-1

### *Electric Steer Motors - Saltwater Use*

## **Xi5**

941700060	Xi5-55SW 48" 12V FOB	0-89287-10664-3
941700070	Xi5-55SW 54" 12V FOB	0-89287-10665-0
941700020	Xi5-80SW 54" 24V FOB	0-89287-10670-4
941700030	Xi5-80SW 60" 24V FOB	0-89287-10669-8
941700040	Xi5-105SW 54" 36V FOB	0-89287-10671-1
941700050	Xi5-105SW 60" 36V FOB	0-89287-10672-8
941700080	Xi5-55SW 54" 12V GPS	0-89287-10696-4
941700110	Xi5-80SW 48" 24V GPS	0-22697-94170-1
941700090	Xi5-80SW 60" 24V GPS	0-89287-10697-1
941700100	Xi5-105SW 60" 36V GPS	0-89287-10698-8