

Wire & Cable

Donovan Marine offers a complete line of marine wire and cable products. All wire and cable is RoHS compliant and built to meet SAE, UL, and/or CSA specifications. All wire is made in the USA

105° C Tinned Wire

UL-Listed, tinned wire is ideal for use in the highly corrosive environment of marine applications. Special electro-tinned, copper strands also increase protection against corrosion for recreational vehicles, automotive, trucks, and trailers. Tinned copper stranding is extremely flexible for easy routing through marine applications and easier to solder than bare copper. Flame retardant, PVC insulation is highly resistant to water, oil, grease, gasoline and other damaging solvents. High voltage tolerance of up to 600 volts adds versatility to its use in multiple marine and other sustainable applications.

- Voltage: Rated at 600 volts.
- Temperature: Rated at 105° C (221° F) dry and 75° C (167° F) wet.
- Specifications: Meets DOT and Coast Guard specs for electrical systems.




80° C Bonded Parallel Wire

Multiple primary wire parallel bonded with color-coding for identification purposes. Especially ideal for use in RVs, marine, and utility trailer applications. Built to stay together under the toughest operating conditions yet easy to separate at the end of a run for final terminal connection. All-copper stranded core is highly conductive maximizing current transfer while remaining flexible for easy installation.

- Voltage: Rated at 600 volts or less.
- Temperature: Rated at -30° C (-22° F) to 80° C (176° F).
- Specifications: SAE J1128.



105° C Tinned Single-Conductor UL Listed 1426 Wire



105° C Tinned Single-Conductor UL Listed 1426 Cable



105° C Tinned Multi-Conductor UL Listed 1426 Cable



105° C Tinned Bonded Parallel Wire



80° C Bonded Parallel Wire




Wiring Color Code - Direct Current Systems - Under 50 Volts

Color	Item	Use
Dark Green	Bonding System	Bonding Wires (if insulated)
Black	Ground	Return Wires (if insulated)
Red	Main Power Feeds	Positive Mains, Particularly Unfused
Yellow with a Red Stripe	Starting Circuit	Starting Switch to Solenoid
Yellow	Generator or Alternator Field	Generator to Alternator Field to Regulate Field Terminal
Dark Gray	Bilge Blowers	Fuse or Switch to Bilge Blowers
	Navigation Lights	Fuse or Switch to Lights
	Tachometer	Tachometer to Gauge
Brown	Generator Armature	Generator Armature to Regulator
	Alternator Charge Light	Generator Terminal/Alternator Auxiliary Terminal to Light to Regulator
	Pumps	Fuse or Switch to Pumps
Orange	Accessory Feed	Ammeter to Alternator or Generator Output & Accessory Fuses or Generator Switches Distribution Panel to Accessory Switch
Purple	Ignition	Ignition Switch to Coil and Electrical Instruments
	Instrument Feed	
Dark Blue	Oil Pressure	Oil Pressure Sender to Gauge
Tan	Water Temperature	Water Temperature Sender to Gauge
Pink	Fuel Gauge	Fuel Gauge Sender to Gauge

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical**
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Marpac Marine Primary Tinned Wire - Single Conductor



- Meets Coast Guard, ABYC, NMMA and DOT specifications for electric systems.
- Temperature rating of 105° C (221° F) dry and 75° C (167° F) wet.
- Electro-tinned, copper strands increase corrosion protection.
- Flame retardant PVC insulation.
- Rated 600 volts.
- UL Listed. RoHS compliant.

Order No.	Description	Price
7-4358	8 Gauge Green 100' Spools	\$139.98 L
7-4357	8 Gauge White 100' Spools	\$139.98 L
7-4356	8 Gauge Red 100' Spools	\$139.98 L
7-4354	8 Gauge Black 100' Spools	\$139.98 L
7-4359	8 Gauge Yellow 100' Spools	\$139.98 L
7-4350	10 Gauge Green 100' Spools	\$75.98 L
7-4349	10 Gauge Dark Blue 100' Spools	\$75.98 L
7-4348	10 Gauge White 100' Spools	\$75.98 L
7-4346	10 Gauge Red 100' Spools	\$75.98 L
7-4352	10 Gauge Red 250' Spools	\$221.98 L
7-4344	10 Gauge Black 100' Spools	\$75.98 L
7-4353	10 Gauge Black 250' Spools	\$221.98 L
7-4351	10 Gauge Yellow 100' Spools	\$75.98 L
7-4347	10 Gauge Brown 100' Spools	\$75.98 L
7-4345	10 Gauge Orange 100' Spools	\$52.98 L
7-4340	12 Gauge Green 100' Spools	\$52.98 L
7-4342	12 Gauge Dark Blue 100' Spools	\$52.98 L
7-4338	12 Gauge White 100' Spools	\$52.98 L
7-4336	12 Gauge Red 100' Spools	\$52.98 L
7-4332	12 Gauge Red 500' Spools	\$255.98 L
7-4334	12 Gauge Black 100' Spools	\$52.98 L
7-4333	12 Gauge Black 500' Spools	\$255.98 L
7-4341	12 Gauge Yellow 100' Spools	\$52.98 L
7-4343	12 Gauge Brown 100' Spools	\$52.98 L
7-4316	14 Gauge Green 100' Spools	\$33.98 L
7-4326	14 Gauge Dark Blue 100' Spools	\$33.98 L
7-4324	14 Gauge Light Blue 100' Spools	\$33.98 L
7-4314	14 Gauge White 100' Spools	\$33.98 L
7-4312	14 Gauge Red 100' Spools	\$33.98 L
7-4330	14 Gauge Red 500' Spools	\$170.98 L
7-4310	14 Gauge Black 100' Spools	\$33.98 L
7-4331	14 Gauge Black 500' Spools	\$170.98 L
7-4318	14 Gauge Yellow 100' Spools	\$33.98 L
7-4320	14 Gauge Brown 100' Spools	\$33.98 L
7-4322	14 Gauge Orange 100' Spools	\$33.98 L
7-4328	14 Gauge Pink 100' Spools	\$33.98 L
7-4308	14 Gauge Gray 100' Spools	\$33.98 L
7-4306	16 Gauge Green 100' Spools	\$23.98 L
7-4293	16 Gauge Dark Blue 100' Spools	\$23.98 L
7-4290	16 Gauge Blue 100' Spools	\$23.98 L
7-4304	16 Gauge White 100' Spools	\$23.98 L
7-4302	16 Gauge Red 100' Spools	\$23.98 L
7-4300	16 Gauge Black 100' Spools	\$23.98 L
7-4288	16 Gauge Brown 100' Spools	\$23.98 L
7-4294	16 Gauge Orange 100' Spools	\$23.98 L
7-4296	16 Gauge Pink 100' Spools	\$23.98 L
7-4292	16 Gauge Gray 100' Spools	\$23.98 L
7-4298	16 Gauge Purple 100' Spools	\$23.98 L

Marpac Marine Tinned Copper Primary Wire



- USCG accepted.
- SAE, GPT 105° C, meets SAE J378C and J1128.
- Acceptable for engine room use.
- Tinned copper.

Order No.	Description	Price
7-4135	14 AWG Black Length 20'	\$15.98 LQ
7-4150	14 AWG White Length 20'	\$15.98 LQ
7-4160	12 AWG Green Length 15'	\$15.98 LQ
7-4165	12 AWG Red Length 15'	\$15.98 LQ
7-4170	12 AWG White Length 15'	\$15.98 LQ
7-4180	10 AWG Green Length 10'	\$15.98 LQ
7-4190	10 AWG White Length 10'	\$15.98 LQ

Marpac Bonded Parallel Plastic Primary Wire



- 100% copper conductor.
- Rated 60 volts or less.
- RoHS compliant.
- Conductors meet SAE J1128 specifications.
- Heavy duty PVC jacket with color-coded conductors.
- Temperature rating of 80° C (176° F), nominal cold temperature rating of -30° C (-22° F).

Order No.	Description	Price
7-4390	2-Conductor 10 Gauge Red/Black Length 100'	\$151.98 LQ
7-4386	2-Conductor 14 Gauge Red/Black Length 100'	\$71.98 L
7-4384	2-Conductor 16 Gauge Red/Black Length 500'	\$219.98 L
7-4382	2-Conductor 16 Gauge Yellow/Brown Length 100'	\$51.98 L
7-4380	2-Conductor 18 Gauge Red/Black Length 100'	\$45.98 L
7-4394	3-Conductor 14 Gauge Brown/Yellow/Green Length 100'	\$117.98 L
7-4392	3-Conductor 16 Gauge Brown/Yellow/Green Length 100'	\$79.98 L
7-4400	4-Conductor 14 Gauge White/Brown/Yellow/Green, Length 100'	\$123.98 L
7-4398	4-Conductor 16 Gauge White/Brown/Yellow/Green, Length 100'	\$99.98 L
7-4396	4-Conductor 18 Gauge White/Brown/Yellow/Green, Length 100'	\$79.98 L

- Rated -30° C (-22° F) to 80° C (176° F).
- Rated 60 volts or less.
- RoHS compliant.
- Conductors meet SAE J1128 specifications.
- Electro-tinned, copper strands increase corrosion protection.

Order No.	Description	Price
7-4369	2-Conductor 10 Gauge Red/Black Length 100'	\$179.98 L

East Penn Manufacturing Bonded Parallel Trailer Wire

Order No.	Mfg. No. / Description	Price
2000591	(82161) 16 Gauge Yellow/Brown 100' Spools	\$37.98 H

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Ancor Marine Grade™ Primary Wire



- Ancor Marine Grade wire products are the longest lasting and most rugged available, exceeding UL 1426, ABYC and US Coast Guard Charter boat (CFR Title 46) standards.
- They are constructed with premium vinyl insulation that is rated at 600 volts, 105° C dry and 75° C wet, stays flexible even in extreme cold (-40°) and resists salt water, battery acid, oil, gasoline, heat, abrasion and ultra-violet radiation.
- Highest quality ultra flexible (Type 3) tinned copper stranding provides maximum protection against corrosion and electrolysis while resisting fatigue due to vibration and flexing.

Order No.	Mfg. No. / Description	Price
211215	(182303) 16 AWG Green Length 25'	\$11.98 LQ
211219	(182903) 16 AWG White Length 25'	\$11.98 LQ
211683	(186803) 12 AWG Red Length 12'	\$12.98 LQ
211808	(188803) 10 AWG Red Length 8'	\$12.98 LQ

Marpac Marine Cable - Duplex



- Meets Coast Guard, ABYC, NMMA and DOT specifications.
- Temperature rating of 105° C (221° F) dry and 75° C (167° F) wet.
- Electro-tinned, copper strands increase corrosion protection.
- Flame retardant PVC insulation.
- Rated 600 volts.
- UL Listed. RoHS complaint.
- White jacket.
- Made in USA.

Order No.	Description	Price
7-4470	10/2 Gauge Red/Black Length 100'	\$181.98 L
7-4472	10/2 Gauge Red/Black Length 250'	\$453.98 L
7-4474	12/2 Gauge Red/Black Length 100'	\$130.98 L
7-4476	12/2 Gauge Red/Black Length 250'	\$325.98 L
7-4478	14/2 Gauge Red/Black Length 100'	\$93.98 L
7-4480	14/2 Gauge Red/Black Length 250'	\$229.98 L
7-4482	16/2 Gauge Red/Black Length 100'	\$69.98 L
7-4484	16/2 Gauge Red/Black Length 250'	\$173.98 L
7-4370	10 Gauge Black/White Length 100'	\$183.98 L
7-4371	10 Gauge Yellow/Red Length 100'	\$183.98 L
7-4368	12 Gauge Black/White Length 100'	\$125.98 L
7-4366	14 Gauge Black/White Length 100'	\$85.98 L
7-4367	14 Gauge Yellow/Red Length 100'	\$25.98 L
7-4364	16 Gauge Black/White Length 100'	\$63.98 L
7-4365	16 Gauge Yellow/Red Length 100'	\$63.98 L

Marpac Marine Cable - Triplex



- Black/Green/White with White Jacket.

Order No.	Description	Price
7-4376	10 Gauge Length 100'	\$253.98 L
7-4374	12 Gauge Length 100'	\$169.98 L
7-4372	14 Gauge Length 100'	\$119.98 L

Marpac Bulk Spool Marine Tinned Copper Primary Wire Display with Rack



- This display includes each of the following:
- | | | | | |
|---------|---|----------|--------------|-------------|
| 7-4300 | Plastic Primary Wire - Single Conductor | 16 Gauge | Black | Length 100' |
| 7-4302 | Plastic Primary Wire - Single Conductor | 16 Gauge | Red | Length 100' |
| 7-4310 | Plastic Primary Wire - Single Conductor | 14 Gauge | Black | Length 100' |
| 7-4312 | Plastic Primary Wire - Single Conductor | 14 Gauge | Red | Length 100' |
| 7-4318 | Plastic Primary Wire - Single Conductor | 14 Gauge | Yellow | Length 100' |
| 7-4320 | Plastic Primary Wire - Single Conductor | 14 Gauge | Brown | Length 100' |
| 7-4334 | Plastic Primary Wire - Single Conductor | 12 Gauge | Black | Length 100' |
| 7-4336 | Plastic Primary Wire - Single Conductor | 12 Gauge | Red | Length 100' |
| 7-4344 | Plastic Primary Wire - Single Conductor | 10 Gauge | Black | Length 100' |
| 7-4346 | Plastic Primary Wire - Single Conductor | 10 Gauge | Red | Length 100' |
| 7-4354 | Plastic Primary Wire - Single Conductor | 8 Gauge | Black | Length 100' |
| 7-4356 | Plastic Primary Wire - Single Conductor | 8 Gauge | Red | Length 100' |
| 7-4380 | Bonded Parallel Plastic Primary Wire | 18 Gauge | Red/Black | Length 100' |
| 7-4382 | Bonded Parallel Plastic Primary Wire | 16 Gauge | Yellow/Brown | Length 100' |
| 7-4386 | Bonded Parallel Plastic Primary Wire | 14 Gauge | Red/Black | Length 100' |
| 7-4364 | Boat Cable - Duplex | 16 Gauge | Black/White | Length 100' |
| 7-4366 | Boat Cable - Duplex | 14 Gauge | Black/White | Length 100' |
| 7-4368 | Boat Cable - Duplex | 12 Gauge | Black/White | Length 100' |
| 7-4370 | Boat Cable - Duplex | 10 Gauge | Black/White | Length 100' |
| 7-4372 | Boat Cable - Triplex | 14 Gauge | | Length 100' |
| 7-4374 | Boat Cable - Triplex | 12 Gauge | | Length 100' |
| 7-4999B | Wire Rack | | | |

Order No.	Description	Price
7-4999	Marine Primary Wire Display with Rack	\$1,767.98 L
7-4999B	Display Rack Only	Price On Request

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac Boat Starter Cables



- Temperature rating of 105° C (221° F) dry and 75° C (167° F) wet.
- Flame retardant PVC insulation.
- Rated 600 volts.
- UL Listed. RoHS compliant.
- Meets Coast Guard, ABYC, NMMA and DOT specifications.
- Electro-tinned, copper strands increase corrosion protection.
- Made in USA.

Order No.	Description	Price
7-4467	4/0 Gauge Yellow Length 50'	\$789.98 L
7-4465	4/0 Gauge Black Length 50'	\$789.98 L
7-4463	4/0 Gauge Red Length 50'	\$789.98 L
7-4459	3/0 Gauge Yellow Length 50'	\$650.98 L
7-4457	3/0 Gauge Black Length 50'	\$650.98 L
7-4455	3/0 Gauge Red Length 50'	\$650.98 L
7-4436	2/0 Gauge Black Length 100'	\$939.98 L
7-4432	2/0 Gauge Black Length 25'	\$239.98 L
7-4434	2/0 Gauge Red Length 100'	\$939.98 L
7-4430	2/0 Gauge Red Length 25'	\$239.98 L
7-4442	1/0 Gauge Yellow Length 50'	\$439.98 L
7-4440	1/0 Gauge Black Length 50'	\$439.98 L
7-4438	1/0 Gauge Red Length 50'	\$439.98 L
7-4431	1 Gauge Yellow Length 50'	\$346.98 L
7-4429	1 Gauge Black Length 50'	\$346.98 L
7-4428	1 Gauge Black Length 25'	\$159.98 L
7-4427	1 Gauge Red Length 50'	\$346.98 L
7-4426	1 Gauge Red Length 25'	\$159.98 L
7-4425	2 Gauge Yellow Length 50'	\$269.98 L
7-4424	2 Gauge Black Length 100'	\$469.98 L
7-4423	2 Gauge Black Length 50'	\$269.98 L
7-4420	2 Gauge Black Length 25'	\$119.98 L
7-4422	2 Gauge Red Length 100'	\$469.98 L
7-4421	2 Gauge Red Length 50'	\$269.98 L
7-4418	2 Gauge Red Length 25'	\$119.98 L
7-4417	4 Gauge Yellow Length 100'	\$309.98 L
7-4415	4 Gauge Yellow Length 50'	\$183.98 L
7-4416	4 Gauge Black Length 100'	\$309.98 L
7-4413	4 Gauge Black Length 50'	\$183.98 L
7-4412	4 Gauge Black Length 25'	\$79.98 L
7-4414	4 Gauge Red Length 100'	\$309.98 L
7-4411	4 Gauge Red Length 50'	\$183.98 L
7-4410	4 Gauge Red Length 25'	\$79.98 L
7-4404	6 Gauge Yellow Length 100'	\$203.98 L
7-4408	6 Gauge Black Length 100'	\$203.98 L
7-4406	6 Gauge Red Length 100'	\$203.98 L
7-4402	6 Gauge Green Length 100'	\$203.98 L

Marpac Battery Terminal Guards



- Sold per pair per package.

Order No.	Description	Price
7-4195	For 2 AWG Battery Cable	\$6.98 G
7-4200	For 4 AWG Battery Cable	\$6.98 G

Marpac Premade Tinned Copper Battery Cable



- Pre-assembled battery cable.
- Tinned wire, copper strands increase corrosion protection.
- Temperature rating of 105° C (221° F) dry and 75° C (167° F) wet.
- Flame retardant PVC insulation.
- Meets DOT and Coast Guard specifications.
- UL Listed 1426.
- RoHS compliant.

Order No.	Description	Price
7-4055	4 AWG x 24" Black	\$17.98 G
7-4060	4 AWG x 24" Red	\$17.98 G
7-4065	4 AWG x 36" Black	\$20.98 G
7-4070	4 AWG x 36" Red	\$20.98 G
7-4080	4 AWG x 48" Red	\$26.98 LQ
7-4085	2 AWG x 48" Black	\$33.98 G
7-4090	2 AWG x 48" Red	\$33.98 G
7-4095	2 AWG x 60" Black	\$40.98 H
7-4100	2 AWG x 60" Red	\$40.98 H
7-4105	2 AWG x 72" Black	\$45.98 G
7-4110	2 AWG x 72" Red	\$45.98 G

Boater Sports Battery Terminal Kit



- Convert your "post" style battery into a marine "wing nut" style battery in seconds!
- 5/16" negative terminal and 3/8" positive terminal.
- Color coded coating.
- Sold in pairs.

Order No.	Mfg. No. / Description	Price
1-51006	(51006)	\$10.95 H

Battery Terminals



- Lead terminals with brass plated wing nut.
- For marine use.
- Sold per pair skin packed: 1 positive and 1 negative.

Order No.	Mfg. No. / Description	Price
277875	(00354)	\$7.98 L

Moeller Battery Terminal Covers



- The flexible PVC covers will accept up to 1/2" OD cable.
- One black cover and one red cover.
- Meets USCG and BIA safety regulations for anti-short protection.
- Sold per pair per clam shell package. Standard pack 12.

Order No.	Mfg. No. / Description	Price
487505	(099078-10)	\$6.98 R

Marpac Tinned Copper Lugs



Sold by box of 5 Packages only!
Priced per Package.

- Sold 2 per display package.

Order No.	Description	Price	Order No.	Description	Price
7-3450	8 AWG #1/4	\$2.21 G	7-3525	1 AWG #5/16	\$4.21 G
7-3455	8 AWG #5/16	\$2.21 G	7-3530	1 AWG #3/8	\$4.21 G
7-3460	8 AWG #3/8	\$2.21 G	7-3535	1/0 AWG #5/16	\$5.98 G
7-3465	6 AWG #1/8	\$2.61 G	7-3540	1/0 AWG #3/8	\$6.98 G
7-3470	6 AWG #1/4	\$2.61 G	7-3545	1/0 AWG #1/2	\$6.98 G
7-3475	6 AWG #5/16	\$2.61 G	7-3550	2/0 AWG #1/4	\$7.98 G
7-3480	6 AWG #3/8	\$2.61 G	7-3555	2/0 AWG #5/16	\$7.98 G
7-3490	4 AWG #5/16	\$3.23 G	7-3560	2/0 AWG #3/8	\$7.98 G
7-3500	4 AWG #3/8	\$3.23 G	7-3565	2/0 AWG #1/2	\$7.98 G
7-3510	2 AWG #5/16	\$4.21 G	7-3570	4/0 AWG #3/8	\$11.98 G
7-3520	2 AWG #3/8	\$4.78 G	7-3575	4/0 AWG #1/2	\$11.98 G

Heavy Duty Flared Lugs



- Solid copper.
- Not tinned.
- Sold each.

Order No.	Mfg. No. / Description	Price
277684	(05468) Stud Size 5/16" 6 Gauge	\$1.78 H
277687	(05328) Stud Size 5/16" 4 Gauge	\$1.78 H
277689	(05462) Stud Size 5/16" 2 Gauge	\$1.98 H
277691	(05459) Stud Size 5/16" 1 Gauge	\$1.98 H
277693	(05460) Stud Size 5/16" 1/0 Gauge	\$2.18 H
277695	(05463) Stud Size 5/16" 2/0 Gauge	\$2.48 H
277699	(05326) Stud Size 3/8" 6 Gauge	\$1.78 H
277702	(05327) Stud Size 3/8" 4 Gauge	\$1.78 H
277714	(05329) Stud Size 3/8" 2 Gauge	\$1.98 H
277726	(05331) Stud Size 3/8" 1 Gauge	\$1.98 H
277738	(05333) Stud Size 3/8" 1/0 Gauge	\$2.18 H
277773	(05335) Stud Size 3/8" 2/0 Gauge	\$2.18 H
277777	(05339) Stud Size 3/8" 4/0 Gauge	\$4.98 H
277779	(05330) Stud Size 1/2" 2 Gauge	\$1.98 H
277790	(05332) Stud Size 1/2" 1 Gauge	\$2.18 H
277780	(05334) Stud Size 1/2" 1/0 Gauge	\$2.48 H
277815	(05336) Stud Size 1/2" 2/0 Gauge	\$2.48 H
479914	(05338) Stud Size 1/2" 3/0 Gauge	\$2.68 H
277775	(05340) Stud Size 1/2" 4/0 Gauge	\$4.98 H

Marpac Booster Cable



- Color coded.
- No tangle, dual construction.
- 12' x 8 gauge.

Order No.	Description	Price
7-4450	Booster Cable	\$17.98 F

Extra Heavy Duty Copper Lugs

- Thicker walls for greater strength and conductivity.
- Used for severe-duty applications.
- Gauge stamped on lug for easy identification.
- Lugs can be crimped or soldered and are stackable.
- Tin-plated copper.
- Made in USA.



Order No.	Mfg. No. / Description	Price
277877	(05491) 6 Gauge 5/16" Stud Hole	\$2.73 H
277885	(05490) 6 Gauge 3/8" Stud Hole	\$2.73 H
277879	(05486) 4 Gauge 5/16" Stud Hole	\$3.78 H
277887	(05342) 4 Gauge 3/8" Stud Hole	\$3.78 H
277881	(05480) 1-2 Gauge 5/16" Stud Hole	\$5.98 H
277889	(05343) 1-2 Gauge 3/8" Stud Hole	\$5.98 H
277899	(05344) 1-2 Gauge 1/2" Stud Hole	\$5.98 H
277891	(05345) 1/0 Gauge 3/8" Stud Hole	\$6.98 H
277883	(05482) 2/0 Gauge 5/16" Stud Hole	\$6.98 H
277893	(05347) 2/0 Gauge 3/8" Stud Hole	\$6.98 H
277901	(05349) 2/0 Gauge 1/2" Stud Hole	\$6.98 H
277895	(05352) 4/0 Gauge 3/8" Stud Hole	\$8.98 H
277897	(05353) 4/0 Gauge 1/2" Stud Hole	\$8.98 H

Weego Jump Starters



- Starts your engine, charges your phone, fits in your pocket.
- Eliminates the need for jumper cables, bulky jumper packs or calling for a tow.
- Starts gas and diesel engines.
- Charges phones, tablets, speakers and other portable USB devices.
- Compact design fits in your pocket, storage locker or glove box.
- Affordable - pays for itself after just 1 jump start.
- Long-lasting 12V lithium-polymer battery - only loses 2% charge per month when stored - offers up to 1000 full charging cycles.
- Jumper cables and battery pack with safety circuitry protections built in.
- Auto-off feature.
- Ideal operating temperatures from -4° F to 140° F.
- Jumper cables, wall and car chargers, 3-in-1 (micro, 30-pin and lightning) USB cord and carrying case included. (Heavy Duty and Professional Models include 8-Pc. laptop connectors).
- 18-month warranty and Lab tested.

STANDARD - FOR GAS ENGINES UP TO 4.6L (DIESEL UP TO 2.4L)

- Starting/peak current: 150A/300A. Charging time: 1.5 hours.
- USB Port(s): 1. LED Flashlight: Yes.

Order No.	Mfg. No. / Description	Price
284760	(JS6)	\$99.99 D

HEAVY DUTY - FOR GAS ENGINES UP TO 6.4L (DIESEL UP TO 3.2L)

- Starting/peak current: 200A/400A. Charging time: 3 hours.
- USB Port(s): 1. LED Flashlight: Yes - with Strobe & SOS.
- Charges 12V/19V Access: Yes.

Order No.	Mfg. No. / Description	Price
284762	(JS12)	\$129.99 D

PROFESSIONAL - FOR GAS ENGINES UP TO 9.6L (DIESEL UP TO 4.8L)

- Starting/peak current: 300A/600A. Charging time: 5 hours.
- USB Port(s): 2. LED Flashlight: Yes - with Strobe & SOS.
- Charges 12V/19V Access: Yes.

Order No.	Mfg. No. / Description	Price
284764	(JS18)	\$189.99 D

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Marpac Vinyl Butt Connectors



Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Price
7-3110	22-18 AWG Red Qty. Per Package 6	\$2.32 G
7-3115	16-14 AWG Blue Qty. Per Package 6	\$2.32 G
7-3120	12-10 AWG Yellow Qty. Per Package 6	\$2.32 G

Marpac Vinyl Ring Tongue Terminals



Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Price
7-3125	22-18 AWG - #6 Red Qty. Per Package 7	\$2.32 G
7-3130	22-18 AWG - #8 Red Qty. Per Package 7	\$2.32 G
7-3135	22-18 AWG - #10 Red Qty. Per Package 7	\$2.32 G
7-3140	16-14 AWG - #6 Blue Qty. Per Package 7	\$2.32 G
7-3145	16-14 AWG - #8 Blue Qty. Per Package 7	\$2.32 G
7-3150	16-14 AWG - #10 Blue Qty. Per Package 7	\$2.32 G
7-3155	16-14 AWG - #1/4 Blue Qty. Per Package 6	\$2.32 G
7-3165	16-14 AWG - #3/8 Blue Qty. Per Package 5	\$2.32 G
7-3170	12-10 AWG - #10 Yellow Qty. Per Package 6	\$2.32 G
7-3175	12-10 AWG - #1/4 Yellow Qty. Per Package 5	\$2.32 G
7-3180	12-10 AWG - #5/16 Yellow Qty. Per Package 5	\$2.32 G
7-3185	12-10 AWG - #3/8 Yellow Qty. Per Package 5	\$2.32 G

Greenlite Cable Vinyl Insulated Ring Terminal

- Vinyl insulated
- 100 per pack.

Order No.	Mfg. No. / Description	Price
2000751	(453085) 12-10 AWG - #8 Yellow	\$10.98 G



Marpac Vinyl Spade Forks



Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Price
7-3190	22-18 AWG - #10 Red Qty. Per Package 7	\$2.32 G
7-3195	16-14 AWG - #10 Blue Qty. Per Package 7	\$2.32 G
7-3200	12-10 AWG - #10 Yellow Qty. Per Package 6	\$2.32 G

Vinyl Insulated Spade Forks - 100 Per Bag

Order No.	Mfg. No. / Description	Price
479623	(110478) 12-10 Gauge - #10 Yellow	\$18.98 F
479421	(110438) 16-14 Gauge - #10 Blue	\$13.98 H
479419	(110428) 16-14 Gauge - #8 Blue	\$13.98 H



Vinyl Insulated .250 Quick Disconnects - 100 Per Bag

Order No.	Mfg. No. / Description	Price
479647	(110818) 12-10 Gauge Yellow Male	\$19.98 H
479659	(110828) 12-10 Gauge Yellow Female	\$14.98 H
479445	(110798) 16-14 Gauge Blue Male	\$12.98 H
479457	(110808) 16-14 Gauge Blue Female	\$14.98 H



Vinyl Insulated Butt Connectors



Order No.	Mfg. No. / Description	Price
479899	(110055) 6 Gauge Blue 25 Per Bag	\$41.98 H
479801	(110045) 8 Gauge Red 25 Per Bag	\$16.98 H
479700	(110038) 12-10 Gauge Yellow 100 Per Bag	\$21.98 H
479508	(110028) 16-14 Gauge Blue 100 Per Bag	\$13.98 H
479320	(110018) 22-18 Gauge Red 100 Per Bag	\$12.98 H

Vinyl Insulated Ring Terminals



Order No.	Mfg. No. / Description	Price
479938	(110065) 4 Gauge Yellow 5/16" 25 Per Bag	\$87.98 H
479875	(110325) 6 Gauge Blue 3/8" 25 Per Bag	\$19.98 H
479863	(110315) 6 Gauge Blue 5/16" 25 Per Bag	\$19.98 H
479851	(110305) 6 Gauge Blue 1/4" 25 Per Bag	\$17.98 H
479786	(110285) 8 Gauge Red 3/8" 25 Per Bag	\$13.98 H
479774	(110275) 8 Gauge Red 5/16" 25 Per Bag	\$14.98 H
479762	(110265) 8 Gauge Red 1/4" 25 Per Bag	\$11.98 H
479750	(112255) 8 Gauge Red #10 25 Per Bag	\$11.98 H
479609	(110258) 12-10 Gauge Yellow 1/2" 100 Per Bag	\$27.98 H
479596	(110248) 12-10 Gauge Yellow 3/8" 100 Per Bag	\$23.98 H
479584	(110238) 12-10 Gauge Yellow 5/16" 100 Per Bag	\$24.98 H
479572	(110228) 12-10 Gauge Yellow 1/4" 100 Per Bag	\$25.98 G
479560	(110218) 12-10 Gauge Yellow #10 100 Per Bag	\$18.98 H
479407	(110188) 16-14 Gauge Blue 3/8" 100 Per Bag	\$17.98 H
479394	(110178) 16-14 Gauge Blue 5/16" 100 Per Bag	\$15.98 H
479382	(110168) 16-14 Gauge Blue 1/4" 100 Per Bag	\$16.98 H
479370	(110158) 16-14 Gauge Blue #10 100 Per Bag	\$13.98 G
479368	(110148) 16-14 Gauge Blue #8 100 Per Bag	\$13.98 H
479243	(110118) 22-18 Gauge Red 5/16" 100 Per Bag	\$15.98 H
479231	(110108) 22-18 Gauge Red 1/4" 100 Per Bag	\$16.98 H
479229	(110098) 22-18 Gauge Red #10 100 Per Bag	\$11.98 H
479217	(110088) 22-18 Gauge Red #8 100 Per Bag	\$11.98 H


Greenlite Cable Vinyl Insulated Non-Flanged Block Spade

- Vinyl insulated
- 100 per pack.

Order No.	Mfg. No. / Description	Price
2000759	(461105) 22-16 AWG - #10 Red	\$7.98 F



Marpac Vinyl Quick Disconnects - Fully Insulated



Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Price
7-3205	22-18 AWG - Male Red Qty. Per Package 4	\$2.32 G
7-3210	22-18 AWG - Female Red Qty. Per Package 4	\$2.32 G
7-3215	16-14 AWG - Male Blue Qty. Per Package 4	\$2.32 G
7-3220	16-14 AWG - Female Blue Qty. Per Package 4	\$2.32 G
7-3225	12-10 AWG - Male Yellow Qty. Per Package 4	\$2.32 G
7-3230	12-10 AWG - Female Yellow Qty. Per Package 4	\$2.32 G

Fully Insulated Quick Disconnect - Display Packaged

Order No.	Mfg. No. / Description	Price
7270108	(110571) 16-14 Gauge - Male Blue 4 Per Package	\$3.30 H

Greenlite Cable Vinyl Insulated Quick Slides



- Vinyl insulated
- 100 per pack.

Order No.	Mfg. No. / Description	Price
2000773	(492115) 16-14 AWG - .11 x .020 Blue Female	\$6.98 G
2000772	(492005) 16-14 AWG - .25 x .032 Blue Female	\$6.98 G
2000732	(432005) 16-14 AWG - .25 x .032 Blue Male	\$6.98 G
2000720	(400665) 22-18 AWG - .250 Piggy Back	\$9.98 G

Marpac Vinyl Bullet Connectors



Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Price
7-3245	16-14 AWG Plug Qty. Per Package 7	\$2.32 G
7-3250	16-14 AWG Receptacle Qty. Per Package 4	\$2.32 G

Marpac Vinyl Scotch Locks



Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Price
7-3235	14-18 AWG Blue Qty. Per Package 3	\$2.32 G
7-3240	12-10 AWG Yellow Qty. Per Package 3	\$3.12 G

Vinyl Insulated Quick Splices - Display Packaged



Order No.	Mfg. No. / Description	Price
7270110	(110641) 18-14 Gauge Tab Splice Blue 3 Per Package	\$3.30 H
7270111	(110661) 18-14 Gauge T-Tap Blue 3 Per Package	\$3.30 H

Tab Adapter - 100 Per Bag

- Converts one .250 x .032 male tab to two male tabs.

Order No.	Mfg. No. / Description	Price
479510	(112301)	\$16.98 H

Handi-Man Electrical Connector Kit



- Comprehensive electrical kit consisting of 18 different connectors.
- Includes: Ring terminals, fork terminals, solder-less splices, wire nuts, wire disconnects and trailer tap in splices.
- Total of 326 pieces, packed in a durable plastic case.

Order No.	Mfg. No. / Description	Price
731545	(WMMK5)	\$62.98 H

Marpac Vinyl Closed End Connectors



Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Price
7-3255	22-14 AWG Qty. Per Package 9	\$2.32 G
7-3260	18-10 AWG Qty. Per Package 8	\$2.32 G

Vinyl Insulated .157 Bullet Connectors - 100 Per Bag



Order No.	Mfg. No. / Description	Price
479469	(110728) 16-14 Gauge Plug Blue	\$16.98 H
479471	(110738) 16-14 Gauge Receptacle Blue	\$23.98 H

Vinyl Insulated Quick Splices - 100 Per Bag



Order No.	Mfg. No. / Description	Price
479964	(110648) 18-14 Gauge Blue	\$12.98 H
479976	(112648) 18-14 Gauge White	\$12.98 H

Handi-Man Electrical Kits



ELECTRICAL TERMINAL - RING/FORK KIT

- Contains 40 pieces: (8) 22-18 AWG Ring, (6) 16-14 AWG Ring, (6) 12-18 AWG Ring, (8) 22-18 AWG Fork, (6) 16-14 AWG Fork and (6) 12-18 AWG Fork.

Order No.	Mfg. No. / Description	Price
731565	(970220)	\$8.98 H

ELECTRICAL BUTT CONNECTOR/WIRE NUT KIT

- Contains 25 pieces: (10) 22-18 AWG Butt Connector, (8) 22-14 AWG Wire Nut Blue, (4) 18-22 AWG Wire Nut Yellow and (3) 12-10 AWG Tap Slice.

Order No.	Mfg. No. / Description	Price
731575	(970222)	\$7.98 H

FULLY INSULATED ELECTRICAL DISCONNECT KIT

- Contains 30 pieces: (5) 22-18 AWG Male, (5) 22-18 AWG Female, (6) 16-14 AWG Male, (6) 16-14 AWG Female, (4) 12-10 AWG Male and (4) 12-10 AWG Female..

Order No.	Mfg. No. / Description	Price
731570	(970221)	\$8.98 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac 96 Piece Vinyl Electrical Terminal Kit



- This kit includes 96 pieces in a closable plastic case:
- (15) 7-3110 - 22-18 AWG Butt Connectors
- (30) 7-3115 - 16-14 AWG Butt Connectors
- (6) 7-3120 - 12-10 AWG Butt Connectors
- (6) 7-3135 - 22-18 AWG #10 Ring Tongue Terminals
- (8) 7-3150 - 16-14 AWG #10 Ring Tongue Terminals
- (5) 16-14 AWG 5/16" Ring Tongue Terminals
- (5) 7-3170 - 12-10 AWG #10 Ring Tongue Terminals
- (6) 7-3185 - 12-10 AWG 3/8" Ring Tongue Terminals
- (2) 8 AWG 3/8" Ring Tongue Terminals
- (3) 7-3215 - 16-14 AWG Male Quick Disconnects
- (3) 7-3220 - 16-14 AWG Female Quick Disconnects
- (2) 7-3245 - 16-14 AWG Bullet Connector Plugs
- (2) 7-3250 - 16-14 AWG Bullet Connector Receptacles
- (3) 7-3235 - 14-16 Scotch Locks

Order No.	Description	Price
7-4205	96 Piece Vinyl Electrical Terminal Kit	\$18.98 G

Marpac Heat Shrink Ring Tongues



- Sold 2 per package, except for 7-3325 (Sold 4 per package) Mini-Blister - 5 per box.

Order No.	Description	Price
7-3320	22-18 AWG - #10 Red	\$3.06 G
7-3325	22-18 AWG - #1/4 Red	\$3.06 G
7-3335	16-14 AWG - #8 Blue	\$3.06 G
7-3345	16-14 AWG - #10 Blue	\$3.06 G
7-3350	16-14 AWG - #1/4 Blue	\$3.06 G
7-3355	16-14 AWG - #5/16 Blue	\$3.06 G
7-3365	16-14 AWG - #3/8 Blue	\$3.06 G
7-3370	12-10 AWG - #10 Yellow	\$3.63 G
7-3375	12-10 AWG - #1/4 Yellow	\$3.85 G
7-3385	12-10 AWG - #3/8 Yellow	\$3.85 G
7-3390	12-10 AWG - #1/2 Yellow	\$4.14 G
7-3425	12-10 AWG - #5/16 Yellow	\$4.14 G

Marpac Heat Shrink Crimp Terminal Display



- This display includes 5 display packs of the following:
- 7-3290 - Butt Connectors 22-18 AWG
- 7-3325 - Ring Tongue 22-18 AWG - #1/4
- 7-3300 - Butt Connectors 16-14 AWG
- 7-3335 - Ring Tongue 16-14 AWG - #8
- 7-3310 - Butt Connectors 12-10 AWG
- 7-3345 - Ring Tongue 16-14 AWG - #10
- 7-3395 - Quick Disconnect 22-18 AWG - Male
- 7-3350 - Ring Tongue 16-14 AWG - #1/4
- 7-3400 - Quick Disconnect 22-18 AWG - Female
- 7-3355 - Ring Tongue 16-14 AWG - #5/16
- 7-3405 - Quick Disconnect 16-14 AWG - Male
- 7-3365 - Ring Tongue 16-14 AWG - #3/8
- 7-3410 - Quick Disconnect 16-14 AWG - Female
- 7-3370 - Ring Tongue 12-10 AWG - #10
- 7-3415 - Quick Disconnect 12-10 AWG - Male
- 7-3375 - Ring Tongue 12-10 AWG - #1/4
- 7-3420 - Quick Disconnect 12-10 AWG - Female
- 7-3385 - Ring Tongue 12-10 AWG - #3/8
- 7-3320 - Ring Tongue 22-18 AWG - #10

Order No.	Description	Price
7-3004	Heat Shrink Crimp Terminal Display	\$250.98 G

Handi-Man 30 Piece Vinyl Electrical Terminal and Pliers Kit



Kit contains:

- (5) 22-18 AWG Butt Connector
- (5) 16-14 AWG Butt Connector
- (5) 22-18 AWG #10 Ring Tongue Terminal
- (5) 16-14 AWG #10 Ring Tongue Terminal
- (5) 22-18 AWG #10 Spade Terminal
- (5) 16-14 AWG #10 Spade Terminal
- (1) Terminal Crimping and Wire Stripping Pliers

Order No.	Mfg. No. / Description	Price
731560	(970165-DON)	\$13.98 H

Marpac Heat Shrink Quick Disconnects - Insulated



Sold by box of 5 Packages only! Priced per Package.

- Sold 2 per package. Mini-Blister - 5 per box.

Order No.	Description	Price
7-3395	22-18 AWG - Male Red	\$3.63 G
7-3400	22-18 AWG - Female Red	\$3.63 G
7-3405	16-14 AWG - Male Blue	\$3.63 G
7-3410	16-14 AWG - Female Blue	\$3.63 G
7-3415	12-10 AWG - Male Yellow	\$3.85 G
7-3420	12-10 AWG - Female Yellow	\$3.85 G

Marpac Heat Shrink Butt Connectors



Sold by box of 5 Packages only! Priced per Package.

- Sold 2 per package. Mini-Blister - 5 per box.

Order No.	Description	Price
7-3290	22-18 AWG Red	\$3.06 G
7-3300	16-14 AWG Blue	\$3.06 G
7-3310	12-10 AWG Yellow	\$3.06 G

Heat Shrink Connectors - 25 Per Bag



- These connectors provide a rugged connection that will insulate, seal and protect joints from abrasion, water, salt and other corrosive compounds.
- No special tools are required.
- Simply heat the insulation and the adhesive will melt and flow filling any existing voids and creating an all-weather seal.

Order No.	Mfg. No. / Description	Price
479990	(120065) 22-18 Gauge Red #10 Ring	\$15.98 H
480018	(120015) 22-18 Gauge Red Butt Connector	\$15.98 H
480020	(120105) 16-14 Gauge Blue #10 Ring	\$16.98 H
480032	(122305) 16-14 Gauge Blue #10 Spade	\$16.98 H
480044	(120025) 16-14 Gauge Blue Butt Connector	\$15.98 H
480056	(120155) 12-10 Gauge Yellow #10 Ring	\$18.98 H
480068	(122315) 12-10 Gauge Yellow #10 Spade	\$18.98 H
480070	(120035) 12-10 Gauge Yellow Butt Connector	\$22.98 H

Marpac 80 Item Electrical Display



- This display includes the following:
- (5) 7-3110 - Butt Connectors - 22-18 AWG
- (5) 7-3115 - Butt Connectors - 16-14 AWG
- (5) 7-3120 - Butt Connectors - 12-10 AWG
- (5) 7-3125 - Ring Tongue - 22-18 AWG #6
- (5) 7-3130 - Ring Tongue - 22-18 AWG #8
- (5) 7-3135 - Ring Tongue - 22-18 AWG #10
- (5) 7-3140 - Ring Tongue - 16-14 AWG #6
- (5) 7-3145 - Ring Tongue - 16-14 AWG #8
- (5) 7-3150 - Ring Tongue - 16-14 AWG #10
- (5) 7-3155 - Ring Tongue - 16-14 AWG #1/4
- (5) 7-3165 - Ring Tongue - 16-14 AWG #3/8
- (5) 7-3170 - Ring Tongue - 12-10 AWG #10
- (5) 7-3175 - Ring Tongue - 12-10 AWG #1/4
- (5) 7-3180 - Ring Tongue - 12-10 AWG #5/16
- (5) 7-3185 - Ring Tongue - 12-10 AWG #3/8
- (5) 7-3190 - Spade Fork - 22-18 AWG #10
- (5) 7-3195 - Spade Fork - 16-14 AWG #10
- (5) 7-3200 - Spade Fork - 12-10 AWG #10
- (5) 7-3205 - Quick Disconnect - 22-18 AWG Male
- (5) 7-3210 - Quick Disconnect - 22-18 AWG Female
- (5) 7-3215 - Quick Disconnect - 16-14 AWG Male
- (5) 7-3220 - Quick Disconnect - 16-14 AWG Female
- (5) 7-3225 - Quick Disconnect - 12-10 AWG Male
- (5) 7-3230 - Quick Disconnect - 12-10 AWG Female
- (5) 7-3235 - Scotch Lock - 14-18 AWG
- (5) 7-3240 - Scotch Lock - 12-10 AWG
- (5) 7-3245 - Bullet Conn. - 16-14 AWG - Plug
- (5) 7-3250 - Bullet Conn. - 16-14 AWG - Receptacle
- (5) 7-3255 - Closed End Conn. - 22-14 AWG
- (5) 7-3260 - Closed End Conn. - 18-10 AWG
- (5) 7-3290 - Heat Shrink Butt Conn. - 22-18 AWG
- (5) 7-3300 - Heat Shrink Butt Conn. - 16-14 AWG
- (5) 7-3310 - Heat Shrink Butt Conn. - 12-10 AWG
- (5) 7-3320 - Heat Shrink Ring - 22-18 AWG #10
- (5) 7-3335 - Heat Shrink Ring - 16-14 AWG #8
- (5) 7-3345 - Heat Shrink Ring - 16-14 AWG #10
- (5) 7-3365 - Heat Shrink Ring - 16-14 AWG #3/8
- (5) 7-3385 - Heat Shrink Ring - 12-10 AWG #3/8
- (5) 7-3450 - Tinned Copper Lugs - 8 AWG #1/4
- (5) 7-3455 - Tinned Copper Lugs - 8 AWG #5/16
- (5) 7-3460 - Tinned Copper Lugs - 8 AWG #3/8
- (5) 7-3465 - Tinned Copper Lugs - 6 AWG #10
- (5) 7-3470 - Tinned Copper Lugs - 6 AWG #1/4
- (5) 7-3475 - Tinned Copper Lugs - 6 AWG #5/16
- (5) 7-3480 - Tinned Copper Lugs - 6 AWG #3/8
- (5) 7-3490 - Tinned Copper Lugs - 4 AWG #5/16
- (5) 7-3500 - Tinned Copper Lugs - 4 AWG #3/8
- (5) 7-3510 - Tinned Copper Lugs - 2 AWG #5/16
- (5) 7-3520 - Tinned Copper Lugs - 2 AWG #3/8
- (5) 7-3525 - Tinned Copper Lugs - 1 AWG #5/16
- (5) 7-3530 - Tinned Copper Lugs - 1 AWG #3/8
- (5) 7-3535 - Tinned Copper Lugs - 1/0 AWG #5/16
- (5) 7-3540 - Tinned Copper Lugs - 1/0 AWG #3/8
- (5) 7-3545 - Tinned Copper Lugs - 1/0 AWG #1/2
- (5) 7-3550 - Tinned Copper Lugs - 2/0 AWG #1/4
- (5) 7-3555 - Tinned Copper Lugs - 2/0 AWG #5/16
- (5) 7-3560 - Tinned Copper Lugs - 2/0 AWG #3/8
- (5) 7-3565 - Tinned Copper Lugs - 2/0 AWG #1/2
- (5) 7-3570 - Tinned Copper Lugs - 4/0 AWG #3/8
- (5) 7-3575 - Tinned Copper Lugs - 4/0 AWG #1/2
- (5) 7-3665 - Vinyl Hole Grommets - 1/4
- (5) 7-3670 - Vinyl Hole Grommets - 1/2
- (10) 7-3785 - Waterproof Fuse Holder
- (5) 7-3800 - ATO Fuse - 3 amp
- (5) 7-3805 - ATO Fuse - 4 amp
- (5) 7-3810 - ATO Fuse - 5 amp
- (5) 7-3815 - ATO Fuse - 7.5 amp
- (5) 7-3820 - ATO Fuse - 10 amp
- (5) 7-3825 - ATO Fuse - 15 amp
- (5) 7-3830 - ATO Fuse - 20 amp
- (5) 7-3835 - ATO Fuse - 25 amp
- (5) 7-3936 (90) Double Contact Bayonet Base
- (5) 7-3946 (94) Double Contact Bayonet Base
- (5) 7-3951 (194) Wedge
- (5) 7-3966 (1004) Double Contact Bayonet Base
- (5) 7-3980 (1142) Double Contact Bayonet Base
- (5) 7-3986 (1156) Single Contact Bayonet Base
- (5) 7-3991 (1157) Double Contact Bayonet Base
- (5) 7-4010 (70 DP1 CLR) Festoon
- (5) 7-4020 (71 DP CLR) Festoon



Order No.	Description	Price
7-3007	Electrical Display	\$1,460.98 G

Electrical

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tools & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Sierra Protective Flex Tubing



- This black flex tubing provides protection for various wiring situations.
- Sold in 3' lengths per poly bag. Standard pack 10.

Order No.	Mfg. No. / Description	Price
363426	(ECO1620) Diameter 3/8"	\$6.46 H
363438	(ECO1630) Diameter 1/2"	\$5.85 LQ

MPI Products Black Split Conduit Tubing



- Corrugated split polyethylene provides excellent conduit for multiple wire or cable routings.
- Creates quality appearance in wiring systems.
- Ideal product for hose abrasion protection.
- Specially formulated in accordance with UL94 V2 tests for flammability.
- Meets tough ABYC standards.

Order No.	Mfg. No. / Description	Price
543320	(123-0126) 1/2" x 50'	\$25.98 H
543321	(123-0386) 3/8" x 50'	\$19.98 H
543319	(123-0346) 3/4" x 50'	\$29.98 H
772043	(123-1126) 1-1/2" x 50'	\$86.98 H

Black Polyethylene Heli-Tube® Spiral Cable Wrap



- Ultraviolet-resistant black polyethylene.
- Bundles wires, cables, hoses and tubing firmly, but allows flexibility.
- Ideal for outdoor use in direct sunlight and is resistant to saltwater, oils, fuels and detergents.
- RoHS-compliant, offer complete organization of cables, while still permitting breakouts in any direction.
- Removable and reusable.
- Available in 100' rolls.

Order No.	Mfg. No. / Description	Price
772916	(HT 1/4 UR) 1/4"	\$43.98
772928	(HT 3/8 UR) 3/8"	\$59.98
772933	(HT 1/2 UR) 1/2"	\$85.98
772942	(HT 3/4 UR) 3/4"	\$147.98

Boater Sports Black Tie Wraps - UV Resistant



- Heavy duty nylon wire ties.
- Super strong and durable.
- Useful in almost any situation.

Order No.	Mfg. No. / Description	Price
1-51050	(51050) 11" 100 Per Pack	\$6.65 H
1-51051	(51051) 14" 100 Per Pack	\$7.99 H
1-51052	(51052) 7", with Mount Hole 100 Per Pack	\$8.99 H

T-H Marine Nylon Cable Tie - Black



- UV stabilized, high tensile strength, light weight, flexible, all nylon and non-corrosive cable ties.

Order No.	Mfg. No. / Description	Price
6400060	(075B-RAD-CDP) Length 7-1/2"	\$16.98 H

Anchor Stainless Steel Cushion Clamps



- Reduces unwanted noise.
- Prevents corrosion.
- Resistant to oils, acids and saltwater.
- Temperatures range from -50° to 300° F.
- Absorbs shock and vibration.
- Sold 10 per display pack.

Order No.	Mfg. No. / Description	Price
211639	(403182) 3/16" ID Screw Width 3/8"	\$13.98 H
211641	(403252) 1/4" ID Screw Width 3/8"	\$14.98 H
211653	(403312) 5/16" ID Screw Width 3/8"	\$14.98 H
211665	(403372) 3/8" ID Screw Width 3/8"	\$14.98 H
211677	(403502) 1/2" ID Screw Width 1/2"	\$14.98 H
211689	(403622) 5/8" ID Screw Width 1/2"	\$15.98 G
211691	(403752) 3/4" ID Screw Width 1/2"	\$18.98 R
211704	(403892) 1" ID Screw Width 1/2"	\$20.98 R
211716	(403902) 1-1/4" ID Screw Width 1/2"	\$23.98 R
211728	(404152) 1-1/2" ID Screw Width 1/2"	\$24.98 H

T-H Marine Wire Harness Hanger



- Fits standard cable ties.
- Molded - non-corrosive.
- Secures wiring harness or hoses.
- Can be glassed in or screwed down.
- Includes 10 pieces.


Order No.	Mfg. No. / Description	Price
640975	(WHH-1KIT-DP)	\$9.98 H

Handi-Man Marine Compression Cable Ties - Black



Order No.	Mfg. No. / Description	Price
722028	(160518) Length 4" 100 Per Pack	\$16.98 H
722025	(160539) Length 8" 1,000 Per Pack	\$155.98 H

Handi-Man Marine Nylon Cable Ties - Black



STANDARD CABLE TIES. SOLD 100 PER POLY BAG.

Order No.	Mfg. No. / Description	Price
480501	(160088) Length 3-3/4" Width .10"	\$6.98 H
480525	(160098) Length 6" Width .13"	\$8.98 H
480549	(160108) Length 8" Width .187"	\$11.98 H
480563	(160118) Length 12" Width .187"	\$18.98 H
480587	(160128) Length 15" Width .187"	\$24.98 H

SCREW MOUNT CABLE TIES. SOLD 100 PER POLY BAG.

Order No.	Mfg. No. / Description	Price
480664	(162158) Length 6" Width .14" Uses #8	\$21.98 H
480688	(160138) Length 7-1/2" Width .185" Uses #10	\$16.98 H
480690	(160148) Length 14-1/2" Width .187" Uses #10	\$46.98 H

Anchor Nylon Cable Clamps



- Made from UV black nylon for maximum strength.
- Resistant to solvents, oils, acids and moisture.
- Unique screw hole alignment feature to speed installation.
- Absorbs shock and vibration; reduces unwanted noise.
- Sold 25 per display pack.

Order No.	Mfg. No. / Description	Price
211576	(402252) 1/4" ID	\$6.98 H
211588	(402312) 5/16" ID	\$6.98 H
211590	(402372) 3/8" ID	\$6.98 H
211603	(402502) 1/2" ID	\$7.98 H
211615	(402622) 5/8" ID	\$8.98 H
211627	(402752) 3/4" ID	\$8.98 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Marpac Heat Shrink Tubing



- Diameter 1/2".
- Length 3".
- Double wall 8 AWG to 4 AWG.
- Includes: 2 pieces red and 1 piece black per card.
- Sold 5 bags per card.

Order No.	Description	Price
7-4040	Heat Shrink Tubing	\$4.59 G

Heat Shrink Tubing



- Double walled.
- Use for insulating terminals, rope whip ends.
- Shrink ratio 2:1.
- Sold each.

Order No.	Mfg. No. / Description	Price
7270141	(190011) 1/8" Length 3'	\$5.00 H
480082	(190058) 1/2" Length 4'	\$10.98 H
480094	(190078) 3/4" Length 4'	\$26.98 H
480107	(190098) 1" Length 4'	\$33.98 H

Sierra Shrink Tubing



- Ideal for electrical insulation, abrasion protection and covering unsightly joints.
- Apply heat and material shrinks tight.
- Sold 7 assorted size pieces per zip-top reclosable bag.

Order No.	Mfg. No. / Description	Price
363402	(ECO1750)	\$4.44 H

3M Tartan General Use Vinyl Electrical Tape



- On a 1-1/2" core, this black, 7 mil vinyl tape is a good quality, economical general purpose insulating tape.
- Its elastic backing ensures easy, moisture-tight conformation to irregular surfaces.
- UL Listed and is flame-retardant.

Order No.	Mfg. No. / Description	Price
512168	(93604) 3/4" x 60'	\$3.96 H

3M Scotch Professional Grade Vinyl Electrical Tape 35



- Fade-resistant colors, super stretchy and conformable, excellent insulating properties.
- Resists abrasion, corrosion, alkalis and acid.
- Phase identification and marking. Harnessing.

Order No.	Mfg. No. / Description	Price
857447	(10810) 3/4" x 66', Red	\$7.98 G
857450	(10828) 3/4" x 66', White	\$7.98 G

3M Highland Medium Grade Vinyl Electrical Tape



- Flexible, stretchy, conformable, commercial grade vinyl.
- Flame retardant.
- Protective jacketing.
- Harnessing. Bundling.

Order No.	Mfg. No. / Description	Price
857423	(16720) 3/4" x 66'	\$4.08 G

3M Scotch Professional Grade Vinyl Electrical Tape



- Highly conformable, super stretchy in all weather applications; resists UV rays, abrasion, corrosion, alkalis and acids.
- Primary insulation for splices up to 600 volt.
- Protective jacketing.

Order No.	Mfg. No. / Description	Price
857435	(06133) 3/4" x 52'	\$6.98 G

Star Brite Liquid Electrical Tape



- Forms a protective UV resistant dielectric coating.
- Prevents corrosion on wires and terminals.
- Adheres to all metal, plastic, vinyl, rubber and composite surfaces.
- Waterproofs and protects electrical connections.
- UL tested.

Order No.	Mfg. No. / Description	Price
628208	(84154) Black 1 oz.	\$7.98 G
628202	(84104B) Black 4 oz.	\$11.98 G
628214	(84105B) Red 4 oz.	\$11.98 G

Marpac Universal Wire Stripper



- Crimps and cuts.
- Self-adjusting between 10 AWG - 24 AWG.
- Strips middle of wire for taps.
- Works on two conductor wire.
- Strips wire insulation in fast, precision motion without damaging strands.

Order No.	Description	Price
7-4210	Universal Wire Stripper	\$38.98 G

Handi-Man Marine Heat Gun System



- 120 volt heat gun system.
- 1,440 watts maximum at 120 volts.
- Electronics temperature control.
- Temperature rating 180° F to 1,100° F.
- Includes: Molded plastic case, re-circulator attachment and spreader attachment.

Order No.	Mfg. No. / Description	Price
543318	(990727)	\$106.98 H

Handi-Man Marine Micro-Jet Portable Butane Torch



- Powered by disposable butane cartridge.
- Flame temp up to 2,500° F (1,300° C).
- Compact and portable.
- Features Piezo Electronic ignition system with safety lock.
- Use to apply heat shrink tubing, waterproof terminals, solder, rope whipping.
- Keep on board for multiple tasks.

Order No.	Mfg. No. / Description	Price
731542	(990721)	\$34.98 E

Anchor Mini Pocket Butane Torch



- Electronic ignition system with safety locking switch.
- 4-3/8" H x 1-7/8" diameter.
- Flame temperature up to 1,300° C (2,500° F).
- Refillable butane cartridge included.

Order No.	Mfg. No. / Description	Price
211552	(702024)	\$27.98 F

Fun & Flotation
Anchor & Dock
Safety
Electronics
Trolling Motors
Lighting

Electrical

Topside Acc.
Cockpit & Deck
Instruments
Steering, Controls
Perform.
Fuel System
Engine & Parts
Engine Care
Propellers
Seating & Pedestals
Tops & Covers
Pumps
Cleaning & Care
Paint & Paint Acc.
Hardware, Fasteners
Trailering
Misc.
Comm.

Blue Sea Systems Mini Clamp Multimeter



- Clamp allows measurement of AC and DC current in wires without disturbing the circuits or contacting live terminals.
- Auto range simplifies operation: 0.01-400 amps, 0.001-600 volts.
- Auto power-off selection.
- True RMS - required for accurate measurement of inverter output.
- Data hold.
- Test leads included with meter.

Order No.	Mfg. No. / Description	Price
379277	(8110)	\$179.98 LQ

Sperry Digital Multimeter



- Compact, lightweight design.
- Impact resistant housing with protective rubber over-mold.
- 7 Function, 19 Range.
- Auto ranging capabilities that allow the meter to automatically determine the resolution based on the application.
- AC 500V/DC 600V capable with temperature measurement functionality.
- Measures resistance, diode test, continuity (audible), temperature (probe type) and battery testing.
- Operates from (2) AAA batteries.

Order No.	Mfg. No. / Description	Price
378683	(DM6250)	\$45.98 F

Sperry Heavy Duty Voltage - Continuity Tester



- Tests voltage from 80-480V AC/DC (4-range indication).
- Dual function voltage and continuity tester.
- Snap-in leads are spaced to fit standard outlet for "hands free" operation.
- Sta-Flex 36" cold weather leads.
- 4 Hi-Vis indicators.
- Integrated probe storage.
- Operates from (2) LR44 batteries.

Order No.	Mfg. No. / Description	Price
378686	(ET6207)	\$37.98 I

Electrical Marpac Watertight Cable Outlets



- Chrome plated brass.
- Gasketed to assure water tightness.
- Diameter 1-1/2".
- Uses #6 fasteners.

Order No.	Description	Price
7-0451	5/16"	\$5.98 G
7-0452	3/8"	\$5.98 G

Perko Watertight Cable Outlet



- Chrome plated zinc alloy.
- For 5/16" OD cable.
- Equipped with rubber grommet for watertight passage of cable through deck or bulkhead.
- Prevents chafing of cable insulation.
- Base diameter 1-1/4".
- Uses #6 fasteners.

Order No.	Mfg. No. / Description	Price
533148	(1191 DP0 CHR)	\$19.98 LQ

T-H Marine Decorative Wire Cover



- Gives boat that finished look, covers unsightly wire pass-thru holes.
- A black plastic cover to provide a finished look for wiring which passes through holes that are unsightly when left uncovered.
- Covers holes up to 1-1/4" in diameter.
- Comes complete with mounting screws.

Order No.	Mfg. No. / Description	Price
639940	(DWC-1-DP)	\$6.98 H

Marpac Vinyl Hole Grommets



- Mini-Blister - 5 per box.

Order No.	Description	Price
7-3665	1/4" 6 Per Package	\$2.66 G
7-3670	1/2" 4 Per Package	\$2.66 G

Guest Fail-Safe Galvanic Isolators



- Fail-Safe Galvanic Isolators block DC current from flowing through shore power cable.
- Gold-plated terminals provide superior corrosion resistance for harsh environment exposure and prevent galvanic corrosion due to dissimilar metals between boats.
- Ignition protected.
- ABYC - compliant to "fail-safe" requirements.

Order No.	Mfg. No. / Description	Price
378677	(4531001) 30 amps	\$389.98 F
378680	(4531011) 60 amps	\$489.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac Alligator Clips - Insulated



- Sold 2 per display card.

Order No.	Description	Price
7-0133	1-1/4"	\$1.98 G
7-0135	2"	\$1.98 G

Boater Sports Alligator Clips



- Spring loaded copper plated battery clips commonly used for aerators and portable lights.
- 30 amp.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
1-51010	(51010)	\$1.99 H

Optronics Battery Clips



- Copper clad 50 amp battery clips with red and black handles.
- 12 volt.

Order No.	Mfg. No. / Description	Price
523274	(A-100)	\$2.98 Q

Marpac Deluxe Socket with Alligator Clips



- Made from corrosion resistant marine grade materials.
- This portable socket extends over 6' with its heavy duty coiled wire.

Order No.	Description	Price
7-0869	Socket with Alligator Clips	\$14.98 G

Optronics Battery Adapter



- Connect directly to any battery using this adapter with 15 amp fuse.
- Includes 3' cord.

Order No.	Mfg. No. / Description	Price
523290	(A-203)	\$6.98 Q

Charging Clips



- 30 amp.
- Sold 2 per display card.

Order No.	Mfg. No. / Description	Price
364492	(EC06230)	\$5.26 H

Boater Sports Battery Clips



- Spring loaded copper plated 3" battery clips.
- Color coded coated handles.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
1-51008	(51008) 15 amp	\$2.35 H

Boater Sports Battery Clips



- Spring loaded copper plated 3" battery clips.
- Color coded coated handles.
- Sold per pair.

Order No.	Mfg. No. / Description	Price
1-51011	(51011) 30 amp	\$4.29 H

Boater Sports Battery Clip Extension



- Connect 12 volt accessories directly to the battery.
- Copper plated color coded battery clips with 12" wire to corrosion resistant socket.

Order No.	Mfg. No. / Description	Price
1-51012	(51012)	\$5.29 H

Marinco SeaLink Receptacle with Alligator Clips



- 6' heavy duty straight cable wire.
- Watertight cap.
- Corrosion resistant alligator clips.
- Accepts SeaLink plug or standard 12 volt plug.

Order No.	Mfg. No. / Description	Price
217944	(12VXC)	\$42.98 LQ

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Blue Sea CableClams



- Perfect for antenna installation.
- Waterproof co-axial installation without removing connectors.
- Avoid poor connections from removing factory connectors.
- Acetal body. UV-Stabilized Buna-N Rubber.
- Stainless steel screws.
- For use above the waterline only.

Order No.	Mfg. No. / Description	Price
379998	(1001) Maximum Connector Diameter: 0.68"	\$20.98 F
380004	(1002) Maximum Connector Diameter: 0.83"	\$20.98 F
380016	(1003) Maximum Connector Diameter: 1.40"	\$23.98 F

Blue Sea Side Entry CableClams



- Provides a waterproof side entry for antenna cables without requiring removal of the factory installed connector.
- Simple one-piece design for easy side mount installations.
- Low profile, contoured edge reduces the risk of tangling lines
- UV-Stabilized Buna-N Rubber.
- Includes all fasteners.
- For use above the waterline only

Order No.	Mfg. No. / Description	Price
379990	(1007) Maximum Connector Diameter: 1"	\$6.98 F

WITH STAINLESS STEEL DRESS CAP

Order No.	Mfg. No. / Description	Price
380010	(1007100) Maximum Connector Diameter: 1"	\$13.98 F

Marpac Polarized Power Outlet - 12 volt



- Polarized double contact connector.
- Watertight snap-on cover.
- Chrome plated brass base.
- Diameter 1-1/2".
- Uses #8 fasteners.

Order No.	Description	Price
7-0448	Outlet and Plug	\$6.98 G
7-9003	Plug Only	\$5.98 G

Sea-Dog Polarized Electrical Connector



- Machined brass/chrome plated.
- As a safety feature, polarized pins are sized to be connected in only one way.
- 3 amps. 2 pin.
- Uses #5 fasteners.

Order No.	Mfg. No. / Description	Price
214940	(426262-1)	\$17.98 F

Blue Sea CableClams with Stainless Steel Dress Cap



- Pre-drilled and slit rubber seals for easier installation.
- A polished stainless steel dress cap conceals mounting hardware, matches other deck hardware and offers protection from UV.
- UV-Stabilized Buna-N Rubber.
- Stainless steel fasteners included.
- For use above the waterline only.

Order No.	Mfg. No. / Description	Price
379995	(1001100) Maximum Connector Diameter: 0.68"	\$29.98 F
380001	(1002100) Maximum Connector Diameter: 0.83"	\$33.98 F
380012	(1003100) Maximum Connector Diameter: 1.40"	\$36.98 F

Newmar Thru-Dex Waterproof Feed-Thru Fittings



- The entry hole is pre-drilled in seal with slit edge allowing feed through of cable with factory installed connector attached; multiple glands cover a wide range of cable sizes.
- One CCX fitting is required for each cable.
- Entry hole predrilled in seal with slit to edge.
- Allowing installation/removal with connector still attached.
- Rugged weatherproof nylon housing with neoprene seal

DX SERIES

- Similar to CCX Series except installer drills holes in seal to accommodate cable(s).
- Multiple cables may be routed through a single fitting.

Order No.	Mfg. No. / Description	Price
699820	(DX-2) Drill Thru Aperture: 1.2" Max. Conn. Dia.: 1.2"	\$47.98 E

Perko Fig. 1190 Watertight Deck Connection



- Polarized double contact connector.
- Chrome plated zinc alloy.
- Flange gasket with integral waterproof cap for base when plug is removed.
- Rated for 15 amps at 12 volts.
- Diameter 1-5/8", height 1-3/16". Uses #6 fasteners.

Order No.	Mfg. No. / Description	Price
533124	(1190 DPO CHR)	\$26.98 R

Cole Hersee Electrical Connector



- Universal trailer plug and socket.
- Machined brass contacts.
- Thermo plastic molded insulator with rubber cap.
- 2-Pole in line mated connector with brass screws.
- Rubber boot protects terminals and connections from moisture and dirt.

Order No.	Mfg. No. / Description	Price
300549	(M-121-BP)	\$14.98 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Sierra 2-Wire Flat Connector



- Constructed of rugged plastic with molded-in terminals for durability.
- These polarized connector sets plug together only one way to prevent cross connections.
- Length 12", 16 GA, 2 Plugs. Ready Wired #E301120.

Order No.	Mfg. No. / Description	Price
815500	(WH10300)	\$7.98 G

Marpac Deluxe 12 volt Plug and Socket Set



- Made of corrosion resistant marine grade materials.
- Socket mounts in just a 1-1/8" hole from the front using the plate or from the rear using the locking ring.
- Polarized, with a moisture resistant sealing ring the plug comes with an internal fuse.
- The set contains: (1) Deluxe Socket, (2) 12 Volt Deluxe Plugs, mounting hardware, electrical connectors and a boot for the wires. Note: Cigarette lighters will not work with this receptacle.

Order No.	Description	Price
7-0864	12 volt Plug and Socket Set	\$19.98 G

Marpac Accessory Plug and Socket



- Universal mate socket/plug.
- Nickel plated phosphor bronze metal parts help reduce corrosion.
- O-ring and molded cap help reduce corrosion.
- Stainless steel installation screws included.
- Not for use with cigarette lighters.

Order No.	Description	Price
7-0867	Plug and Socket	\$5.98 G
7-0868	Socket Only	\$4.98 H

Marinco SeaLink® Deluxe 12 volt Receptacle and Plug



- Corrosion resistant marine grade construction.
- Exclusive SeaLink locking system.
- The SeaLink 12 volt receptacle features:
 - Watertight sealing plastic cap.
 - Easy to install with supplied mounting plate for front panel installation or locking ring for rear access installation.
 - Compatible with standard 12 volt plugs.
- The SeaLink 12 volt plug features:
 - LED power indicator light.
 - Moisture proof sealing ring.
 - Internal strain relief and cord seal.
 - Interchangeable 10A fuse.
 - Compatible with standard 12 volt receptacles.

Order No.	Mfg. No. / Description	Price
217946	(12VPK) SeaLink Deluxe Receptacle and Plug	\$21.98 F
217947	(12VRC) SeaLink Deluxe Receptacle Only	\$11.98 F
217948	(12VPG) SeaLink Deluxe Plug Only	\$12.98 F

Marpac Deluxe 12 volt Plug



- Made from marine grade, corrosion resistant materials.
- Polarized, with a moisture resistant sealing ring the plug comes with an internal fuse.
- Sold 2 per display pack.

Order No.	Description	Price
7-0862	Deluxe 12 volt Plug	\$9.98 G

Marpac Deluxe Moisture Resistant Socket



- Made from corrosion resistant marine grade materials.
- Mounts in just a 1-1/8" hole from the front using the plate or from the rear using the locking ring.
- Includes: Mounting screws, electrical connectors and a boot for the wires.

Order No.	Description	Price
7-0863	Deluxe Moisture Resistant Socket	\$10.98 G

Boater Sports Power Plug and Socket



- Universal plug and socket for many 12 volt applications.
- Weather resistant cover.
- Push on wires.
- Includes mounting hardware.

Order No.	Mfg. No. / Description	Price
1-51412	(51412) Power Socket and Plug	\$7.75 H
1-51416	(51416) Power Socket Only	\$5.15 H
1-51417	(51417) Power Plug Only	\$3.99 H

Boater Sports Power Outlet



Order No.	Mfg. No. / Description	Price
1-51369	(51369) 12 volt	\$7.95 H

Blue Sea 12 volt Dash Socket - White



- Features watertight cap, easy installation and twist locks securely with plug.
- Designed to withstand the rigors of wet environments and constant vibration.
- Internal strain relief and cord seal.
- Twist lock system - plug locks securely into socket.
- Nickel plated copper alloy used for all current carrying components.
- Front panel, rear panel or surface mount.

Order No.	Mfg. No. / Description	Price
379310	(1011200)	\$11.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Boater Sports Accessory Socket Extension



- 8' black extension.
- Has cap to keep plug clean and dry when not in use.
- 12 volt.

Order No. Mfg. No. / Description
1-51411 (51411)

Price
\$7.95 LQ

Marpac Cigarette Lighter/Chart Light



- Stamped type 304 stainless steel mounting plate.
- Combination chart light and cigarette lighter with the flick of a switch.
- Uses #8 fasteners.
- 12 volt.

Order No. Description Price
7-0112 Cigarette Lighter/Chart Light **\$17.98** G
7-9017 Replacement Lighter **\$8.98** LQ

Boater Sports Chart Light/Cigarette Lighter



- Cigarette lighter with built-in chart light and power socket.
- Chart light has on-off switch.
- Includes mounting hardware.
- Push on wires.
- 12 volt.

Order No. Mfg. No. / Description
1-51420 (51420)

Price
\$17.98 G

Marpac Power Socket



- Stainless steel socket and molded cap with type 304 stainless steel mounting plate.
- Ideal for additional power outlets.
- Uses #8 fasteners.
- 12 volt.

Order No. Description Price
7-0866 Power Socket **\$11.98** G

Boater Sports Power Socket



- Great for use with many 12 volt applications.
- Weather resistant cover. Push on wires.
- Includes mounting hardware.

Order No. Mfg. No. / Description
1-51421 (51421) Stainless Steel

Price
\$11.95 H

Boater Sports Double USB Power Outlet



- Two ports allow charging of two items at the same time.
- Corrosion resistant construction.
- Includes weatherproof cover.
- Easy installation, includes mounting screws and electrical connectors.
- Output 5 volts, 2.1 amps charges any iPod or iPhone and other USB devices.
- 12 volt input.

Order No. Mfg. No. / Description
1-51424 (51424)

Price
\$25.95 H

Order No. Description
7-0821 2-Port USB Charger

Price
\$19.98 G

Blue Sea 12 volt White Dual USB Charger



- Easy to install in existing 12V DC socket hole providing convenient access for charging mobile devices.

Order No. Mfg. No. / Description
379314 (1016200)

Price
\$25.98 F

Cobra Marine Intelligent Mobile Power



- 2.1 amp rapid charging - Quickly charge your cellphone, smartphone, tablets and other mobile devices.
- Compact design - Small enough to fit in your pocket.
- Built-in input cable - Eliminates the use of extra cables.
- Battery status light bar - Indicates battery charge and use status.

Order No. Mfg. No. / Description Price
788270 (CPP50) **\$39.98** F


Cobra Marine Dual Panel Solar USB Charger



- 2.1 amp rapid charging for multiple devices - Quickly charge your cell phone, smartphone, tablets and other mobile devices.
- High efficiency dual solar panels for rapid charging times.
- Rechargeable via USB ports or solar panels - Charge up to 3 devices at once.
- Illuminated LCD display - Monitors battery status and a 3.7 V/6,000 mAh Lithium Polymer Battery Pack.

Order No. Mfg. No. / Description Price
788275 (CPP300SP) **\$79.98** C

Weego Jump Starters



284760



284762



284764

- Starts your engine, charges your phone, fits in your pocket.
- Eliminates the need for jumper cables, bulky jumper packs or calling for a tow.
- Starts gas and diesel engines.
- Charges phones, tablets, speakers and other portable USB devices.
- Compact design fits in your pocket, storage locker or glove box.
- Affordable - pays for itself after just 1 jump start.
- Long-lasting 12V lithium-polymer battery - only loses 2% charge per month when stored - offers up to 1000 full charging cycles.
- Jumper cables and battery pack with safety circuitry protections built in.
- Auto-off feature.
- Ideal operating temperatures from -4° F to 140° F.
- Jumper cables, wall and car chargers, 3-in-1 (micro, 30-pin and lightning) USB cord and carrying case included. (Heavy Duty and Professional Models include 8-Pc. laptop connectors).
- 18-month warranty.
- Lab tested.

STANDARD - FOR GAS ENGINES UP TO 4.6L (DIESEL UP TO 2.4L)

- Starting/peak current: 150A/300A. Charging time: 1.5 hours.
- USB Port(s): 1. LED Flashlight: Yes.

Order No. Mfg. No. / Description Price
284760 (JS6) **\$99.99** D

HEAVY DUTY - FOR GAS ENGINES UP TO 6.4L (DIESEL UP TO 3.2L)

- Starting/peak current: 200A/400A. Charging time: 3 hours.
- USB Port(s): 1. LED Flashlight: Yes - with Strobe & SOS.
- Charges 12V/19V Access: Yes.

Order No. Mfg. No. / Description Price
284762 (JS12) **\$129.99** D

PROFESSIONAL - FOR GAS ENGINES UP TO 9.6L (DIESEL UP TO 4.8L)

- Starting/peak current: 300A/600A. Charging time: 5 hours.
- USB Port(s): 2. LED Flashlight: Yes - with Strobe & SOS.
- Charges 12V/19V Access: Yes.

Order No. Mfg. No. / Description Price
284764 (JS18) **\$189.99** D

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Custom Electrical Panel Easy Quote Form

Project: _____

Contact Number/E-mail for Questions: _____

DC

- 1) DC Voltage: 12____, 24____, 32____
- 2) DC Master Breaker: Yes or No
If Yes: Amps____, Poles____
- 3) # of DC Branch: Breakers____, Poles____
List of Breakers: 5A____, 10A____, 15A____, 20A____, 30A____
40A____, 50A____, 75A____, 100A____



AC

- 1) AC Voltage: 120____, 240____
- 2) AC Master Breaker: Yes or No
If Yes: Amps____, Poles____
- 3) # of AC Branch: Breakers____, Poles____
List of Breakers: 5A____, 10A____, 15A____, 20A____, 30A____
40A____, 50A____



- 4) Meters: Yes____ or No____
If Yes: Digital____ or Analog____
Type of Meters: Volts____, Amps____,
Other____



- 4) Meters: Yes____ or No____
If Yes: Digital____ or Analog____
Type of Meters: Volts____, Amps____,
Other____



- 5) Gen-Shore Power Selector Switch: Yes or No
If Yes: # of Poles____, # of Switch Positions____,
Amps____



Other Desired Function Not Listed Above: _____

Options

- 1) Power "ON" Indication Lights: Yes or No
- 2) Backlit Circuit ID Labels: Yes or No
- 3) Specific Panel Size Requirement: _____
- 4) Sketch Panel Below (Optional):

Customer Contact Information: Name _____ Phone # _____

E-mail: _____

Email this sheet to Kap@newmarpower.com or fax attention Kap to 714-957-1621



- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Blue Sea WeatherDeck™ Waterproof Switch Panels



- Waterproof and rated IP67 (for temporary immersion in water) and use materials that won't deteriorate in the harsh sun, salt, and water.
- Integrated switch guards reduce the risk of accidental switching.
- Panels can be mounted in four different orientations.
- Panel front rated IP67 when properly mounted with watertight mounting gasket.
- UV stabilized weather-resistant faceplate snaps on and off providing access to components and concealing mounting screws.
- Panel cumulative rating: 45 amp.
- 12 volt.

Order No.	Mfg. No. / Description	Price
379612	(4305) 4 Position Gray 4.3" H x 3.88" W x 2.5" D	\$56.98 F
379617	(4307) 6 Position Gray 6" H x 3.88" W x 2.5" D	\$75.98 F
379622	(4309) 8 Position Gray 7.7" H x 3.88" W x 2.5" D	\$93.98 F

Blue Sea Contura Switch Water Resistant Fuse Panels



- Two-part polyurethane slate gray finish.
- ON-OFF water resistant Contura Switches.
- On indicating LEDs embedded in switch.
- Switch rating 20 amp maximum.
- Panel cumulative rating: 45 amps.
- Fuse holders accept commonly available AGC and MDL glass fuses.
- Comes with set of 30 common DC labels.
- 12 volt.

Order No.	Mfg. No. / Description	Price
379645	(8054) 3 Position Vertical 3.75" H x 5.25" W x 3" D	\$112.98 G
379633	(8053) 6 Position Vertical 7.5" H x 5.25" W x 3" D	\$182.98 G
379669	(8262) 4 Position Horizontal 3.75" H x 5.25" W x 3" D	\$137.98 F
379657	(8261) 8 Position Horizontal 3.75" H x 9.37" W x 3" D	\$224.98 G

Blue Sea Waterproof Contura Switches



- Vibration, shock, thermoshock, moisture and salt spray resistant.
- Meets UP1500 and ISO8846 ignition protection requirements.
- Current rating: 20A @ 12 volt.
- Gray.

Order No.	Mfg. No. / Description	Price
379760	(8232) SPDT, ON-OFF-ON	\$14.98 F
379772	(8231) SPST, OFF-MOM. ON	\$10.98 F
379780	(8230) SPST, OFF-ON	\$12.98 Q

Blue Sea WeatherDeck™ Waterproof Circuit Breaker Panels



- Rated IP67 - temporary immersion for 30 minutes.
- Designed for flybridge and open cockpit applications.
- Independent label backlighting allows switching and dimming.
- Compatible with all Blue Sea Systems Digital Dimmers.
- Each panel can be mounted in four different orientations.
- Green LEDs aid low-light readability. All labels will be lit when the panel is powered, regardless of individual switch position.
- Panel cumulative rating: 45 amp.
- 12 volt.

Order No.	Mfg. No. / Description	Price
379608	(4374) 4 Position Gray 4.3" H x 4.25" W x 3.5" D	\$114.98 F
379609	(4376) 6 Position Gray 6" H x 4.25" W x 3.5" D	\$145.98 G
379610	(4378) 8 Position Gray 7.7" H x 4.25" W x 3.5" D	\$202.98 G

Blue Sea Contura Water Resistant Circuit Breaker Panels



- Two-part polyurethane black finish.
- Panel front is rated IP66.
- Ignition protected.
- ON-OFF water resistant Contura Switches.
- ON indicating LEDs embedded in switch.
- Push button reset - only circuit breakers with waterproof boots.
- Switch rating 20 amp maximum.
- Panel cumulative rating: 45 amps.
- Comes with set of 60 common DC labels.
- 12 volt.

Order No.	Mfg. No. / Description	Price
379668	(8372) 4 Position Horizontal 4.25" H x 5.25" W x 3.25" D	\$153.98 F
379667	(8371) 8 Position Horizontal 4.25" H x 9.37" W x 3.25" D	\$263.98 F

Blue Sea Panel Mount AGC/MDL Fuse Holder



- Replaces fuse holder found in Contura Waterproof Fuse Panels.
- Easy to open.
- Will withstand the water exposures normally encountered in above deck applications: salt spray, rain, hose washdowns, and momentary immersions.
- Maximum amperage: 20 amp.

Order No.	Mfg. No. / Description	Price
379467	(5021)	\$7.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tools & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Marpac L.E.D. Advantage Switch Panel



See page 369 for replacement breakers.

- Panel made from corrosion proof ABS plastic with reinforced corners.
- LED backlit switch names glow when activated, know what's on at a glance.
- LED's amp draw is too small to record.
- Watertight design includes breaker and toggle switch boots as well as panel mounting gasket.
- 15 amp push button resettable breakers are easy to replace.
- Replaceable on-off toggle switches rated at 20 amps.

Order No.	Description	Price
7-0497	6 Gang	\$68.98 G

Marpac Power Panels



7-1134



See page 369 for replacement breakers.

- Modern style illuminated rocker switches glow white when ON - easy to see day or night.
- Weather resistant breaker boots included.
- Marine grade aluminum panel.
- For extra flexibility, add Marpac 7-1144 - On-Off-On Rocker Switches.

Order No.	Description	Dimensions	Price
7-0514	3 Gang	5-1/4" W x 3-3/4" H	\$44.98 G
7-0513	6 Gang	5-1/4" W x 7-1/2" H	\$68.98 G
7-1134	Spare Circuit Breaker Boot		\$6.98 G

Marpac Switch Panel with Boots



7-0534



- Black bakelite panel with chrome plated toggle switches and screw cap fuse holders.
- Rated 15 amps.
- Uses #8 fasteners.
- Dimensions: 4-1/2" W x 6-1/4" H.

Order No.	Description	Price
7-0517	6 Gang with Boots	\$35.98 G
7-0534	Spare Toggle Switch	\$4.98 G
7-0519	Spare Boot	\$2.38 G

Boater Sports Switch Panels



- Not just another switch panel.
- These switch panels feature an internal Blue LED lighting system when in the "On" position that will never leave you guessing what switch is flipped at night.
- Smooth contour rocker switches and built in circuit breaker protection give this panel features only found previously on luxury yachts.
- Includes hardware for ease of installation.

Order No.	Mfg. No. / Description	Price
1-51318	(51318) 4 Gang	\$99.95 Q
1-51319	(51319) 6 Gang	\$129.95 Q

Marpac Switch Panels



7-0534



- Black bakelite panel.
- Includes: Chrome plated toggle switches and screw cap fuse holders.
- Rated 15 amps.
- Uses #8 fasteners.

Order No.	Description	Dimensions	Price
7-0516	3 Gang	4-1/4" W x 3-1/2" H	\$15.98 G
7-0518	6 Gang	4-1/2" W x 6-1/2" H	\$27.98 G
7-0534	Spare Toggle Switch		\$4.98 G
7-0519	Spare Boot		\$2.38 G

Marinco - BEP Products Micro Series Sprayproof Switch Panel



- Green LED backlit labels; red when on.
- Full range of text or graphic labels available; mix n match labels and panels to suit.
- Switches rated at 20A DC.
- Dimensions: 3.4" x 2.3" x 1.2".
- Waterproof to IP56.
- 2 x 2 way switches.
- Panel supplied with Label LBL-MIC.

Order No.	Mfg. No. / Description	Price
702105	(900-2WP)	\$51.98 Q

Boater Sports Switch Panel with Power Socket



- Water resistant switch panel.
- 20 amp switches with 15 amp fuses for safety.
- 3 switch or 5 switch configurations available.

Order No.	Mfg. No. / Description	Price
1-51370	(51370) 3 Gang 4.5" W x 5" H	\$42.95 H

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Marinco - BEP Products Waterproof Series Sprayproof Switch Panels



702140



702115



702110



702125

- Compact panel size.
- Sprayproof inline fuse holders with fuses included.
- Waterproof power receptacles (16A) in five and three way models.
- Waterproof to IP56.
- Switches rated at 20A DC.
- Dimensions: 3.75" H x 4.25" W x 2.9" H.
- Panel supplied with label LBL-WP.

Order No.	Mfg. No. / Description	Price
702110	(900-3WPS) 3 Switches Black	\$71.98 Q
702115	(900-4WP) 4 Switches Black	\$51.98 Q
702120	(900-4WPW) 4 Switches White	\$50.98 Q
702125	(900-5WPS) 5 Switches Black	\$90.98 Q
702130	(900-5WPW) 5 Switches White	\$87.98 Q
702135	(900-6WP) 6 Switches Black	\$70.98 Q
702140	(900-6WPW) 6 Switches White	\$70.98 Q

Marpac Switch Panel with Grounding Bus Bar



7-0533



- Pre-wired brushed aluminum panel with illuminated red rocker switches.
- Corrosion resistant tinned wires.
- Negative ground bus bar simplifies wiring.
- Includes: (6) 10 amp fuse holders and fuses.
- Dimensions: 4-5/8" x 6-1/2".
- Maximum rating 10 amps per circuit.

Order No.	Description	Price
7-0511	6 Gang	\$41.98 G
7-0533	Illuminated Rocker Switch, Off-On, 3 Terminals	\$3.98 G

Marpac Label Kit for Switch Panels



- Fits all Marpac switch panels.
- Includes: Accessory, Aerator, Anchor Light, Bait Pump, Baitwell, Bilge Pump, Bilge Pump Aft, Bilge Pump Fwd, Cabin Lights, Deck Lights, Fish Finder, Flood Lights, GPS, Nav Lights, Running Lights, Spreader Lights, VHF, Wash Down, Water Pressure, Wipers.

Order No.	Description	Price
7-0509	Label Kit for Switch Panels	\$2.98 G

Marpac Breaker Panel



7-0533



Additional breakers available page 369.

- Pre-wired brushed aluminum panel with illuminated red rocker switches.
- Corrosion resistant tinned wires.
- Includes: (1) 6 amp, (3) 10 amp, (1) 15 amp and (1) 20 amp circuit breakers.
- Dimensions: 4-1/2" x 6-3/8".

Order No.	Description	Price
7-0512	6 Gang	\$48.98 G
7-0533	Illuminated Rocker Switch, Off-On, 3 Terminals	\$3.98 G

Marpac Switch Panel



7-0533



- Pre-wired brushed aluminum panel with illuminated red rocker switches.
- Includes: 10 amp fuse holders and fuses.
- Dimensions: 4-1/2" x 3-3/4".

Order No.	Description	Price
7-0510	3 Gang	\$24.98 G
7-0533	Illuminated Rocker Switch, Off-On, 3 Terminals	\$3.98 G

Boater Sports Rocker Switch Panels



- Illuminated rocker switches with boots and screw in fuses.
- Corrosion resistant aluminum face.
- Includes extra labels and mounting hardware.

Order No.	Mfg. No. / Description	Price
1-51400	(51400) 4 Gang 4.5" W x 5" H	\$36.10 H
1-51401	(51401) 6 Gang 4.5" W x 6.5" H	\$47.75 H

Blue Sea Weatherproof Panel Label Kits



- Reinforced, weatherproof material.
- Used on WeatherDeck waterproof panels and battery management panels.
- Black.

Order No.	Mfg. No. / Description	Price
379671	(4215) 30 Label Set	\$15.98 F
379672	(4216) 60 Label Set	\$16.98 F
379673	(4217) 120 Label Set	\$21.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tools & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Newmar AC Master Panels



- Essential control/protection whenever AC from shorepower or generators is on board.
- A double pole master breaker with power on indicator light protects both hot and neutral legs of the AC circuit.
- A reverse polarity light provides clear warning when wiring is reversed and poses a shock hazard.

AC-II - AC MASTER PANEL

- 30 amp master breaker.

Order No. Mfg. No. / Description Price
699756 (AC-II) Dimensions: 5-1/4" W x 3-3/4" H **\$106.98** E

AC-IX - AC MASTER PANEL

- 30 amp master breaker, 5 branch circuit capacity 4 installed standard (1) 10 amp, (2) 15 amp, (1) 20 amp or specify. LS-I Label Set included.

Order No. Mfg. No. / Description Price
699770 (AC-IX) Dimensions: 5-1/4" W x 7-1/2" H **\$254.98** E

Newmar DC Load Center - Elite Series



- Accommodates one ANALOG meter. DC 0-50A ammeter standard or 12 or 24 volts.
- Master breaker, single pole, 75 amp standard; 50 or 100 amp optional, single pole.
- 10 branch circuit capacity, 8 installed standard: (1) 5 amp, (2) 10 amp, (4) 15 amp and (1) 20 amp.
- Indicator lights on every circuit.
- LS-III Label Set included.
- Multiple position ground bus bar included.

Order No. Mfg. No. / Description Price
699890 (ES-6D) Dimensions: 5-1/4" W x 15" H x 4" D **\$654.98** E

Newmar AC or DC Accessory Panel - Elite Series



- AC or DC master breaker (double pole AC 50 amp* standard, 30 amp optional or DC 100 single pole amp standard; 50 or 75 amp optional).
 - Indicator lights on every circuit.
 - LS-III label set included.
 - Multiple position ground Bus Bar included.
 - Weight: 7 lbs.
 - 16 branch circuit capacity, 12 installed standard: (2) 5 amp, (3) 10 amp, (5) 15 amp and (2) 20 amp.
- * Note: 50 amp master OK for use on 230 VAC line-to-line systems. For 230 VAC line-to-neutral systems 30 amp is maximum master breaker value.

Order No. Mfg. No. / Description Price
699893 (ES-7D) Dimensions: 5-1/4" W x 15" H x 4" D **\$654.98** E

Newmar AC or DC Accessory Panel



- Ideal for smaller vessels with only a limited number of electrical circuits, or for larger systems where their modular design makes for an easy & attractive expansion of existing system capacity.
- 8 breaker capacity, 5 installed standard; (2) 5 amp, (1) 10 amp, (1) 15 amp, (1) 20 amp or specify. 8 DC circuit "ON" indicator lights installed standard. AC lights optional.
- LS-I Label Set included.

Order No. Mfg. No. / Description Price
699782 (ACCY-IX) Dimensions: 5-1/4" W x 7-1/2" H **\$203.98** E

Newmar DC Master Panel - Elite Series



- Analog DC volt and ammeter, back illuminated with dimmer.
- 4 battery bank test switch.
- DC master breaker. 22 branch circuit capacity, 20 installed standard: (3) 5 amp, (5) 10 amp, (6) 15 amp and (6) 20 amp.
- Red circuit ON indicator lights.
- LS-III Label Set and multiple position ground bus bar included.
- Weight: 8 lbs.

Order No. Mfg. No. / Description Price
699790 (ES-1) Dimensions: 10" W x 15" H x 4" D **\$1,228.98** E

Newmar AC-DC Master Combined Control Panel - Elite Series



- Complete metering of voltage and current on AC and DC systems.
- Back-lit analog meters are standard.
- AC master breaker(s) with reverse polarity warning light.
- Power "on" indicator lights on all circuits.
- Four battery bank voltage test switch.
- Deluxe label set (LS-III) included, 206 functions.
- Multiple position ground bus bar.
- Rating 115/230 VAC, 65 VDC.
- DC circuits: 16 breaker capacity; 12 installed standard: (2) 5 amp, (3) 10 amp, (4) 15 amp and (3) 20 amp.
- AC circuits: Master (D.P.) 30 amp standard plus 6 S.P. branch capacity, 5 installed standard: (1) 10 amp, (2) 15 amp and (2) 20 amp.
- Weight: 10 lbs.

Order No. Mfg. No. / Description Price
699794 (ES-3) Dimensions: 13.7" W x 10" H x 4" D **\$1,239.98** E


Newmar AC-DC Master Control - Elite Series



- Complete metering of voltage and current on AC and DC systems.
- Back-lit analog meters are standard.
- AC master breaker(s) with reverse polarity warning light.
- Power "on" indicator lights on all circuits.
- Four battery bank voltage test switch.
- Deluxe label set (LS-III) included, 206 functions.
- Multiple position ground bus bar.
- Rating 115/230 VAC, 65 VDC.
- Large 3-1/2" scale meters and an ample circuit breaker capacity makes this the panel of choice for boats in the 35' - 45' range.
- DC Circuits: 20 breaker capacity, 16 installed standard; (2) 5 amp, (3) 10 amp, (4) 15 amp, (3) 20 amp or specify.
- AC Circuits: Master (D.P.) 50 amp standard plus 8 S.P. branch capacity, 6 installed standard; (1) 10 amp, (3) 15 amp, (2) 20 amp or specify.
- Weight: 12 lbs.

Order No.	Mfg. No. / Description	Price
699881	(ES-4) Dimensions: 17" W x 12" H x 4" D	\$1,513.98 E

Newmar Panel Meters



- For replacement or addition to existing panel systems.
- Easy to read graphics with unit divisions give precise readouts at a glance.
- Stud mount with push-on terminals.
- Designed for easy front panel mounting.
- DC ammeters require external shunts which are provided.

Order No.	Mfg. No. / Description	Panel Size	Price
700016	(023-9161-0) 8-16 DC Voltmeter	2-1/2"	\$60.98 E
700028	(DCVOLT 16-32) 16-32 DC Voltmeter	2-1/2"	\$60.98 E
700030	(023-0502-0) 0-50 DC Ammeter	2-1/2"	\$92.98 I
700658	(023-9161-5) 8-16 DC Voltmeter	3-1/2"	\$62.98 E
700660	(023-1632-5) 16-32 DC Voltmeter	3-1/2"	\$62.98 E
700045	(023-1001-5) 0-100 DC Ammeter	3-1/2"	\$131.98 I
700048	(023-0502-5) 0-50 DC Ammeter	3-1/2"	\$131.98 I

Newmar Deluxe Label Set



- White lettering on black peel-and-stick mylar.
- Allows easy customizing of panel system.
- Includes: 182 labels.

Order No.	Mfg. No. / Description	Price
699744	(LS-III)	\$95.98 D

Newmar Control Panel for Lamp Dimmer System



- Adjust DC lights to ease eye strain and enhance night vision.
- Light intensity is easily regulated by remote panel.
- Black anodized aluminum panel.
- 5,000 Ohm dimmer control panel adjusts brightness between off and 85% of full voltage.
- Dimensions: 3" x 3"

Order No.	Mfg. No. / Description	Price
699866	(LDP)	\$73.98 E

Bernard Identi-Plates™



ACTUAL SIZE

- White lettering and beveled edge on black plastic plates.
- Comes with two screws/nail holes on 1-3/16" centers.
- Can be glued mounted or mounted with brads or screws.
- Dimensions: 1/2" x 1-1/2".
- Priced each, standard pack 5.

Order No.	Description	Price
ALL	Identi-Plates	\$3.45 Q

251811	(IP-76) Power Winch	254223	(IP-17) Panel Lights	254374	(IP-32) Aft	254590	(IP-54) Fuel Pump
254069	(IP-01) Anchor Light	254235	(IP-18) Radio	254398	(IP-34) Bait Pump	254627	(IP-57) Heater
254071	(IP-02) Bilge Pump	254247	(IP-19) Reverse	254401	(IP-35) Baitwell	254641	(IP-59) Ignition
254083	(IP-03) Blower	254259	(IP-20) Running Lights	254425	(IP-37) Bow Light	254677	(IP-62) Manual
254108	(IP-05) Compass	254261	(IP-21) Search Light	254437	(IP-38) Cabin Light	254691	(IP-64) Navigation
254110	(IP-06) Deck Lights	254273	(IP-22) Starter	254487	(IP-43) Courtesy Lights	254716	(IP-66) Oil Pressure
254122	(IP-07) Depth Sounder	254285	(IP-23) Stern Light	254526	(IP-47) Engine Room	254766	(IP-71) Port
254146	(IP-09) Horn	254297	(IP-24) Throttle	254538	(IP-48) Engine Shutoff	254893	(IP-84) Spreader Lights
254160	(IP-11) Light	254300	(IP-24) Water Temperature	254540	(IP-49) Fan	254907	(IP-85) Starboard
254172	(IP-12) Master	254312	(IP-26) Wiper	254564	(IP-51) Flood Light	254944	(IP-89) Tank 2
254184	(IP-13) Masthead Light	254336	(IP-28) 12 Volt	254576	(IP-52) Fresh Water System	254982	(IP-93) Trim
254209	(IP-15) Off	254362	(IP-31) Aerator	254588	(IP-53) Fuel	255100	(IP-105) Alarm

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Newmar Battery Isolators



- Allow charging multiple batteries automatically from one or two alternators and prevent discharge or dumping of one battery into another.
- Each battery is charged according to its need without overcharging.
- Rated for 12 - 48 volt negative ground DC systems.
- Conservatively rated diodes & a rustproof anodized aluminum heat sink case.


MAXIMUM AMPERAGE INPUT CAPACITY: 70 AMPS

Order No.	Mfg. No. / Description	Price
378679	(1-2-70) 1 Alternator Source 2 Battery Banks	\$88.98 E
378706	(1-3-70) 1 Alternator Source 3 Battery Banks	\$133.98 E
378693	(2-3-70) 2 Alternator Sources 3 Battery Banks	\$240.98 E

MAXIMUM AMPERAGE INPUT CAPACITY: 120 AMPS

Order No.	Mfg. No. / Description	Price
378681	(1-2-120) 1 Alternator Source 2 Battery Banks	\$159.98 E

Guest Battery Isolators



- Our battery isolators have an optimized heat sink design for maximum performance and a minimized voltage drop across isolation barrier using Schottky type diodes.
- Each output is individually capable of carrying the full alternator load.
- Fixed cable posts for secure connections.
- Fully potted, marine grade construction.
- Waterproof components for harsh environment performance year after year.
- DC Voltage: 12-48.
- NOTE: If used on a 24V system, boat must be equipped with 24V DC alternator

Order No.	Mfg. No. / Description	Price
678671	(2501) 70 amps 1 Alternator 2 Battery Banks	\$83.98 Q
378674	(2504) 70 amps 1 Alternator 3 Battery Banks	\$214.98 R

Cole Hersee Continuous Duty Solenoid



Order No.	Mfg. No. / Description	Price
330780	(24059-08-BP)	\$39.98 H

- Universal. Insulated.
- Normally open. S.P.S.T.
- Straight bracket.
- Plated steel housing with copper contacts.
- Continuous rating: 65 amp. 12 volt.
- Copper terminals, 10-32 thread and 5/16" - 24 thread.
- UL Marine and CE/ISO Listed.
- Hex nuts and lock washers included.


Marpac Circuit Breakers with Switch Function - Bussmann 187 Series



- Manual reset circuit breaker with On-Off switch capability.
- Typically used in DC power systems in marine applications (as a main or branch circuit breaker).
- Easily mounted to any flat surface.
- External ignition protected and weatherproof.
- 5/16-18 threaded studs.
- Compliances: ABYC E-11; CE; SAE J1171 (Ignition Protected).

Order No.	Description	Price
7-1741	30 Amp Firewall Mount	\$59.98 G
7-1742	40 Amp Firewall Mount	\$59.98 G
7-1743	50 Amp Firewall Mount	\$59.98 G
7-1744	70 Amp Firewall Mount	\$59.98 G
7-1745	100 Amp Firewall Mount	\$59.98 G

Marpac Circuit Breakers - Bussmann 285 Series



- Type III switchable with yellow manual reset lever.
- Waterproof.
- Stainless steel M6 threaded stud terminal, nuts and washers.
- Meets the stringent requirements for the SAE J1117 standard for ignition protection.

Order No.	Description	Price
7-1720	50 Amp Panel Mount	\$47.98 G
7-1725	80 Amp Panel Mount	\$47.98 G
7-1730	25 Amp Surface Mount	\$47.98 G
7-1731	30 Amp Surface Mount	\$47.98 G
7-1732	40 Amp Surface Mount	\$47.98 G
7-1733	50 Amp Surface Mount	\$47.98 G
7-1736	60 Amp Surface Mount	\$47.98 G
7-1734	70 Amp Surface Mount	\$47.98 G
7-1735	100 Amp Surface Mount	\$47.98 G

Fun & Flotation
Anchor & Dock
Safety
Electronics
Trolling Motors
Lighting

Topside Acc.
Cockpit & Deck
Instruments
Steering, Controls
Perform.
Fuel System
Engine & Parts
Engine Care
Propellers
Seating & Pedestals
Tops & Covers
Pumps
Cleaning & Care
Paint & Paint Acc.
Hardware, Fasteners
Trailerling
Misc.
Comm.

Blue Sea 285-Series Thermal Circuit Breaker - Surface Mount



- Drop in replacement for 185-Series Circuit Breakers.
- Visible reset lever shows open condition.
- Ignition protected - Safe for installation aboard gasoline powered boats.
- Meets SAE J1171 external ignition protection requirements.
- Weather resistant.
- Combines switching and circuit breaker function into one unit.
- "Trip Free" - cannot be held closed after trip.
- Maximum voltage: 48V DC.

Order No.	Mfg. No. / Description	Price
379539	(7184) 60 Amp	\$51.98 F

Blue Sea Push Button Reset Only Quick Connector Circuit Breakers



379404



- Branch circuit breakers (can also be used for 24-hour circuit protection).
- Quick connect terminal style circuit breakers are incorporated into Blue Sea Systems WeatherDeck Waterproof Circuit Breaker Panels, Dual Battery Bank Main Distribution Panels, and 360 Distribution Panels.
- Compact design enables high density circuit protection configurations.
- Push-to-reset operation.
- "Trip Free" design cannot be held ON during fault current condition.
- Ignition protected - Safe for installation aboard gasoline powered boats.

Order No.	Mfg. No. / Description	Price
379458	(7052) 5 Amp	\$6.98 F
379460	(7054) 10 Amp	\$6.98 F
379461	(7056) 15 Amp	\$6.98 F
379462	(7057) 20 Amp	\$6.98 F
379464	(7059) 30 Amp	\$6.98 F
379404	(4137) Push Button Reset Boot - Black	\$4.27 F

Marpac Push Button Circuit Breakers



- Fits 15/32" mounting stem.

Order No.	Description	Price
7-1124	6 Amp Sold 2 Per Package	\$6.98 G
7-1126	10 Amp Sold 2 Per Package	\$5.98 G
7-1128	15 Amp Sold 2 Per Package	\$6.98 G
7-1129	20 Amp Sold 2 Per Package	\$6.98 G
7-1130	30 Amp Sold 2 Per Package	\$6.98 Q
7-1131	40 Amp Sold 1 Per Package	\$5.98 G
7-1132	50 Amp Sold 1 Per Package	\$9.98 G



BRASS BRACKET FOR MOUNTING BREAKERS TO BATTERY POST

Order No.	Description	Price
205564	Brass Bracket for Mounting Breakers to Battery Post	\$7.98 Q

PUSH BUTTON CIRCUIT BREAKER ASSORTMENT

- Includes: 1 each of 3 amp, 6 amp, 10 amp, 15 amp & 20 amp.

Order No.	Description	Price
7-1133	Push Button Circuit Breaker Assortment	\$20.98 LQ



Blue Sea 187-Series Thermal Circuit Breakers - Surface Mount



- Combines switching and circuit protection into a single device.
- Clear, single lever operation.
- Ignition protected - Safe for installation aboard gasoline powered boats.
- Meets SAE J1171 external ignition protection requirements.
- Waterproof.
- Maximum voltage: 48V DC.
- "Trip Free" - cannot be held "ON" during fault current condition.
- Large clearance around terminal studs accept heavy gauge wire lugs.
- Robust 5/16 M8 terminals provide high torque connections.

Order No.	Mfg. No. / Description	Price
379533	(7135) 25 Amp	\$81.98 F
379534	(7136) 30 Amp	\$81.98 F
379535	(7138) 40 Amp	\$81.98 F
379536	(7139) 50 Amp	\$81.98 F
379537	(7141) 70 Amp	\$81.98 F

Newmar Circuit Breakers - A Frame Size



- Fits all Newmar electrical panels, as well as most other brands.
- Feature magnetic-hydraulic trip-free mechanism.
- Black toggle handles.
- #10 screw terminals on rear for wiring.
- Rated to 65 VDC or 277 VAC.
- UL recognized and CSA listed for AC and DC systems and meet USCG requirements as a qualified circuit protection device.

Order No.	Mfg. No. / Description	Price
698019	(088-0051-2) 5 Amp Single Pole	\$14.98 E
698033	(088-0151-2) 15 Amp Single Pole	\$14.98 E
698046	(568-0201-2) 20 Amp Single Pole	\$14.98 E
698057	(088-0251-2) 25 Amp Single Pole	\$14.98 E
698069	(088-0301-2) 30 Amp Single Pole	\$14.98 E
698083	(088-0501-2) 50 Amp Single Pole	\$14.98 E
698108	(089-0151-2) 15 Amp Double Pole	\$47.98 E
698110	(089-0301-2) 30 Amp Double Pole	\$47.98 E
698123	(089-0501-2) 50 Amp Double Pole	\$47.98 E
698007	(SCREWS) Black, Breaker Mounting Screw	\$0.25 B

T-H Marine Trolling Motor Circuit Breaker Kit



- Protects trolling motors from damage.
- Contains: 50 amp circuit breaker.
- 3' of 8 gauge wire to battery.
- Kit includes: Mounting box, fasteners and second ring terminal for attaching trolling motor wire.

Order No.	Mfg. No. / Description	Price
640075	(CBBK-1-DP)	\$57.98 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.


Marpac Circuit Breaker Boot



- Protects against dirt and moisture.
- Fits all Marpac circuit breakers. Fits 15/32" mounting stem.
- Sold 3 boots per card.

Order No.	Description	Price
7-1134	Circuit Breaker Boot	\$6.98 G

Marpac Circuit Breaker Kit



- Includes 50 amp in-line circuit breaker, bracket and boot.
- Manual reset button.
- For use with higher amperage accessories.
- For use with 12V or 24V systems.

Order No.	Description	Price
7-1169	Circuit Breaker Kit	\$9.98 H

Marpac Circuit Breaker Bracket and Boot



- Simplify the mounting of a trolling motor circuit breaker.
- Can be used with most either manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements, reducing corrosion.

Order No.	Description	Price
7-1170	Circuit Breaker Bracket and Boot	\$3.95 H

Marpac Resettable Circuit Breakers



- Inline circuit breaker.
- Manual reset button.
- For use with higher amperage accessories.
- 12 volt.

Order No.	Description	Price
7-1172	20 Amp	\$9.98 G
7-1173	30 Amp	\$7.98 G
7-1174	40 Amp	\$7.98 G
7-1175	50 Amp	\$7.98 G

Cole Hersee Circuit Breakers with Mounting Bracket



- High quality plated steel with heavy gauge steel mounting bracket.
- Continuously resets until the overload is corrected.
- Protects electrical circuits and equipment.
- Dimensions: 2" L x .78" W x 1.38" H.
- Rated at 12V DC.
- Two #10-32 stud terminals with hex nuts and lock washers.

Order No.	Mfg. No. / Description	Price
330785	(30055-15BP) 15 Amp	\$10.98 H
330794	(30055-20-BP) 20 Amp	\$10.98 H
330807	(30055-30-BP) 30 Amp	\$10.98 H
330819	(30055-40-BP) 40 Amp	\$10.98 H
330821	(30055-50-BP) 50 Amp	\$11.98 H


Boater Sports Breaker Boot



- Waterproof, clear rubber boot for use with push button breakers.

Order No.	Mfg. No. / Description	Price
1-51384	(51384) Clear	\$2.95 H

Boater Sports Circuit Breaker Kit



- Includes 50 amp in-line circuit breaker, bracket and boot.
- Manual reset button.
- For use with higher amperage accessories.
- For use with 12V or 24V systems.

Order No.	Mfg. No. / Description	Price
1-51110	(51110)	\$10.95 H

Boater Sports Circuit Breaker Bracket and Boot



- Simplify the mounting of a trolling motor circuit breaker.
- Can be used with most either manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements, reducing corrosion.

Order No.	Mfg. No. / Description	Price
1-51111	(BK/BB-1-BS)	\$3.95 H

Boater Sports Breaker Cover



- Covers breaker terminals protecting them from elements and prevents corrosion.

Order No.	Mfg. No. / Description	Price
2000326	(BCV-1)	\$1.27 H

Boater Sports Breaker Mounting Bracket



- For convenient mounting of trolling motor breaker.
- Use with manual or automatic trolling motor breakers.

Order No.	Mfg. No. / Description	Price
2000327	(BRK-1)	\$5.75 J

Boater Sports Manual Circuit Breakers



- Manual circuit breaker for trolling motor.

Order No.	Mfg. No. / Description	Price
2000228	(BK/CB12340HB) 40 Amp	\$7.98 H
2000229	(BK/CB12350HB) 50 Amp	\$7.98 H

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Blue Sea ST-Blade Battery Terminal Mount Fuse Block Kit




- Easy to install (4) ATO/ATC fused circuits to the terminal of a battery.
- Mounts on the battery terminal stud.
- Screw terminals for securing wires.
- Nylon insulated ring terminals included for each screw terminal.
- Accepts small format circuit labels.
- Insulating cover meets ABYC/USCG insulation requirements.

Order No. Mfg. No. / Description Price
379368 (5024) **\$35.98** F



Marpac ATC/ATO Fuses



Sold by box of 5 Packages only! Priced per Package.

- Sold 3 per pack.

Order No.	Description	Price
7-3800	3 Amp	\$3.06 G
7-3805	4 Amp	\$3.06 G
7-3810	5 Amp	\$3.06 G
7-3815	7.5 Amp	\$3.06 G
7-3820	10 Amp	\$3.06 G
7-3825	15 Amp	\$3.06 G
7-3830	20 Amp	\$3.06 G
7-3835	25 Amp	\$3.06 G
7-3840	30 Amp	\$3.06 G
7-3845	40 Amp	\$3.06 G

Miniature "ATO" Style Fuse



- Sold 5 per pack.

Order No. Mfg. No. / Description Price
2000271 (MIN2BP) 2 Amp Gray **\$4.49** LQ

Blue Sea Maxi Fuse



- Tin-plated connector blades for corrosion resistance.
- Maximum voltage rating: 32 Volts DC.
- Interrupt rating: 1,000 Amperes DC.
- Sold 2 per pack.

Order No. Mfg. No. / Description Price
379304 (5140) 50 Amp **\$2.98** F

Marpac Mini Plug-In Fuses



Sold by box of 5 Packages only! Priced per Package.

- Sold 3 per pack.

Order No.	Description	Price
7-3855	2 Amp	\$3.57 G
7-3860	3 Amp	\$3.57 G
7-3865	4 Amp	\$3.57 G
7-3870	5 Amp	\$3.57 G
7-3875	7.5 Amp	\$3.57 G
7-3880	10 Amp	\$3.57 G
7-3885	15 Amp	\$3.57 G
7-3890	20 Amp	\$3.57 G
7-3895	25 Amp	\$3.57 G
7-3900	30 Amp	\$3.57 G

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments

- Steering, Controls
- Perform.
- Fuel System

- Engine & Parts
- Engine Care

- Propellers
- Seating & Pedestals

- Tools & Covers
- Pumps

- Cleaning & Care
- Paint & Paint Acc.

- Hardware, Fasteners
- Trailering

- Misc.
- Comm.

Marpac Water Resistant Plug-In Fuse Holder



- For ATO-ATC fuses up to 30 amps.
- Fuse not included.
- 12 gauge wire loop.

Order No. Description Price
7-3780 Plug-In Fuse Holder **\$4.16** G

Boater Sports "ATO" Style Waterproof Fuse Holder



- ATO - Black with 12 gauge red wire.
- Includes 30 amp fuse.

Order No. Mfg. No. / Description Price
1-51405 (51405) **\$2.89** H

"Mini ATO" Style Inline Fuse Holder with Cover



- Protective cover has removable straps.
- 16 gauge lead black wire.
- Fuse size: 2-20 amp.
- Length 3.5".

Order No. Mfg. No. / Description Price
2000261 (BP/HHL-RP) **\$2.48** H

"ATO" Style Inline Fuse Holders with Cover

- Splash resistant protective cover.
- Fuses not included.
- Packaged for display.
- Length 3.5".

14 GAUGE LEAD YELLOW WIRE

- Fuse size: 1-20 amp.

Order No. Mfg. No. / Description Price
2000258 (BP/HHF-RP) **\$2.77** H

12 GAUGE LEAD YELLOW WIRE

- Fuse size: 1-30 amp.

Order No. Mfg. No. / Description Price
2000259 (BP/HHG-RP) **\$3.57** H



Handi-Man Plug-In ATC Fuse Kit



- Each kit contains an assortment of plug-in blade ATC fuses, including 10 amp (Qty. 6), 15 amp (Qty. 4), 20 amp (Qty. 4) and 30 amp (Qty. 3).

Order No. Mfg. No. / Description Price
731580 (970223) 17 Pieces **\$9.98** H

Marpac AGA and AGC Fuses



Sold by box of 5 Packages only! Priced per Package.

- Sold 5 per pack.

Order No.	Description	Price
7-3675	AGA 20 Amp	\$2.89 G
7-3680	AGA 30 Amp	\$2.89 G
7-3685	AGC 1 Amp	\$2.89 G
7-3690	AGC 1.5 Amp	\$2.89 G
7-3695	AGC 2 Amp	\$2.89 G
7-3700	AGC 2.5 Amp	\$2.89 G
7-3705	AGC 3 Amp	\$2.89 G
7-3710	AGC 4 Amp	\$2.89 G
7-3715	AGC 5 Amp	\$2.89 G
7-3720	AGC 7.5 Amp	\$2.89 G
7-3725	AGC 10 Amp	\$2.89 G
7-3730	AGC 15 Amp	\$2.89 G
7-3735	AGC 20 Amp	\$2.89 G
7-3740	AGC 25 Amp	\$2.89 G
7-3745	AGC 30 Amp	\$2.89 G
7-3795	AGC 40 Amp	\$3.34 G
7-3750	AGC 50 Amp	\$4.87 G

Ancor AGC Fuses



- Diameter: 1/4".
- Length: 1-1/4".
- 250V AC maximum.
- UL 248-14.

Order No.	Mfg. No. / Description	Price
379020	(601020) 2 Amp	\$3.98 LQ
379026	(601025) 2.5 Amp	\$3.98 LQ

"AGU" Style Glass Tube Fuse



- Dimensions: 13/32" x 1-1/2".
- Sold each.

Order No.	Mfg. No. / Description	Price
2000246	(AGU-30) 30 Amp	\$1.86 LQ

Marpac SFE Fuses



Sold by box of 5 Packages only! Priced per Package.

- Sold 5 per pack.

Order No.	Description	Price
7-3755	9 Amp	\$3.06 G
7-3760	14 Amp	\$2.89 G
7-3765	20 Amp	\$2.89 G

Marpac Plastic Inline Fuse Holder



- Includes 30 amp fuse.
- Positive screw cap.
- 12 gauge wire loop.
- Accepts glass type fuses 1/4" x 1-1/4".

Order No.	Description	Price
7-0158	Inline Fuse Holder	\$3.98 G

Marpac Plastic Inline Fuse Holders



- Accepts AGA and AGC glass type fuses 1/4" x 1-1/4" up to 20 amp.
- 16 gauge wire with 8" loop.

Order No.	Description	Price
7-1120	Fuse Not Included	\$2.48 F
7-0157	Includes 10 Amp Fuse	\$3.59 G
7-1122	Includes 20 Amp Fuse	\$2.98 G

Marpac Waterproof Fuse Holder



- Waterproof enclosure for reliable electrical connection.
- Includes: 20 amp fuse.
- For up to 30 amps and 12 AWG wire.

Order No.	Description	Price
7-3785	Waterproof Fuse Holder	\$5.98 G

Mar-Lan Industries Watertight Inline Fuse Holders

- A push together watertight inline fuse holder molded of heat resistance non-breakable plastic.
- Fits 1/4" x 1-1/4" fuses.

Order No.	Mfg. No. / Description	Price
205599	(2011-08-50C) 50 Amp, 8 Gauge	\$8.98 Q
205600	(2011-10-30C) 30 Amp, 10 Gauge	\$7.98 Q
205612	(2011-12-20C) 20 Amp, 12 Gauge	\$6.98 Q
205624	(2011-14-15C) 15 Amp, 14 Gauge	\$6.98 Q
205636	(2011-16-10C) 10 Amp, 16 Gauge	\$5.98 Q

Boater Sports Inline Waterproof Fuse Holder



- Yellow.
- Accepts 12-18 AWG wire.
- For 1/4" x 1-1/4" fuses.
- Rated at 30 amp.

Order No.	Mfg. No. / Description	Price
1-51404	(51404)	\$3.25 H

Marpac Panel Fuse Holder



- For 3AG size fuses - 1/4" x 1-1/4".
- Rated at 10 amp.
- Sold each per card.

Order No.	Description	Price
7-0159	Panel Fuse Holder	\$3.65 G

Blue Sea Panel Mount AGC/MDL Fuse Holder



- Maximum amperage: 20 amp.

Order No.	Mfg. No. / Description	Price
379467	(5021)	\$7.98 F

Marpac Square Face Panel Fuse Holder



- Square face panel mount fuse holder.
- Accepts fuses to 10 amp.
- Sold 2 per card.

Order No.	Description	Price
7-0154	Panel Fuse Holder	\$3.65 G

Marpac Fuse Puller



Order No.	Description	Price
7-3790	Fuse Puller	\$7.98 G

Fun & Flotation
Anchor & Dock
Safety
Electronics
Trolling Motors
Lighting

Electrical

Topside Acc.
Cockpit & Deck
Instruments
Steering, Controls
Perform.
Fuel System
Engine & Parts
Engine Care
Propellers
Seating & Pedestals
Tops & Covers
Pumps
Cleaning & Care
Paint & Paint Acc.
Hardware, Fasteners
Trailing
Misc.
Comm.

Marpac Combo ATO - Mini Fuse Display



- This display includes the following:
 - (5) 7-3800 - ATO Fuse - 3 amp
 - (5) 7-3805 - ATO Fuse - 4 amp
 - (5) 7-3810 - ATO Fuse - 5 amp
 - (5) 7-3815 - ATO Fuse - 7.5 amp
 - (5) 7-3820 - ATO Fuse - 10 amp
 - (5) 7-3825 - ATO Fuse - 15 amp
 - (5) 7-3830 - ATO Fuse - 20 amp
 - (5) 7-3835 - ATO Fuse - 25 amp
 - (5) 7-3845 - ATO Fuse - 40 amp
 - (5) 7-3855 - Mini Plug-In Fuse - 2 amp
 - (5) 7-3860 - Mini Plug-In Fuse - 3 amp
 - (5) 7-3865 - Mini Plug-In Fuse - 4 amp
 - (5) 7-3870 - Mini Plug-In Fuse - 5 amp
 - (5) 7-3875 - Mini Plug-In Fuse - 7.5 amp
 - (5) 7-3880 - Mini Plug-In Fuse - 10 amp
 - (5) 7-3885 - Mini Plug-In Fuse - 15 amp
 - (5) 7-3890 - Mini Plug-In Fuse - 20 amp
 - (5) 7-3895 - Mini Plug-In Fuse - 25 amp
 - (5) 7-3900 - Mini Plug-In Fuse - 30 amp
 - (10) 7-3780 - Plug-In Fuse Holder

Order No.	Description	Price
7-3010	Mini Fuse Display	\$260.98 G

Marinco - BEP Products ATC Six Way Bus Bar with 5mm Input Stud



- The expandable ATC negative Bus uses the Contour Lock system to allow it to be joined to the ATC fuse holder.
- This keeps wiring tidy and conveniently located.
- Current rating: 100A.
- 6 Way bus bar with 5mm input stud, cover and joiners.

Order No.	Mfg. No. / Description	Price
702100	(80-712003900)	\$25.98 Q

Marinco - BEP Products ATC Fuse Holder



- Allows for multiple fuse holders and bus bars to be joined together, increasing the number of circuits protected.
- Fuse holder inputs can be linked together to form a single continuous fuse holder.
- Includes patented Contour Lock system, see-thru clip-on cover and label set.
- Max. current/circuit: 30A; Max. current/block: 100A; Max. voltage: 32V DC; Base and cover material: Polycarbonate.
- Positions for spare fuses.
- 6 Way fuse holder and screw terminals with cover and link.

Order No.	Mfg. No. / Description	Price
702145	(ATC-6W)	\$43.98 Q

Marpac Glass Fuse Display



- This display includes the following:
 - (5) 7-3675 - AGA Fuse - 20 amp
 - (5) 7-3680 - AGA Fuse - 30 amp
 - (5) 7-3685 - AGC Fuse - 1 amp
 - (5) 7-3690 - AGC Fuse - 1.5 amp
 - (5) 7-3695 - AGC Fuse - 2 amp
 - (5) 7-3700 - AGC Fuse - 2.5 amp
 - (5) 7-3705 - AGC Fuse - 3 amp
 - (5) 7-3710 - AGC Fuse - 4 amp
 - (5) 7-3720 - AGC Fuse - 7.5 amp
 - (5) 7-3725 - AGC Fuse - 10 amp
 - (5) 7-3730 - AGC Fuse - 15 amp
 - (5) 7-3735 - AGC Fuse - 20 amp
 - (5) 7-3740 - AGC Fuse - 25 amp
 - (5) 7-3745 - AGC Fuse - 30 amp
 - (5) 7-3755 - SFE Fuse - 9 amp
 - (5) 7-3760 - SFE Fuse - 14 amp
 - (5) 7-3765 - SFE Fuse - 20 amp
 - (5) 20 amp In-Line Fuse Holder
 - (5) 30 amp In-Line Fuse Holder
 - (5) 7-3790 - Fuse Puller

Order No.	Description	Price
7-3003	Glass Fuse Display	\$344.98 G

Marinco - BEP Products Digital Voltage Sensing Relay



- Allows two batteries to be charged at the same time.
- Eliminates the possibility of draining to start battery and protects sensitive electronic equipment powered from the house battery from harmful engine start up spikes.
- No need to bypass existing alternator wiring.
- 125 amps continuous.

Order No.	Mfg. No. / Description	Price
700150	(710-125A)	\$106.98 LQ

Marinco - BEP Products Battery Distribution Clusters



- All clusters are completely based and pre-wired internally and are supplied with mounting fastenings along with easy to follow instructions.
- This system ensures you will always have a fully charged reserve battery.
- When the switch is in position one, it becomes the sensing battery for the VSR.
- Battery two, which is in isolation, will be charged by the VSR when the engine is running ensuring it is always fully charged.
- When the switch is in battery two position, this becomes the sensing battery and battery one is charged via the VSR.
- Please note: With the 714-140A-DVSR the electronic loads are run off the same battery as the engine starting battery.

Order No.	Mfg. No. / Description	Price
702080	(714-140ADVSR) Single Engine Two Battery Banks	\$186.98 Q
702085	(716SQ140ADVSR) Single Engine Two Battery Banks	\$236.98 Q
702090	(717-140ADVSR) Twin Engine Three Battery Banks	\$363.98 Q

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Blue Sea Mini On/Off Battery Switch - Single Circuit



- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Isolating cover with snap-on sections protects rear contacts.
- 300A Continuous/500A Intermittent.
- 48 volts DC maximum.
- Removable key.

Order No. Mfg. No. / Description Price
379758 (6005) **\$30.98** F

Blue Sea Mini On/Off Battery Switch - Single Circuit



- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Isolating cover with snap-on sections protects rear contacts.
- 300A Continuous/500A Intermittent.
- 48 volts DC maximum.

Order No. Mfg. No. / Description Price
379759 (6006) **\$30.98** F

Blue Sea Mini Selector Battery Switch



- Switches isolated battery banks to all loads or combines battery banks to all loads.
- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Isolating cover with snap-on sections protects rear contacts.
- 300A Continuous/500A Intermittent.
- 32 volts DC maximum.

Order No. Mfg. No. / Description Price
379696 (6007) **\$41.98** F

Blue Sea Mini Battery Switch - Dual Circuit Plus



- Simultaneously switches two isolated battery banks or combines battery banks to all loads.
- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Isolating cover with snap-on sections protects rear contacts.
- 300A Continuous/450A Intermittent.
- 32 volts DC maximum.

Order No. Mfg. No. / Description Price
379698 (6011) **\$51.98** F

Blue Sea Battery Switch - Dual Circuit Plus



- Simultaneously switches two isolated battery banks or combines battery banks to all loads.
- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Tactile indicator conveys knob position by feel.
- 7/8" stud length to accept multiple cable terminals.
- Accepts up to 4/0 AWG battery cables.
- 350A Continuous/525A Intermittent.
- 32 volts DC maximum.

Order No. Mfg. No. / Description Price
379761 (5511E) **\$60.98** F

Blue Sea Battery Selector Battery Switch - 4 Position



- Switches isolated battery banks to all loads or combines battery banks to all loads.
- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Tactile indicator conveys knob position by feel.
- 7/8" stud length to accept multiple cable terminals.
- Accepts up to 4/0 AWG battery cables.
- 350A Continuous/600A Intermittent.
- 32 volts DC maximum.

Order No. Mfg. No. / Description Price
379771 (9001E) **\$48.98** F

Blue Sea Battery Selector Battery Switch with AFD



- Switches isolated battery banks to all loads or combines battery banks to all loads.
- Includes AFD (Alternator Field Disconnect).
- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Tactile indicator conveys knob position by feel.
- 7/8" stud length to accept multiple cable terminals.
- Accepts up to 4/0 AWG battery cables.
- 350A Continuous/600A Intermittent.
- 32 volts DC maximum.

Order No. Mfg. No. / Description Price
379686 (9002E) **\$53.98** F

Blue Sea On/Off Battery Switch - Single Circuit



- Switches a single battery to a single load group.
- Includes AFD (Alternator Field Disconnect).
- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Tactile indicator conveys knob position by feel.
- 7/8" stud length to accept multiple cable terminals.
- Accepts up to 4/0 AWG battery cables.
- 350A Continuous/600A Intermittent.
- 48 volts DC maximum.

Order No. Mfg. No. / Description Price
379775 (9003E) **\$49.98** F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailing
- Misc.
- Comm.

Blue Sea HD Series Heavy Duty On/Off Battery Switch



- Switches a single battery to a single load group.
- Ignition protected - safe for installation aboard gasoline powered boats.
- Case design allows surface, front panel or rear panel mounting.
- Tin-plated copper studs for maximum conductivity and corrosion resistance.
- Accepts up to 4/0 AWG battery cables.
- Studs accepts 1/2" ring terminals.
- 7/8" stud length accepts multiple cable terminals.
- 600A Continuous/900A Intermittent.
- 32 volts DC maximum.

Order No. Mfg. No. / Description Price
379691 (3000) **\$88.98** F

Marinco - BEP Products Easyfit™ Battery Switch



- Created for installations where switches need to be recessed through varying thicknesses of panels.
- It achieves this through an easily removable threaded ring allowing for panel thicknesses up to 3/4".
- It uses the same features as the 701 with the removable key 45° past the off position, labelled handle and a removable back cover covering exposed terminals to meet ABYC specifications.
- The switch can also be surface mounted.
- Ignition protected.
- 275A Continuous/455A Intermittent.
- 48 volts DC maximum.

Order No. Mfg. No. / Description Price
702045 (700) **\$39.98** Q

Marinco - BEP Products Heavy Duty Battery Switch



- The 720 Heavy duty Battery Switch fits into the same contour lock system as used on the battery distribution system.
- Rated at 600A continuous and 2,500A cranking.
- It is well suited to larger vessels.
- As with the 701, the 720 can be recessed or surface mounted.
- The 720 uses the same style of self cleaning sliding contact as used in the 701 and uses the same label sheet.

Order No. Mfg. No. / Description Price
702055 (720) **\$95.98** Q

Marinco - BEP Products Heavy Duty Battery Selector Switch



- Housed in the same module as the 720, it includes the same removable plates and back cover.
- While BEP recommends isolated battery systems as outlined with our distribution clusters, the 721 offers a simple economical way of separating two batteries.
- Please note selector switches will not separate electronics from harmful engine starting spikes.

Order No. Mfg. No. / Description Price
702060 (721) **\$64.98** Q

Blue Sea Add-A-Battery Kit



- Includes: a Dual Circuit Plus Battery Switch and an Automatic Charging Relay.
- These components simplify switching and automatic charging, so that all you have to do is turn the battery switch ON when you arrive and OFF when you leave.
- Amperage: 120 amps.

Order No. Mfg. No. / Description Price
379773 (7650) **\$147.98** E

Marinco - BEP Products Contour Battery Master Switch



- Contour Locking System, allowing it to be a stand alone unit, or locked together with other switches.
- Features a control knob which can be removed by switching to an counter-clockwise 45° position.
- Three removable side plates on sides for access of up to 1/0 cables plus a rear cover insulating the rear terminals against any short circuits. This ensures the switch meets ABYC requirements.
- Can be either surface or recess mounted by cutting a 2.1" hole.
- Ignition protected.
- 275A Continuous/455A Intermittent.
- 48 volts DC maximum.

Order No. Mfg. No. / Description Price
702050 (701) **\$35.98** Q

Marinco - BEP Products Battery Selector Switch



- Housed in the same dimensions as the 701, and includes the same removable side plates and back cover.
- While BEP recommends isolated battery systems as outlined with our distribution clusters, the 701S offers a simple economical way of separating two batteries.
- 200A Continuous/300A Intermittent.
- 48 volts DC maximum.

Order No. Mfg. No. / Description Price
702070 (701S) **\$44.98** Q

Marinco - BEP Products Pro Installer Selector Battery Switch



- Power requirements on boats have increased, and this selector switch offer high power capacity (400 amps continuous), the ability to easily fit doubled cables and conform to the industry standard mounting footprint (Guest, Perko, Blue Sea).
- Please note selector switches will not separate electronics from harmful engine starting spikes.
- Note: 771-S is replacing 721.

Order No. Mfg. No. / Description Price
378646 (771-S) **\$52.98** F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical**
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Marinco - BEP Products Pro Installer EZ-Mount Selector Battery Switch



- As easy as 1, 2, 3, these revolutionary battery switches allow you to wire from the front.
- Tested to UL1107 ignition protection, CE.
- Tinned copper 10mm (3/8") studs.
- Stainless steel washers/nuts.
- Fiber reinforced plastics.
- 400A Continuous/600A Intermittent/1,500A Cranking.
- Waterproof to IP66.
- Same interconnection height as Pro Installer.
- Removable knob allows isolation during servicing.
- 3 removable sideplates for protection.
- Industry standard 3.85" x 3.85" footprint

Order No.	Mfg. No. / Description	Price
378649	(771-S-EZ) 1-2-Both-Off	\$67.98 F

Marinco - BEP Products Pro Installer Dual Bank Control Switch



- This innovative (Patent Pending) switch combines the functions of 3 battery switches into one (House, Start, and Emergency Parallel) to intuitively manage 2 battery banks and 2 loads.
- A unique safety position isolates one load e.g. House "On", Start "Off" in case of engine malfunction, so an emergency radio call can still be made.
- Significant savings in both space and installation cost can be made, without compromising functionality or safety.

Order No.	Mfg. No. / Description	Price
378652	(772-DBC)	\$67.98 F

Cole Hersee Master Disconnect Switches



- Chrome plated die cast lever. Brass case.
- For 6 - 36 volt DC.
- Fits panels through 15/16" thick.
- Brass mounting stem 3/4" diameter, 1-13/32" long.

SINGLE POLE, TWO POSITIONS: OFF-ON

- Will disconnect the battery circuit only.
- Rating: 175 amps continuous, 1,000 amps intermittent, 15 seconds ON, 5 minutes OFF.

Order No.	Mfg. No. / Description	Price
300551	(M-284-01-BP) S.P.S.T.	\$72.98 H

DOUBLE POLE, TWO POSITIONS: OFF-ON

- Will disconnect the battery and the alternator or generator field circuit.
- Rating: Large studs - 125 amps continuous, 1,000 amps intermittent, 15 seconds ON, 5 minutes OFF; Small studs - 20 amps continuous.

Order No.	Mfg. No. / Description	Price
300560	(M-289-BX) D.P.S.T.	\$60.98 S

Marinco - BEP Products Remote Operated Battery Switches



- Remote operation.
- Battery switch can be mounted along side battery, reducing cable lengths and cable sizes. (Large cost saving in copper cables).
- Reduced installation labor, due to shorter battery cable runs.
- Manual override option to meet CE/ABYC requirements.
- Power draw with switch off: 12mA.
- LED status identification for remote control switch.
- Same capacities/specifications and mounting options as standard BEP battery switches.
- Uses interchangeable labeling system.

Order No.	Mfg. No. / Description	Price
702065	(701-MD)	\$208.98 Q

- The 720-MDO has been enhanced to offer easy standard installation, or advanced options capable of switching different voltage circuits from the main supply.
- Same easy connection for standard installation.
- Ability to control different voltage circuits e.g. 36 or 48 volts.
- Can be used to switch positive or negative lines.
- Main contacts can be isolated from control circuit allowing operation via another battery source.
- Low stand by current draw (<5mA).

Order No.	Mfg. No. / Description	Price
702095	(720-MDO) With Optical Sensor	\$273.98 Q

Cole Hersee Battery Selector/Master Disconnect Switch



- Durable, fracture resistant, high temperature engineered plastic case, knob and insulator.
- Permit current to be carried by either of the two batteries, by two batteries simultaneously or cuts off all current at the source.
- Ignition protected.
- Vaporproof, waterproof, dustproof and corrosion resistant.
- May be surface mounted or installed through a panel with a 3-5/16" diameter hole.
- Flange diameter 6" and overall height 2-5/8".
- Rated 310 amps continuous, 500 amps intermittent.

Order No.	Mfg. No. / Description	Price
300765	(M-750)	\$61.98 H

Boater Sports Battery Cutoff Switch with Key



- Don't drain the battery, cut it off completely!
- Removable key acts as theft deterrent. Weather resistant rubber cap.
- 100 amp @ 12V continuous.
- 1/4" diameter mounting bolts.
- Keyed.

Order No.	Mfg. No. / Description	Price
1-51030	(51030)	\$18.95 H

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Marpac Battery Selector Switch



- Select from battery bank 1, battery bank 2 or both for charging or emergency starting.
- Can be mounted on or behind a panel.
- Rated at 300 amps.
- Longer studs for attaching more cable terminals.
- Uses up to 4/0 AWG battery cables.

Order No.	Description	Price
7-0380	Battery Selector Switch	\$37.98 G

Newmar AC Selector Switches



- The switch eliminates the safety hazard and/or damage that can occur if two AC sources are applied to the same circuit simultaneously.
- Fitted with a compact escutcheon plate with engraved switch position nomenclature.
- 115/230 VAC.
- The switches carry UL and CSA approval, are CE marked, and feature heavy duty contacts and a positive step cam mechanism for precise contact closure.
- May be installed in panel with thickness up to 1/4".

Order No.	Mfg. No. / Description	Price
700005	(SS SWITCH 3) 3.0 kw 2 Poles	\$127.98 E
699984	(SS SWITCH7.5) 7.5 kw 2 Poles	\$186.98 E
699998	(SS SWITCH15) 15 kw 2/4 Poles	\$384.98 E

Guest Universal Mount Selector Switch without AFD



- Rugged internal components protected by a tough, impact resistant polycarbonate housing.
- Longer stud lengths for improved assembly and easier cable routing.
- Built with heavy duty copper sweep contacts to ensure positive circuit control.
- Cable lug size: 3/8".
- Rated at 230 amps continuous, 345 amps momentary.
- Dimensions: 5" D x 2-3/4" H.

Order No.	Mfg. No. / Description	Price
378668	(2111A)	\$46.98 I

Marpac Battery Selector Switch



- Allows separate and combined battery selection.
- Use as an emergency main disconnect switch in the event of an electrical problem.
- Make before break design.
- Ignition protected.
- Manufactured by PERKO, Inc.
- 250 amps continuous, 360 amps intermittent.
- For use with 6, 12, 24 or 32 volt alternator/generator systems.

Order No.	Description	Price
7-0378	Battery Selector Switch	\$44.98 G

Guest Heavy Duty Diesel Power Battery Switches



- Rugged internal components protected by a tough, impact resistant polycarbonate housing.
- For 6, 12, 24 or 36V systems.
- Built with heavy duty copper sweep contacts to ensure positive circuit control.
- Features Alternator Field Disconnect (AFD) allowing selection of any position, including "off", without damage to alternator or electrical system.
- Cable lug size: 1/2".
- Dimensions: 5-1/2" D x 3-1/2" H.

HEAVY DUTY ON/OFF SWITCH

- Feature Alternator Field Disconnect (AFD) allowing selection of any position, including "off", without damage to alternator or electrical system.
- Rated at 450 amps continuous, 800 amps momentary.

Order No.	Mfg. No. / Description	Price
378655	(2303A)	\$225.98 F

EXTRA DUTY ON/OFF SWITCH

- Feature Alternator Field Disconnect (AFD) allowing selection of any position, including "off", without damage to alternator or electrical system.
- Rated at 600 amps continuous, 1,000 amps momentary.

Order No.	Mfg. No. / Description	Price
378667	(2304A)	\$235.98 F

BATTERY SELECTOR SWITCH

- Rated at 360 amps continuous, 600 amps momentary.

Order No.	Mfg. No. / Description	Price
378643	(2300A)	\$179.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical**
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Perko Fig. 8511 Compact Battery Selector Switch



- Requires 1/3rd less space to mount.
- Higher rating than popular 8500 Series.
- Same bolt patterns as Popular 8500 Series.
- Popular 90° easy to identify position rotation.
- Diameter 4-3/4", depth 1-7/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- Higher capacity - 315 amps continuous, 450 amps intermittent.
- Four removable skirt panels for easy cable access and mounting.

Order No. **542530** Mfg. No. / Description (8511 DP) Price **\$50.98 R**

Perko Fig. 9611 Compact Main Battery Disconnect Switch



- Requires 1/3rd less space to mount.
- Higher rating than popular 8500 Series.
- Same bolt patterns as Popular 8500 Series.
- Popular 90° easy to identify position rotation.
- Diameter 4-3/4", depth 1-7/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- Higher capacity - 315 amps continuous, 450 amps intermittent.
- Four removable skirt panels for easy cable access and mounting.

Order No. **543987** Mfg. No. / Description (9611 DP) Price **\$48.98 R**

Perko Fig. 8501 Medium Duty Battery Selector Switch

- Ignition protected.
- For use with 12, 24 and 32 volt marine electrical systems.
- 250 amps continuous, 360 amps intermittent.
- Diameter 5-1/4", depth 2-5/8".
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.



Order No. **542515** Mfg. No. / Description (8501 DP) Price **\$51.98 H**

Perko Fig. 9601 Medium Duty Battery Disconnect Switch

- Ignition protected.
- For use with 12, 24 and 32 volt marine electrical systems.
- 250 amps continuous, 360 amps intermittent.
- Diameter 5-1/4", depth 2-5/8".
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.



Order No. **543985** Mfg. No. / Description (9601 DP) Price **\$48.98 H**

Perko Fig. 8503 Medium Duty Battery Selector Switch with AFD

- Alternator Field Disconnect Model.
- Ignition protected.
- For use with 12, 24 and 32 volt marine electrical systems.
- 250 amps continuous, 360 amps intermittent.
- Diameter 5-1/4", depth 2-5/8".
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.



Order No. **542527** Mfg. No. / Description (8503 DP) Price **\$67.98 R**

Perko Fig. 9603 Medium Duty Battery Disconnect Switch with AFD

- Alternator Field Disconnect Model.
- Ignition protected.
- For use with 12, 24 and 32 volt marine electrical systems.
- 250 amps continuous, 360 amps intermittent.
- Diameter 5-1/4", depth 2-5/8".
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.



Order No. **543986** Mfg. No. / Description (9603 DP) Price **\$74.98 R**

Perko Fig. 8603 Heavy Duty Battery Selector Switch with AFD

- Ignition protected.
- Alternator Field Disconnect Model.
- For use with 6, 12, 24 and 32 volt marine electrical systems.
- 380 amps continuous, 850 amps intermittent.
- Diameter 5-1/4", depth 3-3/8".
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.



Order No. **542538** Mfg. No. / Description (8603 DP) Price **\$196.98 R**

Perko Fig. 9703 Heavy Duty Battery Disconnect Switch with AFD

- Ignition protected.
- Alternator Field Disconnect Model.
- For use with 6, 12, 24 and 32 volt marine electrical systems.
- 450 amps continuous, 1,200 amps intermittent.
- Diameter 5-1/4", depth 3-3/8".
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.



Order No. **543990** Mfg. No. / Description (9703 DP) Price **\$186.98 R**

Charles Marine StartNow Automatic Selector Switch Remote



- Optional Remote Dash Indicator Light for 93-STARTNOW-A.

Order No. **284579** Mfg. No. / Description (STARTNWRMTA) Price **\$24.98 LQ**

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac Combination Blocks



- Heavy duty black molded plastic base.
- Use with SFE or AGC fuses up to 20 amps.
- Brass fuse clips and 8-32 terminal screws.
- A common bus bar connects the hot side of the fuses for power feed.
- A separate bus bar is provided for ground or unfused common hot feed.
- Bus bars have 8-32 screw and stud terminals for power/ground main connections.

Order No.	Description	Price
7-0522	4 Gang	\$15.98 G
7-0523	6 Gang	\$18.98 G
7-0532	8 Gang	\$25.98 G

Marpac Fuse Blocks with Hot Feed



- Heavy duty black molded plastic base.
- Use with SFE or AGC fuses up to 20 amps.
- Brass fuse clips and 8-32 terminal screws.
- A common bus bar connects the hot side of the fuses for power feed.
- Bus bar has 8-32 stud terminal for main power connection.

Order No.	Description	Price
7-1115	4 Gang	\$11.98 G
7-1116	6 Gang	\$15.98 G
7-1117	8 Gang	\$21.98 G

Boater Sports Fuse Terminal Blocks



- 4 and 6 circuit fuse block.
- Accepts SFE and AGC style fuses.
- Buss bar for easy hookups.
- Positive and negative.

Order No.	Mfg. No. / Description	Price
1-51406	(51406) 4 Gang 2.75" x 3.5"	\$12.95 H
1-51407	(51407) 6 Gang 3.25" x 4.5"	\$16.95 H

Marpac Fuse Blocks



- Heavy duty black molded plastic base.
- Use with SFE or AGC fuses up to 20 amps.
- Brass fuse clips and 8-32 terminal screws.

Order No.	Description	Price
7-0478	4 Gang	\$11.98 G
7-1111	6 Gang	\$15.98 G

Blue Sea ST Glass Fuse Block with Negative Bus



- Clear insulating cover with label recesses accept large format labels.
- Cover insulates all conductive parts, satisfying ABYC/USCG requirements and stores spare fuses.
- Tin-plated copper buses and Phosphor Bronze fuse clips give 30 Ampere rating per circuit.
- Accepts AGC, MDL and all other 3AG Glass Fuses.
- Dimensions: 3-1/2" x 5" x 1-1/4".
- 32 volts DC maximum.

Order No.	Mfg. No. / Description	Price
379366	(5015) 6 Circuits with Cover	\$39.98 F

Marpac ATO/ATC Fuse Blocks with Ground Bus Bar



- Allow you to design your own fuse panel.
- Tin plated copper contact.
- Interlocking modules in various sizes snap together to create any configuration needed.
- All have 1/4" tab terminals and 8-32 threaded screws.

Order No.	Description	Price
7-0520	6 Gang	\$19.98 G
7-0521	10 Gang	\$24.98 G

Blue Sea ST Blade Split Bus Fuse Block



- Provides two isolated groups of (6) ATO/ATC circuits.
- For use with either two isolated batteries or with a single battery providing a mix of 24 hour and switched circuits.
- Screw terminals for securing wires accept ring terminals.
- One-piece stainless flange nuts ensure safe and secure connections.
- Clear insulating cover with label recesses and storage for two fuses, satisfies ABYC/USCG insulation requirements.
- Easy to open, push button latch for easy access to fuses.
- Tin-plated copper buses and fuse clips.
- Maximum voltage: 32V DC.
- Fuses sold separately.

Order No.	Mfg. No. / Description	Price
379372	(5032) 12 Circuits	\$74.98 F

Blue Sea ST Blade Fuse Blocks with Cover



- Positive distribution bus with #10-32 stud.
- Can be used for 24-hour circuits.
- Cover satisfies ABYC/USCG requirements for insulation.
- Includes 20 write-on circuit labels.
- Tin-plated copper buses and fuse clips.
- Accepts ring or spade type terminals.
- Accepts ATO and ATC fast acting blade fuses.
- Maximum amperage: 100A per block, 30A per circuit.
- Maximum voltage: 32V DC.
- Fuses sold separately.

Order No.	Mfg. No. / Description	Price
2000088	(5028) 6 Circuits with Cover	\$43.98 H
2000089	(5029) 12 Circuits with Cover	\$56.98 H

Blue Sea ST Blade Fuse Blocks with Negative Bus



- Positive distribution bus with #10-32 stud.
- Can be used for 24-hour circuits.
- Clear insulating cover with label recesses accept small format labels.
- Cover satisfies ABYC/USCG requirements for insulation.
- Includes 20 write-on circuit labels.
- Tin-plated copper buses and fuse clips.
- Accepts ring or spade type terminals.
- Accepts ATO and ATC fast acting blade fuses.
- Maximum amperage: 100A per block, 30A per circuit.
- Maximum voltage: 32V DC.
- Fuses sold separately.

Order No.	Mfg. No. / Description	Price
380017	(5025) 6 Circuits with Cover	\$46.98 F
380018	(5026) 12 Circuits with Cover	\$57.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Blue Sea ANL Fuse Block with Insulating Cover



- For use on systems up to 32V DC.
- Insulating cover satisfies ABYC/USCG requirements.
- Cover breakouts allow wire access in any direction.
- Large 5/16"-18 studs accept 5/16" (M8) ring terminals, 14 AWG to 2/0 AWG wire.
- Maximum amperage: 300 Amperes DC.

Order No.	Mfg. No. / Description	Price
379455	(5005)	\$25.98 F

Blue Sea PowerPost Cable Connectors



- Connect high amperage cables securely.
- Base material: Reinforced thermoplastic.
- Maximum voltage: 48V DC.

Order No.	Mfg. No. / Description	Price
379863	(2003) Stud: 3/8"-16 x 7/8"	\$13.98 F
379864	(2011) Stud: 1/4"-20 x 3/4"	\$9.98 F
379865	(2002) Stud: 5/16"-18 x 7/8"	\$13.98 F

Blue Sea PowerPost Plus Cable Connectors



- 150 Ampere bus allows small wire connections at high amperage cable connections.
- Base material: Reinforced thermoplastic.
- Bus material: Tin-plated copper.
- Maximum voltage: 48V DC.

Order No.	Mfg. No. / Description	Price
379859	(2102) Stud: 5/16"-18 x 3/4"	\$24.98 G
379861	(2103) Stud: 3/8"-16 x 3/4"	\$25.98 F

Blue Sea MEGA Fuses



- Most economical fuse for 100 to 300 Ampere circuit protection.
- Interrupt rating: 2,000 Amperes DC.
- Maximum voltage: 32V DC.

Order No.	Mfg. No. / Description	Price
379392	(5101) 100 Ampere	\$9.98 F
379405	(5103) 150 Ampere	\$9.98 F

Blue Sea ANL Fuses



- Silver-plated connector blades for corrosion resistance.
- Ignition protected. Visible indication of blown condition.
- Interrupt rating: 6,000 Amperes DC.
- Satisfies ABYC requirements for main DC circuit protection on large battery banks.

Order No.	Mfg. No. / Description	Price	Order No.	Mfg. No. / Description	Price
379479	(5122) 50 Ampere	\$18.98 F	379518	(5129) 200 Ampere	\$18.98 F
379480	(5123) 60 Ampere	\$18.98 F	379280	(5131) 250 Ampere	\$21.98 F
379483	(5124) 80 Ampere	\$18.98 F	379285	(5133) 300 Ampere	\$21.98 F
379495	(5125) 100 Ampere	\$18.98 F	379290	(5136) 400 Ampere	\$21.98 F
379506	(5127) 150 Ampere	\$18.98 F	379295	(5137) 500 Ampere	\$21.98 F

Marpac Terminal Blocks



- Heavy duty black molded plastic base.
- Two solid brass bus bars with 8-32 terminal screws.
- For common hot and ground leads.

Order No.	Description	Price
7-1101	4 Gang	\$9.98 G
7-1102	6 Gang	\$13.98 G
7-1103	8 Gang	\$15.98 G

Blue Sea CableCap Stud Insulators



- Insulate stud type connectors on alternators, starters, windlasses and other high amperage devices.

COLOR: RED

Order No.	Mfg. No. / Description	Price
380050	(4010) For Cable Size: 8-4	\$3.97 F
380060	(4012) For Cable Size: 2-2/0	\$2.98 D
380070	(4014) For Cable Size: 3/0-4/0	\$3.13 D

COLOR: BLACK

Order No.	Mfg. No. / Description	Price
380080	(4011) For Cable Size: 8/4	\$2.88 D
380090	(4013) For Cable Size: 2-2/0	\$2.89 D
380100	(4015) For Cable Size: 3/0-4/0	\$3.13 D

Marpac Premier Terminal Block with 5 Screw Terminals



- Stainless steel studs increase electrical contact.
- Tin plated brass nuts.
- 8 x 32 screw terminals.
- Tin plated copper bus bar gives maximum conductivity.
- Corrosion resistant materials provide excellent protection and performance.
- Continuous rating: 100 amps AC/DC. Max. rating: 48 volts DC/300 volts AC.

Order No.	Description	Price
7-1171	Terminal Block with 5 Screw Terminals	\$10.98 G

Marpac Terminal Junction Blocks with Independent Hot Feed Links



- Double screw terminals.
- Protective insulator barrier strips. 8-32 screws.
- Moisture resistant molded plastic insulator base.
- Brass, nickel plated terminal links and binding screws.

Order No.	Description	Price
7-0473	4 Gang	\$3.91 G
7-0474	6 Gang	\$6.98 G
7-0167	8 Gang	\$7.98 G
7-0165	10 Gang	\$9.98 G

Marpac Terminal Junction Block with Common Hot Feed Connection



- Moisture resistant molded plastic insulator base.
- Solid brass bus bar safely carries up to 36 volts.
- Two brass 1/4" stud power terminals with hex nuts included.
- 8-32 round head screws for circuit connectors.
- Two mounting holes for #10 countersink flat head screws.

Order No.	Description	Price
7-0168	10 Gang	\$15.98 G

Blue Sea Common 150 Ampere BusBars



- Stainless steel studs allow high torquing for excellent electrical contact.
- Tin-plated copper busbar for maximum conductivity and corrosion resistance.
- Base material: Reinforced polycarbonate.
- Continuous rating: 130 Amperes AC, 150 Amperes DC.
- 300 volts AC maximum, 48 volts DC maximum.

Order No.	Mfg. No. / Description	Price
379782	(2301) (10) # 8-32 Screw, (2) 1/4" Stud	\$16.98 Q
2000083	(2302) (20) #8-32 Screw, (2) 1/4" Stud	\$27.98 H
379783	(2303) (4) 1/4"-20 Stud	\$23.98 Q

Blue Sea MaxiBus 250 Ampere BusBars



- Busbars are used to consolidate multiple wires or feed multiple circuits.
- Insert molded stainless steel studs eliminate need for securing nut and allow high torquing for excellent electrical contact.
- Raised bus provides easy access to multiple wires on a single stud.
- UL 94-V0 rated base material resists high heat.
- Recessed mounting holes eliminate accidental shorts to aluminum and steel mounting surfaces.
- 300 volts AC maximum, 48 volts DC maximum.

Order No.	Mfg. No. / Description	Price
379978	(2127) (4) 5/16"-18 Stud	\$42.98 Q
379982	(2128) (2) 5/16"-18 Studs and (6) #10-24 Screws	\$41.98 Q
379986	(2719) Insulating Cover for 379978 and 379982	\$31.98 Q

Blue Sea DualBus 100 Ampere BusBars



- Combines negative and positive buses on one block.
- Tin-plated copper busbar for maximum conductivity & corrosion resistance.
- Continuous rating: 100 Amperes AC/DC.
- 300 volts AC maximum, 48 volts DC maximum.

Order No.	Mfg. No. / Description	Price
379809	(2701) (5) #8-32 Screw	\$16.98 Q
379811	(2702) (10) #8-32 Screw	\$22.98 Q
379962	(2709) Cover for 379809	\$12.98 F
379974	(2710) Cover for 379811	\$13.98 F

Marpac Premier Common Bus Bars



- Stainless steel studs increase electrical contact.
- Tin plated copper busbar gives maximum conductivity.
- Tin plated brass nuts.
- Corrosion resistant materials provide excellent protection and performance.
- Maximum rating: 48 volts DC/300 volts AC.

CONTINUOUS RATING: 100 AMPERES AC/DC

- 10 x 32 stud terminals.

Order No.	Description	Price
7-1176	100 Amp Common Bus Bar	\$14.98 G

CONTINUOUS RATING: 130 AMPERES AC, 150 AMPERES DC

- 1/4" stud terminals.

Order No.	Description	Price
7-1177	150 Amp Common Bus Bar	\$19.98 G

Blue Sea Mini Bus Common 100 Ampere BusBars



- Great for limited space applications.
- Stainless steel studs allow high torquing for excellent electrical contact.
- Tin-plated copper busbar for maximum conductivity & corrosion resistance.
- Base material: Reinforced polycarbonate.
- Continuous rating: 100 Amperes AC/DC.
- 300 volts AC maximum, 48 volts DC maximum.

Order No.	Mfg. No. / Description	Price
379784	(2304) (5) #8-32 Screw, (2) #10-32 Stud	\$13.98 Q
379796	(2305) (4) #10-32 Stud	\$14.98 Q
379989	(2713) Cover for 379784 and 379796	\$3.75 Q

Blue Sea DualBus Plus 150 Ampere BusBars



- Combines negative and positive buses on one block.
- Tin-plated copper busbar for maximum conductivity and corrosion resistance.
- Clear polycarbonate cover snaps on to meet Coast Guard and ABYC insulation requirements.
- Base material: Reinforced polycarbonate.
- Continuous rating: 130 Amperes AC, 150 Amperes DC.
- 300 volts AC maximum, 48 volts DC maximum.

Order No.	Mfg. No. / Description	Price
379835	(2723) 5/16" Stud, 5 x 10-32 Screw Terminal	\$29.98 F
379847	(2722) 1/4" Stud, 5 x 10-32 Screw Terminal	\$30.98 Q


- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tools & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Blue Sea PowerBar 1000



379322

- Complex wiring systems require a single point to consolidate large and small conductors.
- Offers a 1,000 Amp busbar with various size studs and screws to connect conductors and fuse blocks.
- Tin plated pure electrical copper for maximum conductivity.
- Stepped bus design offers two elevations for conductors which doubles the density of the wire loom compared to traditional bus bars.
- Busbar and fuse block elevations match common fuse blocks allowing for multiple fuse block attachment, eliminating the need for connecting cables.
- One-piece serrated flange nuts ensure correct and secure connections.
- Stainless steel 8-32 screws with captive lock washers for securing smaller gauge wires.
- Busbar may be cut to a shorter length to accommodate constricted spaces.
- Bi-directional busbar end caps allow the ganging of additional busbars.
- Snap on insulating cover meets ABYC and USCG requirements and includes label recess.

Order No.	Mfg. No. / Description	Price
379318	(1990) (8) 3/8" Terminal Studs	\$188.98 Q
379322	(1992) (8) 5/16" Terminal Studs	\$188.98 Q

Blue Sea PowerBar 600 Ampere BusBar



- Stainless steel studs allow high torquing for excellent electrical contact.
- Tin-plated copper busbar for maximum conductivity & corrosion resistance.
- Base material: Reinforced polycarbonate.
- Continuous rating: 545 Amperes AC, 600 Amperes DC.
- 300 volts AC maximum, 48 volts DC maximum.

Order No.	Mfg. No. / Description	Price
379862	(2104) (4) 3/8"-16 Stud	\$105.98 F

Blue Sea Battery Terminal Mount Bus Bar



- Easy to Install.
- Easy add positive and negative busbars to the terminal of your battery.
- Tin-plated copper. Insulating cover.

Order No.	Mfg. No. / Description	Price
379326	(2340)	\$27.98 Q

Blue Sea Terminal Blocks



379911

379916



379921



379873

- Closed back design completely insulates power from the mounting surface.
- Each screw pair is one isolated circuit.
- Jumpers allow creation of common circuits.
- Bus material: Nickel-Plated brass.

20 AMPERE TERMINAL BLOCKS

- Base material: Nylon.
- Voltage rating: 300 volts AC/DC maximum.

Order No.	Mfg. No. / Description	Price	Order No.	Mfg. No. / Description	Price
379911	(2402) 2 Circuit	\$3.81 H	379921	(2406) 6 Circuit	\$6.98 H
379916	(2404) 4 Circuit	\$4.68 H	379926	(2408) 8 Circuit	\$7.98 H

30 AMPERE TERMINAL BLOCKS

- Base material: Phenolic.
- Voltage rating: 600 volts AC/DC maximum.

Order No.	Mfg. No. / Description	Price	Order No.	Mfg. No. / Description	Price
379866	(2502) 2 Circuit	\$6.98 H	379897	(2508) 8 Circuit	\$10.98 H
379873	(2504) 4 Circuit	\$7.98 H	379902	(2510) 10 Circuit	\$13.98 H
379885	(2506) 6 Circuit	\$8.98 H	379906	(2512) 12 Circuit	\$14.98 H

Blue Sea ML Series Link Bus



- Use as a paralleling devise for the ML Series Switches.
- Tin-plated copper for maximum conductivity and corrosion resistance.
- 500 Ampere continuous rating.

Order No.	Mfg. No. / Description	Price
379376	(9160)	\$16.98 F

Newmar Terminal Strips



- Use as a common negative/neutral bus for AC or DC systems.
- #8 screw terminals is rated for 100 amps.
- Dual terminal strips in 4 or 8 screw positions on 3/4" centers are secured to a high density insulated base.
- All hardware, bus material and fasteners are nickel-plated brass.
- Interlocking bases allow use of multiple terminal strips and bus bars to produce secure and neat wiring assemblies.

Order No.	Mfg. No. / Description	Price
700215	(TS-2X) Base Terminals: 8 3-1/16" x 1-1/2"	\$27.98 E
700218	(TS-2X8) Base Terminals: 16 6-1/16" x 1-1/2"	\$36.98 E

Cole Hersee Ignition Switch



- All brass construction
- 2 positions: Off - On.
- 2 brass screw terminals.
- Rated: 10 amps at 12V DC.
- Chrome plated brass face nut.
- Brass mounting stem 13/16"-24, 1-7/32" long.
- Maximum panel thickness 1".

Order No.	Mfg. No. / Description	Price
300668	(M-489-BP)	\$37.98 H

Cole Hersee Protective Boot



- For ignition switches.
- Chrome plated brass.
- Mounting nut containing a durable rubber insert that has a self-closing key slot.
- Thickness: 17/32".
- Thread: 13/16"-24.
- Fits 300668 (M-489-BP) and 300688 (M-550-BP) ignition switches.

Order No.	Mfg. No. / Description	Price
300810	(83288-BP)	\$11.98 H

Marpac Ignition Switch - Polyester Style



- Glass filled polyester housing with chrome plated brass face nut, brass backup nut and stainless steel springs.
- 3 positions: Off-Ignition-Start.
- Automatic return from start to ignition positions.
- Accommodates 1-1/8" panel.
- Thread diameter 13/16".
- 3 terminals.
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0481	Ignition Switch - Polyester Style	\$20.98 G

Marpac Ignition Switch - Polyester Style



- Polyester housing with weatherproof seal and drain hole.
- Brass back-up nut and chrome plated face nut.
- 3 positions: Off-Ignition-Start.
- For OMC.
- Accommodates 1-1/8" panel.
- Mounting bushing is 13/16" diameter.
- 5 screw terminals and 1 threaded stud.
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0391	Ignition Switch - Polyester Style	\$26.98 G

Cole Hersee Ignition Switch



- All brass construction.
- 3 positions: Off - Ignition - Start.
- 3 brass screw terminals.
- Rated: 10 amps at 12V DC.
- Chrome plated brass face nut.
- Brass mounting stem 13/16"-24, 1-7/32" long.
- Maximum panel thickness 1".

Order No.	Mfg. No. / Description	Price
300688	(M-550-BP)	\$41.98 H

Marpac Ignition Switch - Brass Style



- All brass construction with chrome plated face nut and stainless steel springs.
- 3 positions: Off-Ignition-Start.
- Automatic return to ignition from start position.
- Mounting stem 1-5/16" long.
- Thread diameter 13/16".
- 3 screw terminals.
- Rated: 15 amp at 12V DC.

Order No.	Description	Price
7-0482	Ignition Switch - Brass Style	\$27.98 F

Marpac Ignition Switch - Brass Style



- Brass housing with brass back-up nut and chrome plated face nut.
- 3 positions: Off-Ignition-Start.
- Accommodates 1-1/8" panel.
- Thread diameter 13/16".
- 5 screw terminals.
- Rated: 10 amps at 12V DC.

Order No.	Description	Price
7-0480	Ignition Switch - Brass Style	\$30.98 G

Marpac Push-To-Choke Ignition Switches



- Fits most Mercury applications.
- Replaces: Mercury 87-88107 and 87-88107A5.
- Delrin body with brass back-up nut and hex black plastic.
- 3 positions: Off-Ignition-Start.
- "Push-To-Choke" feature.
- Accommodates 5/8" panel.
- Weatherproof cover included.
- Magneto.

Order No.	Description	Price
7-1155	6 Wires Potted Base	\$27.98 G
7-1150	6 Screw Terminals	\$19.98 G

Cole Hersee Ignition Switch



- Zinc die cast case.
- 4 positions: Acc - Off - Ignition - Start.
- 4 screw terminals.
- Rated: 10 amps at 12V DC.
- Mounting stem 3/4"-20.
- Maximum panel thickness 3/8".

Order No.	Mfg. No. / Description	Price
300513	(9579-02-BX)	\$35.98 H

Marpac Ignition Switch - Brass Style



- All brass construction with chrome plated face nut.
- 3 positions: Off-Ignition-Start.
- Automatic return to ignition from start position.
- Mounting stem 1-7/32" long.
- Thread diameter 13/16".
- 3 blade terminals.
- Rated: Ignition - 10 amps at 12V DC; Start - 5 amps at 12V DC.

Order No.	Description	Price
7-0885	Ignition Switch - Brass Style	\$36.98 G

Marpac Ignition Switch - Polyester Style



- Polyester housing with brass back-up nut and knurled black plastic face nut with rubber cap.
- 4 positions.
- Accommodates 1-1/8" panel.
- Hole size 7/8".
- 4 blade terminals.
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0479	Ignition Switch - Polyester Style	\$23.98 G

Marpac Push-To-Choke Ignition Switch



- Delrin stainless steel ignition starter switch.
- "Push-To-Choke" feature.
- Replaces Evinrude/Johnson 388173, 390129, 390133 and 393301.
- Special weather-proofing seal and drain hole.
- Eliminates need for separate electric choke switch.
- Accommodates 1/4" panel.
- Mounting bushing is 1/2" long, 13/16" diameter.
- 6 screw terminals.
- Rated: 20 amps at 12V DC.

Order No.	Description	Price
7-0390	Push-To-Choke Ignition Switch	\$19.98 G

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- Maximum corrosion protection - eliminates oxidation.
- Inner seal between cylinder lock & contact plate.
- 3 Position Conventional Off-Run-Start.
- Rated ignition: 15 amp @ 12V DC.
- Solenoid: 30 amp @ 12V DC.
- Maximum panel thickness 1-1/8".
- Hole size 7/8".

Order No. Mfg. No. / Description Price
8020474 (MP39120) **\$19.74** H

Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- Maximum corrosion protection - eliminates oxidation.
- Inner seal between cylinder lock & contact plate.
- 4 Position Magneto Accessory-Off-Run-Start.
- Rated ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory 15 amp @ 12V DC.
- 6 Tinned brass screw terminals.
- Maximum panel thickness 5/8".
- Hole size 7/8".

Order No. Mfg. No. / Description Price
8020509 (MP39730) **\$22.94** H

Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- Maximum corrosion protection - eliminates oxidation.
- Inner seal between cylinder lock & contact plate.
- 4 Position Conventional Accessory-Off-Run-Start.
- Rated ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory 15 amp @ 12V DC.
- 4 Blade.
- Maximum panel thickness 1-1/8".
- Hole size 7/8".

Order No. Mfg. No. / Description Price
8020513 (MP39800) **\$22.00** H

Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Maximum corrosion protection - eliminates oxidation.
- Inner seal between cylinder lock & contact plate.
- 3 Position Magneto Off-Run-Start, Push to Choke.
- Rated ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke 7 amp @ 12V DC.
- 6 Screw tab.
- Maximum panel thickness 5/8".
- Hole size 7/8".

Order No. Mfg. No. / Description Price
8020518 (MP41000) **\$23.31** H

Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Maximum corrosion protection - eliminates oxidation.
- Inner seal between cylinder lock & contact plate.
- 4 Position Magneto Accessory-Off-Run-Start, Push to Choke.
- Rated ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory 15 amp @ 12V DC, Choke 7 amp @ 12V DC.
- 6 Screw tab.
- Maximum panel thickness 5/8".
- Hole size 7/8".

Order No. Mfg. No. / Description Price
8020528 (MP41080) **\$25.38** H

Sierra Ignition Switch



- Marine grade glass-filled polyester switches.
- Maximum corrosion protection - eliminates oxidation.
- Inner seal between cylinder lock & contact plate.
- 3 Position Magneto Off-Run-Start.
- Rated ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke 7 amp @ 12V DC.
- 6 Screw tab.
- Maximum panel thickness 1-1/8".
- Hole size 7/8".
- Note: Terminal to power separately controlled choke circuit.

Order No. Mfg. No. / Description Price
8020515 (MP39830) **\$47.75** H

Sierra Ignition Switch for Yamaha



- Exact OEM replacement installation.
- Ideal for DFI, EFI and MPI engines.
- Heavy duty potted construction.
- Push to Choke.
- Replaces: 703-82510-43-00. Yamaha Control Box 2 & 4 stroke.
- Colors on wires match factory color codes.

Order No. Mfg. No. / Description Price
8020533 (MP51040) **\$108.10** H

Sierra Ignition Switch for Yamaha



- Heavy duty potted construction.
- Exact OEM replacement installation.
- Ideal for DFI, EFI and MPI engines.
- Dual Engine Application, Push to Choke.
- Replaces: 6K1-82510-06-00. Yamaha Dash Mount 2 & 4 Stroke.
- Colors on wires match factory color codes

Order No. Mfg. No. / Description Price
8020534 (MP51050) **\$173.90** H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac Heavy Duty Momentary Push Button Switch



- Glass reinforced seamless polyester housing.
- Brass washer and back-up nut.
- Internally rubber gasketed.
- Moisture and dust proof rubber cap.
- Accommodates 1" panels. Silver contacts.
- 2 screw terminals. Stainless steel springs.
- Rated: 30 amps at 12V DC.

Order No.	Description	Price
7-0483	Push Button Switch	\$9.98 G

Marpac Momentary Push Button Switch



- Rated: 15 amps at 12V DC.
- For any application requiring momentary contact, such as horn or starting.
- Requires 5/8" diameter hole in panel for installation.

Order No.	Description	Price
7-0487	Push Button Switch	\$9.98 G

Boater Sports Push Button Switch



- Corrosion resistant brass switch, accommodates up to 1" thick panel.
- Water resistant cap.
- 15 Amp @ 12V.

Order No.	Mfg. No. / Description	Price
1-51360	(51360)	\$17.20 H

Cole Hersee Push Button Switch



- Brass case.
- Rated: 10 amps at 12V DC.
- Two brass screw terminals.
- Brass mounting stem 5/8"-32, 1" long.
- Fits panels up to 3/4" thick.
- Gasket sealed case.
- 2 positions: Normally Off, push to On.

Order No.	Mfg. No. / Description	Price
300664	(M-485-BP)	\$18.98 H

Cole Hersee Push Button Switch with Cap



- Brass case.
- Rated: 35 amps at 12V DC.
- Two brass screw terminals.
- Brass mounting stem 5/8"-32, 1-3/8" long.
- Fits panels up to 1" thick.
- Silver contacts.
- 2 positions: Normally Off, push to On.
- With snap-on black rubber cap.

Order No.	Mfg. No. / Description	Price
300741	(M-626-BP)	\$21.98 H

Cole Hersee Push Button Switch



- Brass case.
- Rated: 35 amps at 12V DC.
- Two brass screw terminals.
- Brass mounting stem 5/8"-32, 1-3/8" long.
- Fits panels up to 1" thick.
- Silver contacts.
- 2 positions: Normally Off, push to On.
- With recessed facenut, designed to prevent accidental actuation.

Order No.	Mfg. No. / Description	Price
300739	(M-612-BP)	\$26.98 H

Cole Hersee Push Button Switch



- Plasticized body for moisture and dirt protection.
- 2 positions: Off-momentary on.
- On with button depressed, spring return to off.
- Black moisture repellent rubber cover which snaps over face nut.
- Two 18 gauge wire leads, 12" long.
- Brass mounting stem 5/8"-32, 15/16" long.
- Maximum panel thickness 1/2".
- Rated: 10 amps at 12V DC.

Order No.	Mfg. No. / Description	Price
300727	(M-608-BP)	\$22.98 H

Cole Hersee Weatherproof/Dustproof Caps



- Durable, resilient rubber cap.
- Cap is permanently fastened to the integral mounting nut by a rolled brass bezel.
- Deep threaded 5/8"-32 aluminum mounting nut assures positive seal.
- Fits 300664 (M-485-BP), 300727 (M-608-BP) and 300741 (M-626-BP) push button switches.

Order No.	Mfg. No. / Description	Price
300805	(83280-03-BP) Black	\$3.84 H
300525	(83280-02-BX) Red	\$2.41 H

Marpac Push Button Switch



- Black plastic contoured push button.
- Compact size push button switch for horn starter or other momentary on functions.
- Two male 1/4" blade terminals.
- Uses 1/2" mounting hole in dash or panel.
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-1160	Push Button Switch	\$7.98 G

Marpac Push Button Horn Switch



- Black plastic button.
- Not ignition protected.
- Chrome plated brass housing.
- Momentary on-off push button switch.
- Diameter 1-1/2", overall width 2-5/8", height 1".
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0485	Push Button Horn Switch	\$8.98 G

Boater Sports Horn Button




- Momentary push mini switch with boot is perfect for horn button.

Order No.	Mfg. No. / Description	Price
1-51361	(51361)	\$7.20 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Marpac Push-Pull Switches



- Solid brass construction.
- Chrome plated brass knob and chrome plated brass face nut.
- 2 positions: Off-On. Normally Off.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0489	Two Screw Terminals	\$7.98 G
7-0886	Two 1/4" Blade Terminals	\$9.98 G


Marpac Bucket of Savings - Push-Pull Switches



• Sold 24 push-pull switches per bucket.

Order No.	Description	Price
7-0489S	2 Positions: Off-On	\$159.98 F

Marpac Push-Pull Switch



- Solid brass construction.
- Chrome plated brass knob and chrome plated solid brass face nut.
- 3 positions: Off-On-On. Normally Off.
- 3 screw terminals.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0491	Push-Pull Switch	\$9.98 G

Marpac Push-Pull Switch



- Solid brass construction.
- Chrome plated brass knob and chrome plated solid brass face nut.
- 3 positions: Off-On-On. Normally Off.
- 4 screw terminals.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0493	Push-Pull Switch	\$9.98 G


Boater Sports Push-Pull Switches



- Corrosion resistant brass switch.
- Accommodates up to 1" thick panel.
- Rated: 15 amps at 12V DC.

Order No.	Mfg. No. / Description	Price
1-51304	(51304) 2 Position	\$8.90 H
1-51305	(51305) 3 Position	\$12.95 H

Cole Hersee Push-Pull Switch



- Brass housing.
- 2 positions: Off-On, Normally Off.
- 2 brass screw terminals.
- Chrome plated solid brass screw-on knob.
- Complete with face nut, washer and hex nut for mounting.
- Brass mounting stem 3/8"-32 thread, 1-1/4" long.
- Fits panels up to 3/4".
- Rated: 10 amps at 12V DC.

Order No.	Mfg. No. / Description	Price
300652	(M-482-BP)	\$20.98 H


Cole Hersee Push-Pull Switch



- Brass housing, plasticized.
- Chrome plated solid brass screw-on knob, 10-32 thread.
- 2 positions: Off-On, Normally Off.
- Two insulated copper wire leads, 12" long.
- Complete with face nut, washer and hex nut for mounting.
- Brass mounting stem 3/8"-32 thread, 1-1/4" long.
- Fits panels up to 3/4".
- Rated: 10 amps at 12V DC.

Order No.	Mfg. No. / Description	Price
300715	(M-606-BP)	\$22.98 H

Cole Hersee Push-Pull Switch



- All brass construction.
- Chrome plated brass knob.
- 3 screw terminals.
- 3 positions: Off-on #1-on #1 and #2, normally off.
- Complete with face nut, washer and hex nut for mounting.
- Energizes one circuit in first position and both circuits in second position.
- Mounting stem 3/8"-32 thread, 1-1/4" long.
- Maximum panel thickness 1".
- Rated: 10 amps at 12V DC.

Order No.	Mfg. No. / Description	Price
300640	(M-476-BP)	\$37.98 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac Euro-Style Rocker Switches



- Rated: 16 amps at 12V DC.
- Fits Contura cut-out.

NON-ILLUMINATED BLACK PLASTIC ROCKER SWITCHES

Order No.	Description	Price
7-1135	2 Position On-Off, SPST	\$5.98 G
7-1136	2 Position Off-Momentary On, SPST	\$5.98 G
7-1137	3 Position On-Off-On, SPDT	\$5.98 G
7-1138	3 Position Momentary On-Off-Momentary On, SPST	\$6.98 G
7-1139	3 Position On-Off-On, DPDT	\$6.98 G

ILLUMINATED BLACK PLASTIC ROCKER SWITCHES

- Glows white when on, can be seen in daylight.

Order No.	Description	Price
7-1140	2 Position On-Off, SPST	\$6.98 G
7-1144	3 Position On-Off-On, SPDT	\$8.98 G

Boater Sports Quick Click Rocker Switches



- Contura style switches

NON-ILLUMINATED QUICK CLICK ROCKER SWITCH

Order No.	Mfg. No. / Description	Price
1-51352	(51352) On-Off	\$7.75 H
1-51353	(51353) On-Off-On	\$6.98 G
1-51354	(51354) Mom. On-Off-Mom. On	\$8.90 H

LED ILLUMINATED QUICK CLICK ROCKER SWITCH

Order No.	Mfg. No. / Description	Price
1-51355	(51355) On-Off	\$10.40 H
1-51356	(51356) On-Off-On	\$10.99 H
1-51357	(51357) Mom. On-Off-Mom. On	\$14.25 H

Marpac Illuminated Rocker Switches



- Glows red when switch is in "On" position.
- Single pole. Requires 27/32" x 1-15/32" cut out.
- 1/4" spade terminals. Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0531	Off-On 3 Terminals	\$5.98 G
7-0530	On-Off-On 4 Terminals	\$7.98 G

Marpac Rocker Switches



- Non-illuminated black plastic rocker switch.
- Single pole.
- Requires 27/32" x 1-15/32" cut out.
- 1/4" spade terminals. Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-1200	Off-On 2 Terminals	\$4.48 G
7-1205	On-Off-On 3 Terminals	\$5.98 G
7-1235	Mom. On-Off-Mom. On 3 Terminals	\$10.98 G
7-1230	Off-Mom. On 3 Terminals	\$10.98 G

Marpac Contura® Rocker Switches



- Rated: 20 amps at 12V DC.

NON-ILLUMINATED - NON-CORROSIVE PLASTIC CONSTRUCTION

Order No.	Description	Price
7-0535	2 Position On-Off	\$8.98 F
7-0536	2 Position Off-Momentary On	\$9.98 F
7-0537	3 Position On-Off-On	\$9.98 F
7-0538	3 Position Momentary On-Off-Momentary On	\$11.98 G
7-0539	3 Position On-Off-On (6 Terminal)	\$11.98 F

ILLUMINATED - NON-CORROSIVE PLASTIC CONSTRUCTION

- Brass blade terminals, silver contacts.

Order No.	Description	Price
7-0540	2 Position On-Off, SPST	\$10.98 F
7-0541	2 Position Off-Momentary On, SPST	\$10.98 F
7-0542	3 Position On-Off-On, SPDT	\$12.98 F
7-0543	3 Position Momentary On-Off-Momentary On, DPST	\$15.98 F
7-0544	3 Position On-Off-On, DPDT	\$15.98 F

Blue Sea Waterproof Contura Switches



- Vibration, shock, thermoshock, moisture and salt spray resistant.
- Current rating: 20A @ 12 volt.
- Meets UP1500 & ISO8846 ignition protection requirements.
- Gray.

Order No.	Mfg. No. / Description	Price
379760	(8232) SPDT, ON-OFF-ON	\$14.98 F
379772	(8231) SPST, OFF-MOM. ON	\$10.98 F
379780	(8230) SPST, OFF-ON	\$12.98 Q

Boater Sports Rocker Switches



- Low profile switch with matte black plastic housing.
- Uses standard female disconnect terminals.
- Rated: 15 amp @ 12V DC.

NON-ILLUMINATED ROCKER SWITCHES

Order No.	Mfg. No. / Description	Price
1-51340	(51340) On-Off 2 Terminals	\$4.98 H
1-51341	(51341) On-Off-On 3 Terminals	\$5.98 H
1-51342	(51342) Mom. On-Off 2 Terminals	\$4.98 H

ILLUMINATED WHEN SET TO "ON" POSITION

Order No.	Mfg. No. / Description	Price
1-51350	(51350) On-Off 4 Terminals	\$6.99 H
1-51351	(51351) On-Off-On 6 Terminals	\$9.15 H

Sierra Narrow Body Rocker Switch



- Fits .55" x 1.125" cut out.
- Blade terminals. Rated: 10 amp @ 12V DC.

Order No.	Mfg. No. / Description	Price
8020545	(RK19630) On-Off SPST Illuminated	\$7.33 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Marpac Illuminated Toggle Switches



- Translucent plastic paddle.
- Switch illuminates white when dash lights are turned "on".
- Changes to red light when switch is in "on" position.
- 1/4" spade terminals.
- For panels up to 3/8". Rated: 15 amps at 12V DC.

Order No.	Description	Price
7-0528	Off-On	\$4.98 G
7-1290	On-Off-On	\$7.98 G

Boater Sports Toggle Switches



- Black plastic lever and locking ring with paddle seal and knurled cap nut.
- Great for lights, aerators and blowers.
- Rated: 15 amp @ 12V DC.

NON-ILLUMINATED TOGGLE SWITCHES

Order No.	Mfg. No. / Description	Price
1-51306	(51306) On-Off 2 Terminals	\$4.50 H
1-51307	(51307) On-Off-On 3 Terminals	\$5.25 N
1-51308	(51308) Mom. On-Off 2 Terminals	\$4.35 H
1-51309	(51309) Mom. On-Off-Mom. On 3 Terminals	\$5.75 H
1-51310	(51310) On-Off-Mom. On 3 Terminals	\$5.75 H

ILLUMINATED TOGGLE SWITCHES

Order No.	Mfg. No. / Description	Price
1-51320	(51320) On-Off 4 Terminals	\$5.45 H
1-51321	(51321) On-Off-On 5 Terminals	\$6.90 H

Sierra Standard Toggle Switch



- Non-corrosive plastic construction.
- Brass blade terminals, silver contacts.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 20 amps @ 12V DC.

Order No.	Mfg. No. / Description	Price
8020680	(TG40490) On (1) -Off-On (1 & 2) DPDT	\$14.98 H

Marpac Toggle Switch



- Nickel plated off-on indicator plate; assembled.
- Bat handle. Mounting stem: 15/32" length.
- Two 6" long wire leads. Rated: 6 amps at 125V AC.

Order No.	Description	Price
7-0529	Off-On	\$4.48 G

Marpac Toggle Switch



- Replacement switch for Marpac Panels: 7-0516, 7-0517 and 7-0518. For use in panels with hole diameter 13/32" and a panel thickness up to 1/8".
- Rated 15 amps at 12V DC.

Order No.	Description	Price
7-0534	Toggle Switch	\$4.98 G
7-0519	Spare Boot	\$2.38 G

Marpac Toggle Switches



- Black plastic paddle and locking ring with lever seal and knurled cap nut.
- 1/4" spade terminals.
- Mount in 15/32" diameter panel hole.
- Fits panels up to 1/4".
- Rated: 20 amps at 12V DC.

Order No.	Description	Price
7-0462	Off-On, 2 Terminals	\$4.09 G
7-0464	Off-Momentary On, 2 Terminals	\$4.01 G
7-0463	On-Off-On, 6 Terminals	\$6.98 G
7-0465	Momentary On-Off-Momentary On, 6 Terminals	\$6.98 G

Sierra Illuminated Toggle Switch



- Non-corrosive plastic construction.
- Illuminates white when panel lights are "On", changes to red when switch is "On".
- Brass blade terminals, silver contacts.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 20 amps @12V DC.

Order No.	Mfg. No. / Description	Price
8020668	(TG40060) On-Off SPST	\$12.98 H

Sierra Tip Lit Toggle Switch



- Non-corrosive plastic construction.
- Lights through tip of handle.
- Illuminates white when panel lights are "On", changes to red when switch is "On".
- Brass blade terminals, silver contacts.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 20 amps @ 12V DC.

Order No.	Mfg. No. / Description	Price
8020654	(TG19520) On-Off-On DPDT	\$24.98 H

Marpac Toggle Switch



- All brass with nickel plated brass face nut and brass back up nut.
- Mounting stem: 7/16"-28 thread, 3/8" length and 7/16" diameter.
- Rated: 20 amps at 12V DC.

Order No.	Description	Price
7-1270	Off-On	\$8.98 G

Boater Sports Brass Toggle Switches



- Chrome plated brass.
- Accommodates 10 Amp @ 250V AC, 15 Amp @ 120V AC and 15 Amp @ 12V DC.

Order No.	Mfg. No. / Description	Price
1-51330	(51330) On-Off 2 Terminals	\$6.15 H
1-51331	(51331) Mom. On-Off 2 Terminals	\$6.75 H

Marpac Heavy Duty Toggle Switches



- Plastic housing with plated steel cap.
- Universal applications.
- Nickel plated brass handle - 11/16" length.
- Nickel plated brass mounting stem - 15/32"- 32 thread and 15/32" length.
- Rated: 25 amps at 12V DC.



Order No.	Description	Price
7-0880	Off-On, 2 Terminals, SPST	\$6.98 H
7-0881	On-Off-On, 3 Terminals, SPDT	\$8.98 G
7-0883	Momentary On-Off-Momentary On, 3 Terminals, SPDT	\$10.98 H
7-0884	Off-Momentary On, 2 Terminals, SPST	\$8.98 H
7-0882	On-Off-On, 6 Terminals, DPDT	\$12.98 G

Cole Hersee Medium Duty SPST Toggle Switch



- Black bakelite with plated steel cap.
- Chrome plated brass handle.
- Single pole. 2 positions: Off-on. 2 screw terminals.
- Rated: 10 amps at 12V DC.
- Stem mounting: 15/32"-32 thread. Fits panels through 9/32" thick.



Order No.	Mfg. No. / Description	Price
300690	(M-484-BP)	\$11.98 H
300800	(81264-BP) Boot Seal	\$8.98 H

Sierra Heavy Duty Toggle Switches



- Super tough zinc die cast.
- Chrome plated plastic handle with metal core.
- Heavy copper screw terminals.
- Mounting stem: 15/32" L x 15/32"-32. Rated: 50 amp @ 12 VDC.



Order No.	Mfg. No. / Description	Price
8020660	(TG21500) On-Off SPST	\$11.98 H
8020662	(TG21600) Mom. On-Off-Mom. On SPDT	\$15.98 H

Cole Hersee Toggle Switch Seal



- Rubber boot bonded to brass nut with 15/32"-32 thread.
- Mounting surface of nut has O-ring seal for moisture and dirt protection.
- Fits standard handles up to 11/16".
- Covers entire toggle handle.
- For 539683 (0514 DP) and 300690 (M-484-BP) Toggle Switches.



Order No.	Mfg. No. / Description	Price
300800	(81264-BP) Gray	\$8.98 H

Blue Sea WeatherDeck™ Toggle Switch Boot



- Replaces dress nut for mounting on WeatherDeck Panel Switches.
- Case material: UV resistant silicone rubber.
- UV resistant material resists discoloration and cracking.
- Thread: 15/32".



Order No.	Mfg. No. / Description	Price
379406	(4138) Black	\$4.48 F

Blue Sea WeatherDeck™ Toggle Switches



- Single pole.
- Nickel-plated brass and phenolic non-corrosive construction.
- Terminal size: 1/4".
- Terminal type: Quick connect tab.
- Rated: 15 amps at 12V DC.



Order No.	Mfg. No. / Description	Price
379407	(4150) Single Throw, Off-On	\$6.98 F
379408	(4151) Single Throw, Off-Mom. On	\$6.98 F
379409	(4152) Double Throw, On-Off-On	\$6.98 F
379410	(4153) Double Throw, Mom. On-Off-On	\$6.98 F
379411	(4154) Double Throw, Mom. On-Off-Mom. On	\$6.98 F

Perko Fig. 514 Toggle Switch



- Nickel plated brass toggle with chrome plated face nut.
- Single pole, single throw (Off-On).
- Rated for 6 amps at 12 volts.



Order No.	Mfg. No. / Description	Price
539683	(0514 DP)	\$30.98 R

Marpac Universal Toggle Boot Seals



- Fits switches with 15/32" mounting stem and handles to 11/16".
- Protects against dirt and moisture.
- Use with: 7-0462, 7-0463, 7-0464, 7-0465, 7-0528, 7-0529, 7-1290, 7-0880, 7-0881, 7-0882, 7-0883 and 7-0884.



Order No.	Description	Price
7-0468	Black	\$2.01 G
7-0887	Gray	\$6.98 G

Boater Sports Rubber Toggle Switch Boot



- Waterproof, black rubber boot fits most standard toggle switches.



Order No.	Mfg. No. / Description	Price
1-51300	(51300) Black	\$1.95 G

Sierra Weatherproof Boot Nut



- For standard toggles with 15/32" mounting stem.
- Completely covers toggle handle. Seals out moisture and dirt.
- For toggle handles up to 1-1/4" long.



Order No.	Mfg. No. / Description	Price
8020480	(MP39240)	\$5.83 H

Sierra Weatherproof Boot Nut

- For illuminated toggle switches (except Duckbill).
- 1/2" boot seals out moisture yet allows illumination to show.



Order No.	Mfg. No. / Description	Price
8020479	(MP39220)	\$6.96 H

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Boater Sports On/Off Switch Panel



- Corrosion resistant brass switch, accommodates up to 1" thick panel.
- Rated: 15 amp @ 12V DC.

Order No.	Mfg. No. / Description	Price
1-51381	(51381)	\$10.95 H

Sealed Glass - Mat PWC and ATV Batteries

- High performance. Sealed and maintenance free.
- Pre-charged at the factory. AGM Technology.
- Sealed batteries perform mounted in any position.

Order No.	Mfg. No. / Description	CCA	Price
2001030	(WP16CL-BS) 6-7/8" L x 4" W x 6-7/8" H	300 CCA's	\$96.98 H
2001055	(WPX20L-BS) 6-7/8" L x 3-7/16" W x 6-1/8" H	375 CCA's	\$103.98 H
2001060	(WPX30CL-BS) 6-9/16" L x 5" W x 7-9/16" H	400 CCA's	\$144.98 H
2001045	(WP9-BS) 6" L x 3-7/16" W x 4-3/16" H	180 CCA's	\$50.98 H
2001050	(WPX14AH-BS) 5-5/16" L x 3-1/2" W x 6-9/16" H	210 CCA's	\$78.98 H
2001065	(WPX30L-BS) 6-9/16" L x 5" W x 6-7/8" H	400 CCA's	\$133.98 H

Marine Batteries

Order No.	Mfg. No. / Description	Price
335318	(NSB-27)	\$437.98 E
335319	(NSB-31)	\$437.98 E
335331	(31-AGM)	\$421.98 F
335333	(U1AGM)	\$147.98 F

Marine Batteries

Order No.	Mfg. No. / Description	Price
335314	(8D-1100)	\$261.98 F
335317	(8D-AGM)	\$873.98 F
335324	(27MDC)	\$169.98 F
335326	(24MDP)	\$154.98 F
335329	(GROUP24-AGM)	\$317.98 F

Moeller Heavy Duty Battery Boxes



Blue Sea Toggle Guard



- Protects circuit breakers from being accidentally switched ON or OFF.
- Fits all A-Series single pole circuit breakers.
- Fits all panel switches.
- Can be used on any brand of circuit breaker panel using standard toggle type circuit breakers.
- Uses circuit breaker mounting screw hole.
- Includes 2 mounting screws.

Order No.	Mfg. No. / Description	Price
379950	(4100) Toggle Guard	\$4.97 H

AC Delco Batteries



VOYAGER BATTERIES

- Replacement Limited Warranty offers replacement of battery at no cost to the original purchaser.
- Labor for removal or installation not included. Other limitations apply.

Order No.	Mfg. No.	CCA	MCA	Reserve Cap.	Price
340000	(C24MF)	500	625	90	Starting Battery \$113.98 E
340005	(C24HP)	800	1,000	135	Starting Battery \$125.98 E
340020	(M24AGM)	500	624	140	Deep Cycle \$230.98 E
340025	(M29MF)	675	845	210	Deep Cycle \$141.98 E

VOYAGER II DEEP CYCLE BATTERIES

- AC Delco Advantage battery. Virtually maintenance free.
- "Charge Eye" on deep cycle parts allows quick glance state of charge monitoring.
- Integrated handle in case.
- 18 month free-replacement warranty.

Order No.	Mfg. No.	CCA	Marine Cranking Amps	Reserve Capacity	Price
340010	(ACDM24DC)	550	715	125	\$114.98 E
340015	(ACDM27DC)	650	845	160	\$126.98 E

GROUP 8D BATTERIES

- Constructed for true heavy duty applications. Maintenance free.

Order No.	Mfg. No.	CCA	Marine Cranking Amps	Reserve Capacity	Price
340030	(8DA)	1,210	-	420	\$242.98 E
340035	(8DSMF)	1,200	1,500	385	\$277.98 E

BATTERY CAPACITY: (2) STANDARD BATTERY

Order No.	Mfg. No. / Description	Price
666810	(042212) 17.38" D x 13.00" W x 11.25" H	\$94.98 F

BATTERY CAPACITY: (1) 4D BATTERY

Order No.	Mfg. No. / Description	Price
666822	(042204) 23.75" D x 12.50" W x 13.38" H	\$100.98 F

BATTERY CAPACITY: (1) 8D BATTERY

Order No.	Mfg. No. / Description	Price
666846	(042208) 24.75" D x 14.88" W x 11.50" H	\$100.98 F
666860	(042209) 24.50" D x 14.50" W x 14.50" H	\$105.98 F

BATTERY CAPACITY: (2) 8D BATTERIES

Order No.	Mfg. No. / Description	Price
666884	(042210) 27.88" D x 24.63" W x 11.50" H	\$144.98 F
666908	(042211) 27.25" D x 24.50" W x 14.00" H	\$149.98 F

Marpac Battery Boxes



- Non-corrosive marine grade material.
- Holds one battery.
- Fits new battery style size.
- Meets industry requirements.
- Injection molded high strength composite construction.
- Easy installation with included strap and mounting hardware.

Order No.	Description	Price
7-0034	Fits 24 Series Batteries	\$9.98 F
7-0036	Fits 27/31 Series Batteries	\$10.98 F

Moeller Battery Box Handle



- Fits most Group 27 Battery Boxes.
- Makes it easier to lift the battery box out of tight spaces.

Order No.	Mfg. No. / Description	Price
666999	(42235)	\$12.98 F

Boater Sports Screw Down Battery Trays



- Keep batteries secure to prevent damage to passengers, boat and equipment.
- Stainless steel screw tie downs keep batteries securely in place preventing damage and are corrosion resistant.
- Includes: Stainless hardware.
- Poly bag with header.

Order No.	Mfg. No. / Description	Price
1-51022	(51022) For Series 24M Batteries	\$12.98 G
1-51023	(51023) For Series 27M Batteries	\$13.98 G

Boater Sports Battery Trays



- Keep batteries secure to prevent damage to passengers, boat and equipment.
- Includes stainless hardware and adjustable buckle strap.
- Poly bag with header.

Order No.	Mfg. No. / Description	Price
2000300	(51014) For 24 Series Batteries	\$7.98 H
2000301	(51016) For 27 Series Batteries	\$7.98 H
2000302	(51017) For 31 Series Batteries	\$7.98 H

Attwood Large Battery Box



- Polypropylene construction for total acid resistance.
- Vented.
- Complete with hold-down straps and mounting hardware.
- Meets ABYC Standard E-10 and USCG approved.
- Dimensions: 18-3/4" L x 9-1/4" W x 10-1/4" H.
- For batteries up to 15-7/16" L x 7-1/8" W x 9-3/4" H, including 27F series batteries.

Order No.	Mfg. No. / Description	Price
237354	(9084-1)	\$24.98 H

Marpac Economy Battery Trays



- Made from non-corrosive composites.
- Durable construction for long life.

Order No.	Description	Price
7-2197	For Series 24 and 24M Batteries	\$6.98 I
7-2198	For Series 27, 30 and 31 Batteries	\$7.98 I

Marpac Deluxe Battery Trays



- Made from non-corrosive composites.
- Durable construction for long life.
- Easy to install.
- Includes: Stainless steel installation screws.

Order No.	Description	Price
7-2195	For Series 24 and 24M Batteries	\$12.98 G
7-2196	For Series 27, 30 and 31 Batteries	\$13.98 G

T-H Marine Battery Holder Trays



- The polypropylene hold down strap with positive locking quick disconnect buckle matched with a molded base that mounts with (4) #10 pan head screws provides not only simple installation but changing or replacing batteries is quick and easy.
- Meets All NMMA Specs.

FOR 24 SERIES BATTERIES

- Inside 11-1/8" L x 7-1/4" W, width with tabs (outside) 8-5/8", height 1".

Order No.	Mfg. No. / Description	Price
6400095	(BH-24P-DP)	\$6.98 R

FOR 27 SERIES BATTERIES

- Inside 12-3/8" L x 7-1/4" W, width with tabs (outside) 8-5/8", height 1".

Order No.	Mfg. No. / Description	Price
6400096	(BH-27P-DP)	\$6.98 R

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

T-H Marine Narrow Battery Holder Trays



- Molded of acid proof polypropylene.
- Poly strap with strong quick release buckle.
- Recess mounting wells - recessed fasteners - no tabs.
- These trays eliminate 1-1/2" - 2" of space when mounting trays side-by-side.
- Meets All NMMA Specs.

Order No.	Mfg. No. / Description	Price
640018	(NBH-24P-DP) For 24 Series Batteries	\$7.98 H
640020	(NBH-27P-DP) For 27 Series Batteries	\$6.98 H
640036	(NBH-31P-DP) For 29/31 Series Batteries	\$6.98 H
640044	(NBH-27P-20B) For 27 Series Batteries, 20 Per Box	\$118.98 H
640056	(NBH-24P-20B) For 24 Series Batteries, 20 Per Box	\$118.98 H

Marpac Battery Hold Down Strap



- Made from acid and gas resistant materials.
- Includes corrosion resistant hold down clamp with stainless steel screws.
- Length 39".

Order No.	Description	Price
7-0032	Battery Hold Down Strap	\$3.95 G

T-H Marine Battery Holder Replacement Strap



- Fits all T-H Marine poly strap hold-downs.
- Length 38".

Order No.	Mfg. No. / Description	Price
639990	(BS-1-DP)	\$5.98 H

Boater Sports Battery Meter/Alternator Checker



- Always know your battery condition!
- Now with built-in Alternator Checker.
- LED's light up to easily read your alternator or battery condition.
- Magnetic back for securing unit during battery testing.
- Color-coded black gator clip ground wire with red test probe.
- 12 volt.

Order No.	Mfg. No. / Description	Price
1-51004	(51004)	\$11.95 H

T-H Marine Dual Battery Holder Tray



- This tray is designed to securely install two 27 series batteries in the absolute tightest space.
- By placing the batteries side-by-side in one tray, the extra space and fasteners for two trays are eliminated.
- Great for dual trolling motor batteries.
- Poly strap with quick release buckle makes installation and removal easy.
- Meets NMMA specs for battery retention.

Order No.	Mfg. No. / Description	Price
640062	(DBH-27P-DP)	\$22.98 H

Tough Guy Gas Tank Tie Down Kit



- Durable polypropylene webbing.
- Corrosion-proof hardware.
- 1-1/2" W x 6' L.
- Made in the USA.

Order No.	Description	Price
7-2150	Gas Tank Tie Down Kit	\$6.98 G

Boater Sports Footman Loops



- Pair of nickel-plated brass footman loops.
- Perfect for use as battery and fuel tank hold-downs, etc.
- Fits up to 1-1/4" straps.

Order No.	Mfg. No. / Description	Price
1-54120	(54120)	\$5.65 H

Dual Pro Go Charge Maintainer/Battery Charger



- The system is engineered for users who need a charging system on an occasional basis and may not want or need the capabilities of a heavier duty and higher amperage product.
- State of charge LED indicator.
- Reverse polarity protected.
- Four (4) stage charge profile.
- Includes: Power cord, fused harness, alligator clips and ring terminals.
- Measures: 1-5/8" H x 1-3/4" W x 3-7/8" L.

Order No.	Mfg. No. / Description	Price
284589	(GC122) 2 amp	\$69.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Minn Kota Portable Battery Chargers

- Fully automatic 3-stage charging (Bulk, absorption and maintenance).
- LED display indicates power ON, charging, full charge and check connection.
- For use with 12V/6 cell batteries that are flooded/wet cell, maintenance free or starved electrolyte only.
- Short circuit, reverse polarity, arc and ignition protection.
- Dimensions: 7" L x 9" W x 7-3/4" H.
- FCC Compliant and UL listed to Marine Standard 1236.



Order No.	Mfg. No. / Description	Price
476790	(1820110) MK 110P 1 bank 10 amps total output	\$84.99 E
476794	(1822110) MK 210P 2 banks 10 amps total output	\$109.99 E

Dual Pro Recreational Series Battery Chargers



- Affordable, reliable and safe battery charging system designed for everyday use.
- Dependable, rugged construction and waterproof.
- Independent outputs and fully automatic.
- Universal input: 100-240 VAC 50/60HZ.
- Battery maintenance mode.
- Approved for Wet Cell and Absorbed Glass Mat (AGM) batteries.
- DC charge cables: 5' and AC power cord: 3'.
- LED lights indicate the state of charge.
- Reverse polarity protected and no installation restrictions.
- Ignition protected (US Coast Guard 33 CFR 183.410).
- Approved and meets ISO 8846 Marine standards.
- FCC 15 Parts A and B Interference Compliant.

Order No.	Mfg. No. / Description	Price
2845023	(RS1) One 6 Amp Bank 6 Amps 12V	\$119.98 F
284596	(RS2) Two 6 Amp Banks 12 Amps 12V, 24V	\$139.98 F
284598	(RS3) Three 6 Amp Banks 18 Amps 12V - 36V	\$209.98 E

Dual Pro Sportsman Series Battery Chargers



- Battery charging system designed for use on land and in fresh and salt water.
- The "Green" Charger: Totally "Repairable" not a throw-away.
- DeltaVolt Intuitive Charging Technology.
- Waterproof, dependable, rugged construction.
- Independent outputs.
- Approved for Wet Cell and AGM batteries.
- Models also available for Gelled Electrolyte batteries.
- Fully automatic/multi stage charging. Zero spark technology.
- Battery maintenance mode. On-board diagnostic codes.
- Temperature compensated. Advanced microprocessor controlled.
- DC charge cables: 5' and AC power cord: 3'.
- LED lights indicate the state of charge.
- Reverse polarity protected and no installation restrictions.
- Ignition protected (US Coast Guard 33 CFR 183.410).
- Approved and meets ISO 8846 Marine standards.
- FCC Parts A & B interference compliant.

Order No.	Mfg. No. / Description	Price
284600	(SS2) Two 10 Amp Banks 20 Amps 12V, 24V	\$269.98 E
284601	(SS3) Three 10 Amp Banks 30 Amps 12V - 36V	\$376.98 E
284602	(SS4) Four 10 Amp Banks 40 Amps 12V - 48V	\$499.98 E

Dual Pro Charger On The Run Battery Charger



- Utilizes boat engine charging current to charge auxiliary batteries while the engine is running.
- There are no connections to the ignition system or engine. Just connect to the starting and auxiliary batteries.
- Fully waterproof with reverse polarity and short circuit protection.
- Dependable, rugged and light weight construction.
- Fully automatic shut off.
- Advanced microprocessor controlled.
- DC charge cable: 5'.
- Decreases overnight charge time.
- Ignition protected (US Coast Guard 33 CFR 183.410).
- Approved and meets ISO 8846 Marine standards.
- FCC 15 Parts A and B Interference Compliant.

Order No.	Mfg. No. / Description	Price
284588	(CRS2) 2 Banks 12V, 24V	\$329.98 E

Dual Pro Professional Series Battery Chargers



- Battery charging system designed for use on land and in fresh and salt water.
- The "Green" Charger: Totally "Repairable" not a throw-away.
- DeltaVolt Intuitive Charging Technology.
- Waterproof, dependable, rugged construction.
- Independent outputs.
- Approved for Wet Cell and AGM batteries.
- Models also available for Gelled Electrolyte batteries.
- Fully automatic/multi stage charging. Zero spark technology.
- Battery maintenance mode. On-board diagnostic codes.
- Temperature compensated. Advanced microprocessor controlled.
- DC charge cables: 5' and AC power cord: 3'.
- LED lights indicate the state of charge.
- Reverse polarity protected and no installation restrictions.
- Ignition protected (US Coast Guard 33 CFR 183.410).
- Approved and meets ISO 8846 Marine standards.
- FCC Parts A & B interference compliant.

Order No.	Mfg. No. / Description	Price
284590	(PS2) Two 15 Amp Banks 30 Amps 12V, 24V	\$349.98 E
284592	(PS3) Three 15 Amp Banks 45 Amps 12V - 36V	\$469.98 E
284594	(PS4) Four 15 Amp Banks 60 Amps 12V - 48V	\$579.98 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Marinco On-Board Battery Chargers

MARINCO



379186



379189

- Charge flooded and AGM batteries.
- Microprocessor controlled for accurate charging.
- Universal input 120/230V input for go-anywhere freedom.
- Intuitive operation.
- Sense-Send technology senses the power needs of each battery and sends correct charge.
- Outputs can be put in series or parallel for higher voltage or current.
- Completely sealed, epoxy filled. IP68 waterproof.
- Non corroding housing for ultimate reliability.
- Footprint same as former Charge Pro Guest Chargers.
- ConnectCharge Plug for easy assembly to inlet (Item #150CCI) with no wiring.

Order No.	Mfg. No. / Description	Price
379186	(28106) 6 Amps 1 Bank 12V	\$102.98 Q
379189	(28210) 10 Amps (5/5) 2 Banks 12V, 24V	\$161.98 Q

Guest Charge Pro™ Waterproof Battery Chargers

GUEST



379191

- Charges flooded, gel and AGM Batteries.
- Completely sealed in waterproof thermal epoxy to prevent damage and corrosion.
- LEDs indicates charge status.
- Maintenance mode protects batteries during storage.

15 AMP TRIPLE OUTPUT

- Battery system: 12V + 12V + 12V or 24V + 12V.
- Input voltage: 100-130V AC / 60Hz.
- Input connection: 6' AC cord with ConnectCharge plug.
- Output voltage: 12V. Output connection: 4'/4'/6' DC cables with terminal rings.
- Dimensions: 9.6" W x 7" H x 2.60" D.

Order No.	Mfg. No. / Description	Price
379191	(2613A)	\$280.98 F

20 AMP DUAL OUTPUT

- Battery system: 12V + 12V or 24V.
- Input voltage: 100-130V AC / 60Hz.
- Input connection: 6' AC cord with ConnectCharge plug.
- Output voltage: 12V. Output connection: 6' DC cables with terminal rings.
- Dimensions: 9.6" W x 7" H x 2.60" D.

Order No.	Mfg. No. / Description	Price
379194	(2620A)	\$278.98 F

30 AMP TRIPLE OUTPUT

- Battery system: 12V + 12V + 12V or 24V + 12V or 36V.
- Input voltage: 100-130V AC / 60Hz.
- Input connection: 6' AC cord with ConnectCharge plug.
- Output voltage: 12V. Output connection: 6' DC cables with terminal rings.
- Dimensions: 13" W x 7" H x 2.60" D.

Order No.	Mfg. No. / Description	Price
379197	(2631A)	\$484.98 E

Minn Kota Digital On-Board Battery Chargers

MINN KOTA



476829



476778



476869

- Digitally-controlled microprocessor design protects your batteries so you can stay on the water longer.
- Up to 2X faster charging in high temperatures.
- Enhanced status codes provide comprehensive feedback on charge stage, maintenance mode status, error notification and full charge.
- Convenient on-board mounting eliminates the hassle of traditional portable charges.
- Fully automatic multi-stage charging so you can get a full charge every time.
- Automatic temperature compensation.
- Waterproof, shock- and vibration-resistant aluminum construction.
- Short circuit, reverse polarity and ignition protected.
- Saltwater tested and fully resistant to corrosion.
- For use with 12 volt system with 12V/6-cell batteries that are flooded/wet cell, maintenance free or starved electrolyte (AGM) only.
- Includes: One pre-wired on-board marine battery charger with one 6' fused output cable and one 6' AC power cord.
- FCC Compliant and UL listed to Marine Standard 1236.

6 AMPS - 1 BANK, 6 AMPS PER BANK

- Dimensions: 8-3/4" L x 4-3/4" W x 3" H.

Order No.	Mfg. No. / Description	Price
476778	(1821065) MK 106D	\$99.99 E

10 AMPS - 2 BANKS, 5 AMPS PER BANK

- Dimensions: 11-1/2" L x 7-1/2" W x 4" H.

Order No.	Mfg. No. / Description	Price
476792	(1822105) MK 210D	\$149.99 E

20 AMPS - 2 BANKS, 10 AMPS PER BANK

- Dimensions: 13-1/2" L x 7-1/2" W x 4" H.

Order No.	Mfg. No. / Description	Price
476829	(1822205) MK 220D	\$249.99 E

15 AMPS - 3 BANK, 5 AMPS PER BANK

- Dimensions: 12-1/2" L x 7-1/2" W x 4" H.

Order No.	Mfg. No. / Description	Price
476843	(1823155) MK 315D	\$199.99 E

30 AMPS - 3 BANKS, 10 AMPS PER BANK

- Dimensions: 16-1/4" L x 7-1/2" W x 4" H.

Order No.	Mfg. No. / Description	Price
476867	(1823305) MK 330D	\$329.99 E

40 AMPS - 4 BANKS, 10 AMPS PER BANK

- Dimensions: 11-3/4" L x 6-3/4" W x 8" H.

Order No.	Mfg. No. / Description	Price
476869	(1824405) MK 440D	\$429.99 E

Minn Kota Precision On-Board Chargers



- A comprehensive LED display to select the battery type by bank, and monitor each bank's connection status, power status, state of charge and selected battery type.
- Half the weight and more compact than traditional chargers.
- A rugged, marine-grade aluminum housing and fully corrosion-resistant design.
- A full, precise charge creates longer run times and longer battery life.
- Designed to sense outside temperature fluctuations and adjust charging accordingly, providing a fast, accurate charge.
- Automatically cleans and conditions your battery to extend run time and battery life.
- Multi-Stage Charging controls the voltage and current the battery gets throughout the charging cycle, ensuring a fast, safe and precise charge.
- AC Plug Holder keeps plugs dry, safe and easily accessible.
- Three year warranty.

15 AMPS - 1 BANK, 15 AMPS PER BANK

- Dimensions: 6-3/4" L x 10" W x 3-3/4" H.

Order No. Mfg. No. / Description Price
476873 (1821151) MK 115PC **\$249.99** LQ

30 AMPS - 2 BANKS, 15 AMPS PER BANK

- Dimensions: 9-1/2" L x 10" W x 3-3/4" H.

Order No. Mfg. No. / Description Price
476875 (1832300) MK 230PC **\$349.99** E

45 AMPS - 3 BANKS, 15 AMPS PER BANK

- Dimensions: 13" L x 10" W x 3-3/4" H.

Order No. Mfg. No. / Description Price
476876 (1833450) MK 345PC **\$449.99** E

60 AMPS - 4 BANKS, 15 AMPS PER BANK

- Dimensions: 16" L x 10" W x 3-3/4" H.

Order No. Mfg. No. / Description Price
476877 (1834600) MK 460PC **\$549.99** E

Newmar Phase Three Monitor/Control Unit



- ABS Approved.
- Digital DC voltmeter; reads DC system status to nearest 1/10th volt on up to three separate battery banks; provides local/remote high/low voltage alarm capability.
- Output voltage adjustment potentiometer (-4% to +5%).
- Double pole circuit breaker for local on-off control and AC over-current protection.
- AC "ON" indicator light.

Order No. Mfg. No. / Description Price
700384 (PT-MCU) **\$651.98** F

Guest ChargePro™ Plus Battery Charger



- Combines a Guest charger with an alternator power module (VSR) to continuously charge the trolling motor while the engine is running.
- Input voltage range: 100-130V AC.
- Total output: 8 amps.
- Harness previously unused or wasted alternator power for trolling use.
- Rated for alternator charging systems up to 70 amps.

Order No. Mfg. No. / Description Price
379203 (36082-12) 12 volt **\$313.98** LQ

Newmar Battery Chargers - ABC Series



- Utilizes time tested SCR charging circuitry, individually sensing and regulating each of 2 isolated battery banks, allowing the user to leave the charger operating indefinitely, even under no-load conditions without fear of overcharging.
- Housed in a rugged, black anodized aluminum, heat-sink case.
- A total output ammeter, on-off power switch, power on indicator light, 115/230 VAC input voltage selector switch, factory installed AC power cord with molded plug and shock-resistant rubber mounting grommets.
- 2 banks, 12 volt.

Order No. Mfg. No. / Description Price
700307 (ABC12-8) 8 amp 8" H x 6" W x 4.2" D **\$435.98** F
700323 (ABC12-25) 25 amp 11.9" H x 4.7" W x 6.2" D **\$690.98** F

Newmar Battery Charger - Phase Three Modular



- ABS Type Approved both as a battery charger and a redundant power supply for essential services.
- Case accommodates three 550 watt charger modules.
- Increase output power by adding modules.
- Redundant, independent, charger modules increase reliability a malfunction of one does not disable the charging system; remaining modules continue to operate.
- Three stage smart charging; bulk, absorption, float.
- Battery type selector switch; gel-cell, lead-acid, AGM.
- Temperature compensated output option.
- Numerous diagnostic and system status indicators.
- 12 Volt; 33-100 amps or 24 Volt; 22-67 amps.
- Universal input of 90-264 VAC, 50-60 Hz. Can be used anywhere in the world.
- Powder coated stainless steel case.

Order No. Mfg. No. / Description Price
700396 (PTMS-24-67) 24 volt, 67 amp Output **\$4,551.98** F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

PTMP Chargers - 24V Modular Programmable



24 Volt, 150 Amp

- **Programmable:**
 - Battery Types
 - Operating & Alarm Parameters
- **Self-Monitoring/Diagnosis Reported On-Screen:**
 - Operational Data
 - Out of Limit Conditions
 - Component Fault Identification
- **Form C Remote Monitor Relay Outputs:**
 - AC Fail, DC Voltage Low/High
- **Onboard Serviceability:**
 - Plug-In Replacement Components
 - Charger Remains Installed On Vessel

The PTMP represents a new level of functionality, reliability, and serviceability in very smart battery charging for critical 24 volt systems aboard work boats, military, commercial, and recreational craft. A menu of pre-programmed battery type charge profiles as well as custom settings option allow user to select or program optimal three step charging voltages and operating parameters. The chargers interact with batteries providing the ideal profile for replenishment and conditioning, resulting in maximum performance and extending service life.

LCD screen diagnostics and system status and alarm conditions, plus remote alarm contacts improves reliability as operators are kept apprised and forewarned of potential system issues. The LCD monitor indicates nature of the service required, yet the charger will rarely need to be removed from the vessel! The front panel hinges upward allowing access to the power module and controller circuits which can be easily removed, and a replacement quickly plugged back in place, specialized techs not required, minimizing down time and service labor expense.

Reliability is further enhanced on the 100 and 150 amp systems via use of multiple power modules, should one fail the system will signal a fault but continue to operate at reduced power output.

Features

- User selection of Pre-programmed charge profiles for multiple battery types. Plus full customization for special requirements
- On-screen status and system diagnostics, with audio alarm
- Independent temperature sensors, 3 battery banks
- 3 step charging for long battery life
- 21 day automatic re-conditioning cycle
- Equalization program
- Remote Status monitoring via Form C relay contacts
- Multiple modules provide redundancy and qualifies as redundant ABS essential service device (100 & 150 amp models)
- Easy front panel access to plug-in modules for quick field service, no need to remove charger from vessel, high tech personnel not required
- IP54 water and dust ingress protection

PTMP Model	24-50	24-100	24-150
Input Amps (115V/230V AC)	14/8	28/16	42/24
Output Amps	50	100	150
Banks	3	3	3
Size (Inches)	23 x 10 x 7	23 x 10 x 7	23 x 12 x 7
Weight (Lbs.)	28	30	35

Preliminary Specifications

NEWMAR

Newport Beach, CA USA



DC Power Onboard

www.newmarpower.com • 800-854-3906

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

PTMP Chargers - 24V Modular Programmable

Operation Status Screen

A 2" x 2.6" Front panel LCD screen provides system status information:

- DC volts per battery bank
- Total charger output amps
- Charge stage mode (bulk, absorption float)
- Battery temperature (per enabled temp probe)
- Recondition cycle in process
- Absorption stage timed out
- Equalize mode time remaining
- Alarm conditions (see self-diagnostics section below for list of alarm monitored functions)

Programmable

Enter charge profile for multiple battery types, and monitoring parameters via front panel key pad, LCD screen or by laptop connection.

Battery program selections include:

- Flooded Cell 1
- AGM
- Flooded Cell 2 (AGM 2)
- Gel
- TPPL (Thin Plate Pure Lead)

Custom settings include:

- Absorption & float voltage
- Absorption stage time
- Absorption stage end amps
- Bulk stage time out
- Max charge amps (AC input limit)
- End of Absorption condition
- Hi/Low DC alarm voltages

Self-Monitoring/Diagnosis

Displayed on-screen with audio alarm when critical condition detected:

- AC Failure
- Charger Over Temp
- Battery Over Temp
- High Charger Voltage Output
- Low Charger Voltage
- Internal Power Module over temp
- Internal Power Module Failure
- Fan failure
- Output Fuse Failure

Form C Remote Monitor Relay Outputs

- AC Fail
- DC Voltage Low/High (set points programmable)

Reliable

Hardened for marine environment:

- IP 54 rating: protected from dust and splashing water
- Cooling air flow ducted to minimize contact with power circuit components
- Conformal coated circuit boards
- High temperature rated circuits to 50° C
- Automatic power reduction in high temp environments
- Redundant power modules ensure continued operation should one fail (100 and 150 amp models)


On-Bulkhead Serviceability

On-screen diagnostic define fault conditions. Hinged front panel access to internal modular plug-in circuits makes replacement easy without removing charger from installed location.

- Module change-out takes only minutes via plug and play configuration
- Technical personnel not required
- No need to remove the charger case from the boat

Options

- Remote installation of LCD display and touch pad.
- Battery Temperature Sensors.



System Status			
VOLTS - BANK #	1	2	3
	27.2	27.0	27.5
TOTAL OUTPUT AMPS	100		
CHARGER MODE	ON - FLOAT		
BATT TEMP BANK	1	2	3
	72	80	77

System Normal Screen



Programmable by key pad or laptop

System Status			
VOLTS - BANK #	1	2	3
	22.0	24.8	25.0
TOTAL OUTPUT AMPS	0		
CHARGER MODE	OFF/FAULT		
BATT TEMP BANK	1	2	3
	128	72	80

Battery # 1 Over Temp

Alarm Condition Screen



Front panel pivots up providing access to plug-in modules allowing easy onboard service

NEWMAR

Newport Beach, CA USA

DC Power Onboard

www.newmarpower.com • 800-854-3906

Electrical

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Newmar Battery Chargers - Phase Three Series



700345



700372

- ABS Type Approved
- Smart circuitry provides three stage charging bulk, absorption, float.
- Gel-Cell/Flooded Lead-acid/AGM battery type switch selects optimum charge/float voltages.
- Multiple isolated output banks; ammeter indicates total output current.
- Current limiting-prevents damage from overloading.
- Charger status clearly displayed with L.E.D. and/or audible indicators.
- Use as a power supply; can power loads without a battery in line.
- Built to last rugged stainless steel case with a durable white powder coat finish with an optional drip shield and marinated internal circuitry.
- Numerous Safety and EMC Compliances.
- Two year parts and labor warranty.

12 VOLT MODELS

Order No.	Mfg. No. / Description	Price
700370	(PT-14) 14 amp 85/264V Input	\$534.98 F
700373	(PT-25) 25 amp 90/132V or 180/264V Input	\$683.98 F
700345	(PT-40) 40 amp 85/135V or 170/270V Input	\$1,074.98 F
700387	(PT-80) 80 amp 90-654V Input	\$1,849.98 F

24 VOLT MODELS


Order No.	Mfg. No. / Description	Price
700372	(PT-24-8) 8 amp 85/264V Input	\$574.98 F
700374	(PT-24-13) 13 amp 90/132V or 180/264V Input	\$707.98 F
700371	(PT-24-20) 20 amp 85/135V or 170/270V Input	\$1,131.98 F
700376	(PT-24-45) 45 amp 90/264V Input	\$1,840.98 F
700379	(PT-24-60) 60 amp 207/253V Input	\$2,485.98 F
700381	(PT-24-95) 95 amp 90/264V Input	\$2,825.98 F

Charles Marine HQ Battery Chargers



Order No.	Mfg. No. / Description	Price
284580	(9Q-12255HQ-A) 25 amp 12 volt	\$879.98 F
284582	(9Q-12455HQ-A) 45 amp 12 volt	\$989.98 F
284584	(9Q-24255HQ-A) 25 amp 24 volt	\$1,089.98 F
284586	(9Q-24455HQ-A) 45 amp 24 volt	\$1,718.98 F

Newmar Remote Monitor Panel



- LED's indicate charger output stage.
- Manual re-initialization of three stage charge cycle.
- An optional remote indicator/ activation panel which will allow you to monitor the status of your Phase Three Charger and when necessary, re-initiate the three stage charge regimen.
- It is designed for use with the following models: PT-14, PT-25, PT-40, PT-70A, PT-24-8, PT-24-13, PT-24-20 and PT-24-40.
- Comes prewired with 25' of cable.
- Panel dimensions: 3" H x 4.75" W.

Order No.	Mfg. No. / Description	Price
698146	(RP)	\$142.98 E

Newmar Temperature Compensation Sensors



- An optional remote sensor for optimizing the voltage output of your Phase Three charger based on ambient or battery temperature.
- It is designed for use only with the following models: PT-14, PT-20, PT-25, PT-40, PT-70, PT-24-8, PT-24-13, PT-24-20, PT-24-35, PT-24-40, as well as all PTM Series Models.

Order No.	Mfg. No. / Description	Price
699974	(TCS-12/24-25) 25' Cable	\$85.98 E
699977	(TCS-12/24-40) 40' Cable	\$119.98 E

Newmar Temperature Compensation Probe

- For use with the following Newmar Phase Three Charger Models: PT-32-30, PT-24-45F, PT-24-95F.
- Provided with 25' of cable, with a sensor at one end and a keyed five-pin plug at the other.

Order No.	Mfg. No. / Description	Price
700209	(TP)	\$125.98 E

Fast RSO Charger 5A/42VAC

Order No.	Mfg. No. / Description	Price
514213	(20204) 5A/42VAC	\$638.98 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailing
- Misc.
- Comm.

- Meet the critical demands of ABS with a single, high performance battery charger.
- Say goodbye to separate control units, added expense and extra installation.
- An all-in-one solution for maximizing battery performance and extending battery life while doubling as a solid power supply at the same time.
- All chargers include a battery type selector switch (gel, lead-acid, AGM) with the ability to charge up to 3 battery banks.
- Meets ABS, USCG and ABYC requirements.
- LED indicator pilot lamp.
- Quick disconnect on/off switch on front cover.
- Separate voltmeter and ammeter.
- Multi-bank (3), multi-stage (bulk, absorption and float) battery charger.
- Ability to work as a power supply.
- Thermal, over current, ignition and reverse polarity protected.
- Drip shield (necessary) included.
- 5 year manufacturers limited warranty.
- Made in the U.S.A.

Charles Marine C-Charger 5000 SP Series Battery Chargers



- The only Marine UL chargers available with a battery type selector switch, allows you to charge Lead Acid, Gel or AGM batteries.
- Tested by Marine UL for safety and durability against impact, vibration, temperature and shock.
- Restore up to 3 banks simultaneously.
- Feature 3-stage charging, with temperature compensation, which delivers the greatest charge when the battery is most able to accept it, prevents overcharging and extends battery life.
- These units also act as a power supply providing constant voltage to DC components such as bilge pumps or DC lighting.
- Ignition and reverse polarity protected, designed with corrosion resistant components, a heavy duty enclosure and heat sink for durability in the marine environment.
- Run cool and quiet, no RFI or EMI interference.
- Meet FCC Class B requirements.
- The convenient design features an easy-to-read DC ammeter, access to terminal connections and fuses and exterior slots for easy mounting.
- 5 year manufacturers limited warranty.

Order No.	Mfg. No. / Description	Price
S/O	(93-12105SP-A) 10 amp 2 Bank 13.5V Output	Price On Request
284606	(93-12155SP-A) 15 amp 3 Bank 13.5V Output	\$501.98 D
284618	(93-12205SP-A) 20 amp 3 Bank 13.5V Output	\$529.98 D
284620	(93-12305SP-A) 30 amp 3 Bank 13.5V Output	\$598.98 D
S/O	(93-12505SP-A) 50 amp 3 Bank 13.5V Output	Price On Request
284632	(93-12605SP-A) 60 amp 3 Bank 13.5V Output	\$999.98 D
S/O	(93-12805SP-A) 80 amp 3 Bank 13.5V Output	Price On Request
S/O	(93-121005SP-A) 100 amp 3 Bank 13.5V Output	Price On Request
S/O	(93-24105SP-A) 10 amp 3 Bank 27.3V Output	Price On Request
284644	(93-24205SP-A) 20 amp 3 Bank 27.3V Output	\$799.98 D
S/O	(93-24305SP-A) 30 amp 3 Bank 27.3V Output	Price On Request
284656	(93-24405SP-A) 40 amp 3 Bank 27.3V Output	\$1,480.98 D
S/O	(93-24505SP-A) 50 amp 3 Bank 27.3V Output	Price On Request
284658	(93-24605SP-A) 60 amp 3 Bank 27.3V Output	\$3,012.98 F

Charles Marine C-Charger 9000 Series Battery Charger



- This is a paragon of simplicity, using a self-regulating ferroresonant transformer devoid of any complicated switching circuits.
- Marine UL listing ensures durability and safety.
- Ignition protected.
- Easy-to-read DC ammeter indicates the charge rate.
- Built of rugged, stainless steel and high quality components.
- Restores up to 3 individual battery banks simultaneously.
- Prevents overcharging and damage, extending the life of the battery.
- Height 13", width 11-1/2", depth 10-1/4".

Order No.	Mfg. No. / Description	Price
284666	(C13230A) 30 amp, 3 Bank, 32V Output	\$1,634.98 F

Charles Marine Continuous Duty Power Supply



- Constructed of tough, anodized aluminum housing that stands up to the elements - including extreme heat, humidity and salt air.
- Circuit boards with UL - recommended coatings provide the ultimate in environmental protection and hydrolyte stability - meets requirements of MIL-I46058C.
- Continuous output at 25.5V DC.
- 120 volt/60 Hz input.

Order No.	Mfg. No. / Description	Price
284670	(93-PS2430-A) 30 amp, 24 volt	\$1,358.98 F

Newmar High Power DC-AC Inverters with Built-in Battery Charger



- High Power DC-AC Inverters with Built-in Battery Chargers.
- Called the Perfect Wave Series, these inverter-chargers deliver pure, quasi-sine wave AC for flawless operation of all appliances and sensitive electronics.
- They are ideal for entertainment systems and micro-processor-based equipment such as computers which are intolerant to AC wave distortion.
- Built-in high output charger for rapid battery bank replenishment - all models feature three stage, temperature compensated charger with output programmable for gel-cell, flooded lead-acid or AGM battery type, and amp-hour capacity selector for proper charging in various applications.
- Large DC input terminal blocks and front panel GFCI protected outlet receptacles. AC output from the inverter may also be hard-wired.
- Automatic low voltage shutdown circuit prevents damage to batteries due to over-discharge when using inverter function.
- Heavy duty powder coated aluminum construction and polyurethane coated internal circuitry-build to last in the harsh marine environment.

Order No.	Mfg. No. / Description	Price
700399	(12-1800IC)	\$5,915.98 H



MFG #	Watts (Cont.)	Inverter Input	Charger Input (VAC: 115V, 60 Hz)	Charger Output
12-1800IC	1,800	11-14V DC, 180 amps	15 amps	85A @ 12V
12-3000IC	3,000	11-14V DC, 300 amps	20 amps	105A @ 12V
24-2200IC	2,200	22-28V DC, 110 amps	15 amps	40A @ 24V
24-4800IC	4,800	22-28V DC, 240 amps	40 amps	105A @ 24V
32-2400	2,400	29-38V DC, 100 amps	15 amps	30A @ 35.2V

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Newmar DC-DC Converters



STANDARD SERIES

- For powering communication/navigation equipment, on negative ground systems.
- Excellent regulation.
- Heat generated by semi-conductors is extracted and dissipated by large heat sink fins that maximize air contact for coolest operation and long life of components.
- Polyurethane conformal coating on PC boards and corrosion resistant anodized aluminum case with heavy duty shock mounts assures survival in hostile environments.
- Numerous converter and load protection circuits: Current limiting, automatic thermal shutdown, short circuit proof, reverse polarity and overvoltage protection.
- Output voltage: 13.6.

Order No.	Mfg. No.	Input Voltage	Output Amps	Price
700615	(32-12-10)	20-50	10 Intermittent, 10 Continuous	\$421.98 E
700662	(32-12-35)	20-50	35 Intermittent, 30 Continuous	\$900.98 E

- Same features as Standard Series, but with the additional capability of permitting connection of negative ground gear to positive or floating ground battery systems, or vice-versa.
- Wide range of input voltage.
- Precise output voltage regulation.
- Reverse polarity.
- Input fuse/output fuse.
- Automatic re-setting thermal shutdown.
- High/low input voltage shutdown.
- Power "On" light.

ISOLATED SERIES - OUTPUT VOLTAGE: 13.6

Order No.	Mfg. No.	Input Voltage	Output Amps	Price
700636	(48-12-18I)	20-56	18 Intermittent, 10 Continuous	\$904.98 E

ISOLATED SERIES - OUTPUT VOLTAGE: 24.5

Order No.	Mfg. No.	Input Voltage	Output Amps	Price
700644	(12-24-18I)	10-16	18 Intermittent, 10 Continuous	\$2,468.98 I

Newmar Automatic Power Selectors



- A solid state device which enables installation of a seamless, redundant power system for critical electronic loads.
- It selects the higher voltage of two isolated power sources and routes power to the load.
- Should one source falter or fail, the other will automatically supply the load with no transfer delay, operation continues uninterrupted.
- Easy installation, two independent power sources are wired to the APS and routed in a single output to the vital load.
- Alarm sense wires can be easily attached to input studs providing loss of power source signal.
- Rugged, rust-proof anodized aluminum case.
- Voltage rating: 6-50 VDC, neg. ground.

Order No.	Mfg. No. / Description	Price
700434	(APS-70) Max. Loads: 70 amps	\$134.98 E
700450	(APS-160) Max. Load 160 amps	\$364.98 E

Marpac Power Inverter



- Converts 12 volt DC to 110 volt AC for power when needed.
- Charge most USB compatible devices.
- Plugs into cigarette lighter.
- Fits in most cup holders.
- Great for charging mobile phones, laptops, MP3 players.
- Automatic shut off if voltage drops below 10V or exceeds 15V DC.
- CE and E-Certified.

Order No.	Description	Price
7-1279	Power Inverter	\$29.98 LQ

Newmar Power Supply with Built-in Battery Back-Up



- The 12 volt supply features built-in back-up batteries which are charged during normal operation and then continue to power radios even when AC power is lost.
- Input 115/230 VAC, 50-60 Hz.
- Output: 13.6 VDC @ 5A cont., 10A int.

Order No.	Mfg. No. / Description	Price
207605	(7AH) 7 amp/Hour Battery	\$662.98 E

Newmar Panel Meters



- For replacement or addition to existing panel systems.
- Easy to read graphics with unit divisions give precise readouts at a glance.
- Stud mount with push-on terminals.
- Designed for easy front panel mounting.
- DC ammeters require external shunts which are provided.

Order No.	Mfg. No. / Description	Panel Size	Price
700019	(023-1500-0) 0-150 AC Voltmeter	2-1/2"	\$124.98 I
700027	(023-3002-5) 0-300 AC Voltmeter	3-1/2"	\$132.98 I

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Newmar Power Supplies - Heavy Duty Series

- Designed for powering 12 and 24 volt communication/navigation equipment aboard commercial vessels where reliability is the primary consideration.
- Excellent regulation and ripple spec.
- Polyurethane conformal coated PC board and corrosion resistant heavy duty aluminum case with integral shock mounts assures survival in hostile environments.
- Heat generated by semi-conductors is extracted and dissipated by large heat sink fins that maximize air contact for cool operation and long life of components.
- Input range: 105 - 125/210 - 250 VAC.



12 VOLT MODELS. OUTPUT VOLTAGE: 13.6V DC

Order No.	Mfg. No. / Description	Price
700561	(115-12-8) Intermittent 8 amps Continuous 5 amps	\$429.98 E
700585	(115-12-20A) Intermittent 20 amps Continuous 8 amps	\$903.98 E
700600	(115-12-35CD) Intermittent 35 amps Continuous 35 amps	\$1,336.98 E

24 VOLT MODELS. OUTPUT VOLTAGE: 24.5V DC

Order No.	Mfg. No. / Description	Price
700054	(115-24-18CD) Intermittent 18 amps Continuous 18 amps	\$1,425.98 E
700066	(115-24-35CD) Intermittent 35 amps Continuous 35 amps	\$2,095.98 E

MFG #	Height	Width	Depth	Weight
115-12-8	6.0"	4.6"	8.5"	10 lbs.
115-12-20A	5.7"	4.8"	16.3"	20 lbs.
115-12-35CD	6.5"	9.5"	14.0"	32 lbs.
115-24-18CD	6.5"	9.5"	14.0"	32 lbs.
115-24-35CD	6.5"	13.0"	18.75"	60 lbs.

Pro Charging Systems Onboard Charger Inlets



- Makes connecting to your charger safer and more efficient.
- Installs into console with 3 screws.
- The hollow housing holds the power cord inserted through the back.
- Just lift the front lid, pull out the cord and plug into an extension cord.
- When finished, unplug and push the plug back into the housing.
- Safe and efficient!
- 2.5" diameter x 1.943" deep. Requires a 1-7/8" diameter hole.
- Made in USA.

Order No.	Mfg. No. / Description	Price
284605	(90032) Mounting Screws Not Included	\$10.98 Q
284610	(9003KIT) Includes Mounting Screws	\$11.98 Q

Newmar Temperature Gauge with Sensor



- Provides an accurate digital display of temperature for up to three different areas such as mobile air fill stations/ medical supply compartments.
- Degrees F or C can be displayed.
- Operating temperature: 32 to 122° F.
- You can set Low and High temperature alarms for each sensor independently and the TG-3 continuously monitors the temperature of each sensor at all times.
- 2-1/2" Diameter.

Order No.	Mfg. No. / Description	Price
700206	(TG-3)	\$545.98 E

Marinco ConnectCharger™ Inlet



- Designed to accept plug-in Guest Connect Charge On-board Battery Chargers.
- Features universal mounting: Use three screw through the faceplate to mount it from the front or use a threaded locking ring to mount it to the dash from the rear.
- The watertight lid snaps closed to protect the AC plug.

Order No.	Mfg. No. / Description	Price
217910	(150CCI)	\$26.98 F

Marinco Hard Wired Charger Inlets



- 15 amp straight blade inlet.
- Low profile cap won't catch fishing line.
- Mounts easily to fiberglass and aluminum hulls.
- Perma-Lock terminals and color coded wire entrance holes make wiring a snap.
- UV resistant housing/cap.
- Universal mount.

Order No.	Mfg. No. / Description	Price
217908	(150BBI) Black	\$26.98 F
218640	(150BBIW) White	\$29.98 G



Newmar DCV: DC Voltmeter



- For three battery banks, 12 and/or 24 volt systems.
- Reads to the nearest 1/10 volt.
- Features a programmable high/low voltage alarm circuit for each bank.

Order No.	Mfg. No. / Description	Price
700681	(DCV)	\$283.98 E

Newmar DCE: DC Energy Monitor



- Displays volts, amps, energy used and remaining for 12 or 24 volt systems up to 500 amps and up to 3,000 amp-hour capacity.
- Monitor voltage on up to three separate banks.
- 500 amp shunt included.

Order No.	Mfg. No. / Description	Price
700675	(DCE)	\$486.98 D

Newmar ACE: AC Energy Monitor



- For 115/230 volt systems reads: 90-300 VAC, 0-150 amps, frequency from 40-70 Hz and power from 0-150 kW.
- Features alarm circuits for high/low voltage and high/low frequency. Current and voltage transformers are included. 12 or 24 volt source required to power meter.

Order No.	Mfg. No. / Description	Price
700670	(ACE)	\$505.98 D

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Electrical - 15 amp, 125 volt

Marinco Female Connector

MARINCO

- 15 amp, 125 volt.
- Straight blade.
- The body is made of yellow nylon with a ribbed design for secure grip.



Order No. **217528** Mfg. No. / Description (5269CR) Price **\$35.98** F

Marinco Male Plug

MARINCO

- 15 amp, 125 volt.
- Locking type.
- The body is made of yellow nylon with a ribbed design for secure grip.



Order No. **217566** Mfg. No. / Description (4721CR) Price **\$24.98** F

Marinco Male Plug

MARINCO

- 15 amp, 125 volt.
- Straight blade.
- The body is made of yellow nylon with a ribbed design for secure grip.



Order No. **217530** Mfg. No. / Description (5266CR) Price **\$36.98** F

Marinco Duplex Locking Receptacle

MARINCO

- 15 amp, 125 volt.
- Corrosion resistant.
- Locking type.
- Yellow.



Order No. **217542** Mfg. No. / Description (4700CR) Price **\$88.98** F

Marinco Stainless Steel Sealed Cover with Lift Lid

MARINCO

- Stainless steel sealed cover with lift lid.
- Use with **218644** (1591-FI) and **217605** (1591-FI.WHITE) ground fault circuit interrupter duplex receptacles.



Order No. **217489** Mfg. No. / Description (7879CR-FI) Price **\$79.98** F

Marinco Ground Fault Circuit Interrupter Duplex Receptacles

MARINCO

- 15 amp, 125 volt.
- Ground fault circuit interrupter (GFCI) duplex receptacles.
- Includes cover.
- CAUTION: Ground Fault Circuit Interrupter protection is required when using electrical products outdoors or near water. GFCI Protection is required by the ABYC where a receptacle is in a head, galley, machinery space or weather deck.



Order No. **218644** Mfg. No. / Description (1591-FI) Ivory Price **\$60.98** G
 Order No. **217605** Mfg. No. / Description (1591FI.WHITE) White Price **\$47.98** F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care

- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.



WARNING
 Hazardous voltage. Can shock, burn or cause death.
 Put AC Main Switch(es) in Off position before connecting or disconnecting shore power cable.
 To make shore power connection, make sure you connect power cable to boat inlet first.
 If polarity warning activates, disconnect cable. Have qualified electrician correct problem.
 To disconnect shore power, make sure you disconnect cable from shore outlet first.
 Do not change shore power
 Read instructions

Electrical - 30 amp

Marinco Male Locking Plug

MARINCO

- 30 amp, 125 volt.
- The body is made of yellow nylon with a ribbed design for secure grip and Cablock System.
- Use with **218304** (102N) cover.



Order No.	Mfg. No. / Description	Price
217439	(305CRPN)	\$23.98 F

Marinco Male Locking Plug

MARINCO

- 30 amp, 125 volt, 3-wire.
- Short housing, black nylon with an internal strain relief system and recessed fasteners.



Order No.	Mfg. No. / Description	Price
217922	(305BP)	\$26.98 F

Marinco Weatherproof Cover for Male Plug

MARINCO

- Weatherproof cover without locking connecting ring.
- Use with **217439** (305CRPN) male locking plug.
- Yellow Marineguard II.



Order No.	Mfg. No. / Description	Price
218304	(102N)	\$15.98 F

Marpac Covers for Male Locking Plug



- Covers for 30 amp male locking plug.

Order No.	Description	Price
7-1465	White	\$12.98 LQ
7-1466	Yellow	\$12.98 LQ

Marinco Male Plug and Cover

MARINCO

- 30 amp, 125 volt.
- Yellow nylon with Cablock System.
- Weather resistant cover.



Order No.	Mfg. No. / Description	Price
218656	(305CRPN.VPK)	\$43.98 F

Marinco Female Locking Connector

MARINCO

- 30 amp, 125 volt.
- The body is made of yellow nylon with a ribbed design for secure grip and Cablock System.
- Use with **217352** (103ELN) and **218316** (103RN) covers.



Order No.	Mfg. No. / Description	Price
217415	(305CRCN)	\$41.98 G

Marinco Weatherproof Cover for Female Connector

MARINCO

- Weatherproof cover with Easy Lock Sealing Ring.
- Use with **217415** (305CRCN) female locking connector.
- Yellow Marineguard II.



Order No.	Mfg. No. / Description	Price
217352	(103ELN)	\$25.98 F

Marinco Weatherproof Cover for Female Connector

MARINCO

- Weatherproof cover with threaded sealing ring.
- Use with **217415** (305CRCN) female locking connector.
- Yellow Marineguard II.



Order No.	Mfg. No. / Description	Price
218316	(103RN)	\$22.98 F

Marpac Covers for Female Locking Connector



- Covers for 30 amp female locking connector.

Order No.	Description	Price
7-1460	White	\$16.98 LQ

Marinco Female Connector with Cover and Rings

MARINCO

- 30 amp, 125 volt.
- Yellow nylon with Cablock System.
- Weather resistant cover with threaded sealing ring.
- Easy Lock Sealing Ring.



Order No.	Mfg. No. / Description	Price
218652	(305CRCN.VPK)	\$70.98 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting

Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Electrical - 30 amp

Marinco Sealing Collar with Threaded Ring

MARINCO



- Provides maximum moisture protection between cordset and adapter.
- Designed for use with 20 and 30 amp locking systems.

Order No.	Mfg. No. / Description	Price
217338	(110R)	\$16.98 F

Marinco Power Inlet

MARINCO



- 30 amp, 125 volt.
- Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
- Soft touch cap design.
- 4-way right angle rear safety enclosure.
- Stainless steel trim on square flip-lid cover.

Order No.	Mfg. No. / Description	Price
217376	(301EL-B) White	\$74.98 F
217427	(305CRMB) Repl. Interior	\$33.98 F

Marinco Locking Receptacles

MARINCO



- 30 amp, 125 volt, 3 wire.
- Corrosion resistant reinforced nylon construction.
- Accepts 8 gauge stranded wire or up to 6 gauge with ring terminals.

Order No.	Mfg. No. / Description	Price
217934	(305CRR) Yellow	\$40.98 F
217441	(305CRRB) Black	\$43.98 F

Marpac Cord Sets



- 30 amp, 125 volt, 3 Pole, 3 Wire, Twist Lock.
- #10 AWG factory prewired with molded-on devices.
- Connector end has non-metallic threaded sealing ring which makes inlet/connector interface watertight.

Order No.	Description	Price
7-1406	Yellow, Length 25'	\$79.98 E
7-1411	Yellow, Length 50'	\$99.98 E

Marinco Threaded Sealing Ring

MARINCO



- For use with 20 and 30 amp weatherproof boots and sealing collar.

Order No.	Mfg. No. / Description	Price
218620	(100R)	\$11.98 I

Marpac Boat Inlet



- 30 amp, 125 volt, 3 pole, 3 wire, twist lock.
- White polycarbonate with flip cover.

Order No.	Description	Price
7-1470	White	\$48.98 F

Marinco EEL Shore Power Cordsets

MARINCO



- 30 amp, 125 volt.
- Patented EEL (Easily Engaged Lock) Technology.
- Designed for use with standard inlets (NEMA).
- Single-handed operation.
- No sealing ring required.
- Patented jaw-clamp technology provides a watertight seal every time.
- Built-in cord light for added safety - alert light indicates if you are plugged into the dock and cord is powered.
- Power indicator light on both ends informs you full power is flowing through the cord.
- Meets and exceeds rigorous UL testing standards.

Order No.	Mfg. No. / Description	Price
218696	(CS30-12) Length 12', Yellow	\$63.98 E
218700	(CS30-25) Length 25', Yellow	\$112.98 E
218704	(CS30-50) Length 50', Yellow	\$127.98 E
218709	(CS30-50W) Length 50', White	\$132.98 E

Marinco Contour Power Inlet

MARINCO



- 30 amp, 125 volt.
- Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
- Watertight cap.
- Soft Touch cap stays open in the upright position.
- 8-way right angle rear safety enclosure.
- Stainless steel trim.

Order No.	Mfg. No. / Description	Price
218648	(304EL-B) White	\$102.98 F

Marinco Stainless Steel Power Inlet

MARINCO



217427



- 30 amp, 125 volt.
- Solid cast 316 stainless steel with Easy Lock System.
- Soft touch cap design with lock waterproof cap.
- 8-way right angle rear safety enclosure.

Order No.	Mfg. No. / Description	Price
217403	(303SSEL-B)	\$113.98 F
217427	(305CRMB) Repl Interior	\$33.98 F

Marinco Power Cord Plus® Cordsets

MARINCO



- 30 amp, 125 volt.
- Watertight molded plug and connector for safety and durability.
- All models include a standard threaded ring for hook-up to ordinary threaded inlets.
- Corrosion resistant, nickel plated contacts.
- Power Indicator Light: Boatside connector features a molded-in LED light. When it glows red, you know you have power to the boat.
- Contour Grip with Thumbprint Locator: Both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 12 o'clock position, the blades line up for easy connection.
- Marinco's Easy Lock System: Quickly locks the cord set to the inlet in just 1/8 of a turn. The exclusive locking tabs engage slots built into all Marinco inlets.

Order No.	Mfg. No. / Description	Price
218608	(199116) Length 12', Yellow	\$79.98 I
217314	(199119) Length 50', Yellow	\$112.98 G
218612	(199120) Length 50', White	\$116.98 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailing
- Misc.
- Comm.

Electrical - 50 amp

Marinco Male Locking Plug

MARINCO

- 50 amp, 125 volt.
- 2 pole, 3 wire.
- Ribbed, thick wall nylon housing for secure gripping.
- Use with weatherproof cover for superior seal.



Order No.	Mfg. No. / Description	Price
218676	(6361CRN)	\$108.98 F

Marinco Male Locking Plug

MARINCO

- 50 amp, 125/250 volt.
- 3 pole, 4 wire.
- Corrosion resistant materials.
- Use with 217136 (7717N) cover.



Order No.	Mfg. No. / Description	Price
217198	(6365CRN)	\$107.98 F

Marinco Weatherproof Covers for Male Plug

MARINCO

- Weatherproof cover for use with 50 amp male plugs 6361CRN and 217198 (6365CRN) male locking plugs.



Order No.	Mfg. No. / Description	Price
217136	(7717N) Yellow	\$26.98 F
218604	(102182) White	\$34.98 I

Marinco Threaded Locking Sealing Ring

MARINCO

- Use with 50 amp systems.
- Use when combining 30 amp EEL cordset with another cordset.



Order No.	Mfg. No. / Description	Price
218660	(500R)	\$13.98 I

Marpac Cord Set



- 50 amp, 125/250 volt, 12,500 Watts, Twist Lock.
- Heavy duty, super flexible cable.
- NEMA SS2-50P and NEMA SS2-50R ends.
- Connector end has non-metallic threaded sealing ring which makes inlet/connector interface watertight.

Order No.	Description	Price
7-1420	Yellow, Length 50'	\$599.98 E

Marinco EEL Shore Power Cordsets

MARINCO



- 50 amp, 125 volt.
- Patented EEL (Easily Engaged Lock) Technology.
- Designed for use with standard inlets (NEMA).
- Single-handed operation.
- No sealing ring required.
- Patented jaw-clamp technology provides a watertight seal every time.
- Built-in cord light for added safety - alert light indicates if you are plugged into the dock and cord is powered.
- Power indicator light on both ends informs you full power is flowing through the cord.
- Meets and exceeds rigorous UL testing standards.

Order No.	Mfg. No. / Description	Price
218712	(CS504-25) Length 25', Yellow	\$587.98 E
218716	(CS504-50) Length 50', Yellow	\$813.98 E

Marinco Female Locking Connector

MARINCO

- 50 amp, 125/250 volt.
- NEMA SS-2.
- 3 pole, 4 wire.
- Corrosion resistant materials.
- Use with 217263 (7715CRN) cover



Order No.	Mfg. No. / Description	Price
217174	(6364CRN)	\$121.98 F

Marinco Weatherproof Cover for Female Connector

MARINCO

- Weatherproof cover with threaded sealing ring for use with 6360CRN and 217174 (6364CRN) female connectors.



Order No.	Mfg. No. / Description	Price
217263	(7715CRN) Yellow	\$34.98 F

Marinco Sealing Collar with Threaded Ring

MARINCO

- Provides maximum moisture protection between cordset and adapter.
- Use with 50 amp only systems.



Order No.	Mfg. No. / Description	Price
218664	(510R)	\$22.98 I

Marinco Power Cord Plus® Cordsets

MARINCO

- Watertight molded plug and connector for safety and durability.
- All models include a standard threaded ring for hook-up to ordinary threaded inlets.
- Corrosion resistant, nickel plated contacts.
- Power Indicator Light: Boatside connector features a molded-in LED light. When it glows red, you know you have power to the boat.
- Contour Grip with Thumbprint Locator: Both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 12 o'clock position, the blades line up for easy connection.
- Marinco's Easy Lock System: Quickly locks the cord set to the inlet in just 1/8 of a turn. The exclusive locking tabs engage slots built into all Marinco inlets.

50 AMP, 125 VOLT CORDSET (3 WIRE)

Order No.	Mfg. No. / Description	Price
218672	(6153SPP-25) Length 25', Yellow	\$450.98 E

50 AMP, 125/250 VOLT CORDSET (4 WIRE)

Order No.	Mfg. No. / Description	Price
218668	(6152SPP) Length 50', Yellow	\$725.98 E

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Electrical - 50 amp

Marinco Non-Metallic Standard Power Inlet

MARINCO



- 50 amp, 125/250 volt.
- 4 wire locking.
- Watertight cap.
- Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
- Marine stainless steel trim.
- Rear safety enclosure with strain relief.

Order No. Mfg. No. / Description Price
217150 (6353EL-B) **\$117.98** F

Marinco Stainless Steel Power Inlet

MARINCO



- 50 amp, 125/250 volt.
- 4 wire locking.
- Locking waterproof cap.
- Solid cast 316 stainless steel with Easy Lock System.
- Soft touch cap stays open in the upright position.
- Rear safety enclosure with strain relief.

Order No. Mfg. No. / Description Price
217249 (6373EL-B) **\$215.98** F

Marinco Wire Dockside Receptacle

MARINCO



- 50 amp, 125/250 volt.
- Corrosion resistant reinforced nylon construction.
- 3 pole, 4 wire.

Order No. Mfg. No. / Description Price
217213 (6369CR) **\$146.98** E

Marinco Wire Dockside Receptacle

MARINCO



- 50 amp, 125 volt.
- Corrosion resistant reinforced nylon construction.
- 2 pole, 3 wire.

Order No. Mfg. No. / Description Price
217225 (6370CR) **\$146.98** E

Boxes and Covers

Marinco Weatherproof Cover with Lift Lid

MARINCO



- Yellow Lexan polycarbonate with lift lid.
- Fits 15 amp, 20 amp and 30 amp single receptacles.

Order No. Mfg. No. / Description Price
218506 (7420CR) **\$49.98** F

Marinco Weatherproof Cover with Lift Lid

MARINCO



- Yellow Lexan polycarbonate with lift lid.
- Fits 50 amp receptacles **217213** (6369CR) and **217225** (6370CR).

Order No. Mfg. No. / Description Price
218568 (7788CR) **\$62.98** F

Charles Marine Cover Plate



- 30 amp grey cover plate.

Order No. Mfg. No. / Description Price
396426 (P30) 30 amp **\$62.98** LQ

Marinco Plastic Switch/Outlet Box

MARINCO



- Accepts 15 amp, 20 amp and 30 amp receptacles, telephone outlets and TV coax connectors.
- Can be secured against the back of the wall or wall facing.
- 3-9/32" W x 2-3/16" H x 2-1/2" D.

Order No. Mfg. No. / Description Price
218600 (6079) **\$13.98** I

Marinco FD Box

MARINCO



- Yellow fiberglass.
- Two 3/4" K.O. holes.
- Accepts 15 amp, 20 amp, 30 amp and 50 amp receptacles and **218506** (7420CR) and **218568** (7788CR) weatherproof covers.

Order No. Mfg. No. / Description Price
218417 (6083CR) **\$129.98** F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical

- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marinco EEL Shore Power Straight Adapters

MARINCO



- EEL Shore Power Straight Adapters are high-quality, one-piece adapters similar in usage to Pigtail Adapters. However, they do not have sealing collars and are not recommended for use in wet locations.
- Use only in an enclosed, dry location, such as powering your boat from a 15 amp power receptacle inside a house.
- LED power indicator.
- Ergonomic design for easier gripping.
- Dockside (male) 15 amp, 125 volt Straight blade to Boatside (female) 30 amp, 125 volt locking connector.
- Replaces the 83A.

Order No.	Mfg. No. / Description	Price
217655	(S15-30)	\$42.98 F

- Dockside (male) 20 amp, 125 volt locking plug to Boatside (female) 15 or 20 amp, 125 volt Straight Blade connector.
- Replaces the 80A.

Order No.	Mfg. No. / Description	Price
218744	(S20-15)	\$62.98 G

- Dockside (male) 30 amp, 125 volt locking plug to Boatside (female) 15 or 20 amp, 125 volt Straight Blade connector.
- Replaces the 81A.

Order No.	Mfg. No. / Description	Price
218752	(S30-15)	\$51.98 G

- Dockside (male) 20 amp, 125 volt locking plug to Boatside (female) 30 amp, 125 volt locking connector.
- Replaces the 84A.

Order No.	Mfg. No. / Description	Price
218748	(S20-30)	\$84.98 G

Marinco Pigtail Adapters

MARINCO



- These adapters are equipped with covers and sealing collars (where indicated) and are for use in wet locations.
- Marinco's unique sealing collar system with cover joins the adapter to the cordset with a positive, mechanical connection which provides maximum moisture protection.
- Features an LED Power-on indicator and thumbgrip locator.
- 30 amp, 125 volt locking female connector with sealing collar system to 15 amp, 125 volt straight blade male plug with locking screw.

Order No.	Mfg. No. / Description	Price
217756	(104SPP)	\$68.98 F

- Features a power-on indicator and thumbgrip locator.
- 15 amp, 125 volt straight blade female connector to 30 amp, 125 volt locking male plug.

Order No.	Mfg. No. / Description	Price
217706	(105SPP)	\$76.98 F

- Dockside (male) 50 amp, 125 volt locking plug to Boatside (female) 30 amp, 125 volt locking connector with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218632	(110A)	\$175.98 G

- Dockside (male) 30 amp, 125 volt locking plug to Boatside (female) 50 amp, 125/250 volt locking with Sealing Collar System plug.

Order No.	Mfg. No. / Description	Price
218636	(117A)	\$238.98 F

- 30 amp, 125 volt locking female connector with sealing collar system to 50 amp, 125/250 volt locking male plug.

Order No.	Mfg. No. / Description	Price
217768	(121A)	\$162.98 F

Marinco EEL Pigtail Adapters

MARINCO



- Dockside (male) 15 amp, 125 volt Straight Blade plug with locking screw to Boatside (female) 30 amp, 125 volt locking connector with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218720	(P15-30)	\$82.98 G

- Dockside (male) 30 amp, 125 volt locking plug to Boatside (female) 15 amp, 125 volt Straight Blade connector.

Order No.	Mfg. No. / Description	Price
218724	(P30-15)	\$93.98 G

- Dockside (male) 50 amp, 125 volt locking plug to Boatside (female) 30 amp, 125 volt locking connector with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218736	(P503-30)	\$196.98 G

- Dockside (male) 30 amp, 125 volt locking plug to Boatside (female) 50 amp, 125 volt locking connector with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218728	(P30-503)	\$258.98 G

- Dockside (male) 50 amp, 125/250 volt locking plug to Boatside (female) 30 amp, 125 volt locking connector with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218740	(P504-30)	\$238.98 G

- Dockside (male) 30 amp, 125 volt locking plug to Boatside (female) 50 amp, 125/250 volt locking connector with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218732	(P30-504)	\$275.98 G

- EEL Shore Power Pigtail Adapters enable you to connect from one dockside receptacle (or other power source receptacle) to one boatside inlet or equipment of dissimilar power configuration.
- Sealing collar (where applicable) to create a weatherproof seal when joining cables together.
- Heavy duty, super flexible marine grade cable (30 amp 10 gauge, 50 amp 6 gauge).
- Watertight molded plug and connector ends for safety and durability.
- Corrosion resistant, nickel-plated contacts.
- Suitable for use in wet.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical**
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Charles Marine Straight Adapter



- Permits use of 50 amp, 125 volt cable set with 30 amp, 125 volt receptacle.

Order No.	Mfg. No. / Description	Price
397174	(A5030S)	\$228.98 LQ

Marinco "Y" Adapters



- Equipped with covers and sealing collars and are for use in wet locations.
- Two 30 amp, 125 volt locking female connectors with sealing collar system to 50 amp, 125/250 volt locking male plug.

Order No.	Mfg. No. / Description	Price
217819	(153AY)	\$269.98 G

- Two 30 amp, 125 volt locking female connector with sealing collar system to 30 amp, 125 volt locking male plug.

Order No.	Mfg. No. / Description	Price
217845	(157AY)	\$244.98 G

Marinco Reverse "Y" Adapter



- 50 amp, 125/250 volt locking female connector with sealing collar system to two 30 amp, 125 volt locking male plugs.

Order No.	Mfg. No. / Description	Price
217869	(RY504-2-30)	\$457.98 F

Marinco Shore Power Cord Clips



- For 30 amp cords.
- UV stable.
- Organize shore power cords quickly and easily.
- Can be used on tube or wire rails.
- Practically unbreakable.
- Packaged as set of 6 clips.

Order No.	Mfg. No. / Description	Price
218692	(CLIP-01) Black	\$18.98

Marinco EEL "Y" Adapters



- Split one dockside receptacle between two boat inlets of similar or dissimilar power configurations.
- Sealing collar to create a weatherproof seal when joining cables together.
- Suitable for use in wet locations.
- Watertight molded plug and connector ends for safety and durability.
- Heavy duty, super flexible marine grade cable (30 amp 10 gauge, 50 amp 6 gauge).
- Corrosion resistant, nickel-plated contacts.

- (1) Dockside (male) 50 amp, 125 volt locking plug to (2) 30 amp, 125 volt locking connectors with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218764	(Y503-2-30)	\$337.98 G

- (1) Dockside (male) 50 amp, 125/250 volt locking plug to (2) 30 amp, 125 volt locking connectors with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218768	(Y504-2-30)	\$289.98 G

- (1) Dockside (male) 30 amp, 125 volt locking plug to (2) 30 amp, 125 volt locking connectors with Sealing Collar System.

Order No.	Mfg. No. / Description	Price
218761	(Y30-2-30)	\$258.98 G

Charles Marine Y-Adapter



- Permits use of two 30 amp, 125 volt twist-lock cable sets to be used with one 50 amp, 125 volt twist-lock receptacle.

Order No.	Mfg. No. / Description	Price
397097	(17311)	\$309.98 LQ

Marinco Cord-Set Cover



- Keep shore power cables neat and bundled.
- Holds 50 amp or 30 amp cordsets, can hold multiple cables.
- UV resistant, machine washable marine grade fabric.
- Length 24'.

Order No.	Description	Price
218773	Cord-Set Cover	\$83.98

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marinco Shore Power Organizer Bag

MARINCO



- Heavy duty nylon zippered bag with handle.
- Ideal for storing cordsets and adapters.

Order No.	Mfg. No. / Description	Price
218684	(BAG)	\$54.98 G

Marinco Cable Clips

MARINCO



- Easy to install.
- Includes 6 Cable Clips with stainless steel mounting screws.
- Keeps shore power cable out of the water.
- Holds 10 gauge 30 amp cable.
- Use on deck or edge of dock.
- Organize shore power cable.

Order No.	Mfg. No. / Description	Price
218688	(CLIP)	\$26.98 I

T-H Marine Trolling Motor Plugs and Receptacle



- Heavy duty use.
- Handles high amps.
- Water tight seal.
- Gold contacts.
- Original equipment on Ranger Boats.
- Easily handles 12 or 24 volt systems.

Order No.	Mfg. No. / Description	Price
641870	(TMBMP-1-DP) Trolling Motor Male Plug, Black	\$34.98 H
641894	(TMRCP-1-DP) Battery Charger Male Plug, Red	\$32.98 LQ
641882	(TMFR-1-DP) Female Base Receptacle, Black	\$53.98 H

Minn Kota Trolling Motor Plug and Receptacle



- Universal design for 2 or 3 wire configurations on 12 to 36 volt systems.
- Watertight sealing cap and corrosion resistant, electrical components.
- Requires a standard 1-1/8" diameter mounting hole.

Order No.	Mfg. No. / Description	Price
476590	(1865102) MKR-18	\$29.99 E

Marinco HDTV/Internet Cable

MARINCO



- 50' yellow cable.
- 75 ohm, 3G Hz RG6 Quad Shield cable with gasket sealed.
- Weatherproof F-type connections on both ends.

Order No.	Mfg. No. / Description	Price
218756	(TVHD)	\$99.98 LQ

Marinco ConnectPro Trolling Motor Plug and Receptacle

MARINCO



- The ConnectPro has superior electric current carrying capacity to eliminate problems that rob motors of power and reduce battery life.
- Features a locking plug and receptacle with spring clamping connections which provides a secure electrical contact.
- Universal design for 2 or 3 wire configuration; 12, 24, 12/24, 24/36 or 36 volt systems.
- Corrosion resistant, plated brass electrical components.

Order No.	Mfg. No. / Description	Price
217940	(12VBP) ConnectPro Plug Only	\$22.98 F
217941	(12VBR) ConnectPro Receptacle Only	\$28.98 F
217942	(12VCP) ConnectPro Receptacle and Plug Kit	\$47.98 F

Marinco 6 Gauge ConnectPro Wire Receptacle Adapter

MARINCO



- Allows 6 gauge wire connection to ConnectPro Receptacle.
- Corrosion resistant, plated brass electrical components.

Order No.	Mfg. No. / Description	Price
217617	(12VBRAD) 12 Volt	\$22.98 F

Marinco FS Box with Cord Grip and PVC Adapter

MARINCO



- Comes with cord grip and PVC adapter.
- Use with (PH6595) inlet, (PH6597TV) outlet and (PH6597) outlet.
- Black plastic.

Order No.	Mfg. No. / Description	Price
218241	(PH6619)	\$42.98 LQ

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical**
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marinco Charger Plug (Male)

MARINCO

- Charger plug (male) connects to a 12 volt battery charger to allow simultaneous charging of two 12 volt batteries when plugged into the receptacle.



Order No. Mfg. No. / Description Price
217972 (2018BP-12) Red **\$31.98 F**

Marinco Receptacle

MARINCO

- Designed for use with Marinco Charger and Trolling Motor plugs.
- Glass reinforced corrosion resistant nylon.
- Accepts 8 gauge stranded wire or up to 6 gauge with ring terminals.
- 12/24 volt locking.



Order No. Mfg. No. / Description Price
217960 (2018BR) Black **\$55.98 F**

Marinco Trolling/Charging System Package

MARINCO

- Package includes:
217972 (2018BP-12)
217984 (2018BP-24)
217996 (2018BR-MB)
- Enclosed in one package and economically priced.



Order No. Mfg. No. / Description Price
218001 (2018PKG) **\$110.98 F**

Newmar PX Series Waterproof Junction Boxes

NEWMAR

- Ideal for making wiring connections above or below decks, even in areas subject to occasional spray
- Similar to BX Series junction boxes, but made from rugged, non-corrosive, high impact polypropylene
- Snap-on cover provides watertight seal.
- "Universal" cut-to-fit graduated diameter cable entries accommodate wide cable range
- Multiple position connector strips with "captive" screw compression wire terminals installed – meets ABYC standards
- Multiple knockouts provided for conduit access (in addition to cable entries)
- IEC Waterproof Rating: IP54.



	PX-1	PX-2	PX-3
Number of Connector Strips:	1	2	2
Positions Per Strip:	6	6	9
Max. Wire Gauge:	16	16	16
Number of Cable Entry Points:	5	7	7
Number of Cable Entries Installed:	3	7	7
Spare Cable Entries Provided:	2	0	0
Cable Diameter Range:	.14 - .81	.14 - .81	.14 - .99
Order No. Mfg. No. / Description Price			
699938 (PX-1) Box Size: 2.95" x 2.95" x 1.66"			\$29.98 E
699941 (PX-2) Box Size: 3.35" x 3.35" x 1.66"			\$36.98 E

Marinco Trolling Motor Plug (Male)

MARINCO

- Trolling motor plug (male) connects to the trolling motor.
- Jumpered internally to supply 12 volt and 24 volt power to the trolling motor when plugged into the receptacle.
- Max. rating is 60 amps.



Order No. Mfg. No. / Description Price
217984 (2018BP-24) Black **\$26.98 F**

Marinco Receptacle with Flip Lid

MARINCO

- Spring loaded flip lid cover and receptacle, pre-assembled.
- The receptacle is glass reinforced corrosion resistant nylon.
- Accepts 8 gauge stranded wire or up to 6 gauge with ring terminals.
- 12/24 volt locking.



Order No. Mfg. No. / Description Price
217996 (2018BR-MB) Black **\$81.98 F**

Newmar EX Series Electrical Enclosure

NEWMAR

- These enclosures provide functional and professional protective cases for wire connectors, terminal blocks, relays, solenoids, fuses, etc.
- The corrosion-resistant polycarbonate cases are ideal for marine applications, and the deep cavity design leaves room for securing wiring and components and making connections.
- In addition, instruments, switches and panels can be surface mounted to the cover, as there is ample space for rear projection and wiring.
- The enclosures have gasketed covers with captured non-corrosive securing screws.
- Size: 7.09" L x 4.33" W x 4.37" D. Knock-outs: 16 each PG-16 (Dia: .91"), 4 each PG-21 (Dia: 1.14"), 2 each PG-29 (Dia: 1.48").



Order No. Mfg. No. / Description Price
699872 (EX-474) **\$100.98 E**

Newmar BX Series Splashproof Junction Boxes

NEWMAR

- Rugged cast aluminum box with white enamel finish
- IP rating 54 - Splashproof.
- Provides for secure, protected below-deck wiring connections in wheel house or below decks and engine rooms.
- Easy wiring access through multiple grommeted cable entries
- Supplied with high quality connector strips - secure wires with compression fittings - no terminals required



	BX-1	BX-2	BX-3
Number of Connector Strips:	1	1	2
Positions Per Strip:	6	12	11
Max. Wire Gauge:	16	16	14
Max. amps (Per Position):	6	6	10
Cable Entries:	2	8	2
Cable Diameter:	.25"	.37"	.59"

Order No. Mfg. No. / Description Price
699929 (BX-1) Box Size: 2" x 2" x 1.2" **\$44.98 E**
699932 (BX-2) Box Size: 4.4" x 2.4" x 1.2" **\$55.98 E**
699935 (BX-3) Box Size: 4.7" x 3.7" x 1.3" **\$62.98 E**