

Marpac Premier Elite Domed Gauges with Stainless Bezel



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.

- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-Resistant Lens, built to military specifications.

- Easy installation.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.

Marpac Premier Speedometer

- 15 - 65 MPH

7-1982
\$55.98 G



Marpac Premier Tachometer

- 0 - 7,000 RPM

7-1980
\$83.98 G



Marpac Premier Trim Gauges

- Johnson/Evinrude
- Mer & Yam. 2001 - Current

7-1996
\$29.98 G



Marpac Premier Fuel Gauge

- E - 1/2 - F

7-1986
\$29.98 G



Marpac Premier Hourmeter

7-1988
\$71.98 G



Marpac Premier Oil Pressure

- 0 - 80 PSI

7-1990
\$29.98 G



Marpac Premier Voltmeter

- 10 - 16 Volts

7-1984
\$29.98 G



Marpac Premier O/B Water Pressure Gauge Kit

- 30 PSI

7-1994
\$76.98 G



Marpac Premier Water Temperature

- I/O

7-1992
\$29.98 G



- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck

Marpac Premier Elite Domed Gauges



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.

- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-Resistant Lens, built to military specifications.

- Easy installation.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.

Marpac Premier Speedometer

- 15 - 65 MPH

7-2015
\$48.98 G



Marpac Premier Tachometer

- 0 - 7,000 RPM

7-2010
\$68.98 G



Marpac Premier Trim Gauges

- Johnson/Evinrude
- Mer & Yam. 2001 - Current

7-2042
\$25.98 G



Marpac Premier Fuel Gauge

- E - 1/2 - F

7-2025
\$24.98 G



Marpac Premier Hourmeter

7-2035
\$61.98 G



Marpac Premier Oil Pressure

- 0 - 80 PSI

7-2066
\$25.98 G



Marpac Premier Voltmeter

- 10 - 16 Volts

7-2020
\$24.98 G



Marpac Premier O/B Water Pressure Gauge Kit

- 30 PSI

7-2040
\$71.98 G



Marpac Premier Water Temperature

- I/O

7-2067
\$25.98 G



- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck

Marpac Premier Performance Domed Gauges



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-Resistant Lens, built to military specifications.
- Easy installation.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.

Marpac Premier Speedometer

- 15 - 65 MPH

7-2055
\$48.98 G



Marpac Premier Tachometer

- 0 - 7,000 RPM

7-2050
\$68.98 G



Marpac Premier Trim Gauges

- Johnson/Evinrude

7-2084
\$25.98 G



- Mer & Yam. 2001 - Current

7-2082
\$25.98 G

Marpac Premier Fuel Gauge

- E - 1/2 - F

7-2065
\$25.98 G



Marpac Premier Hourmeter

7-2075
\$61.98 G



Marpac Premier Oil Pressure

- 0 - 80 PSI

7-2036
\$25.98 G



Marpac Premier Voltmeter

- 8 - 18 Volts

7-2060
\$25.98 G



Marpac Premier O/B Water Pressure Gauge Kit

- 30 PSI

7-2080
\$71.98 G



Marpac Premier Water Temperature

- I/O

7-2037
\$25.98 G



- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Marpac Premier Red Series Gauges



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-Resistant Lens, built to military specifications.
- Easy installation.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.

Marpac Premier Speedometer

- 15 - 60 MPH

7-2088
\$45.98 LQ



Marpac Premier Tachometer

- 0 - 7,000 RPM

7-2086
\$72.98 LQ



Marpac Premier Trim Gauges

- Johnson/Evinrude

7-2097
\$25.98 LQ



- Mer & Yam. 2001 - Current

7-2096
\$25.98 LQ

Marpac Premier Fuel Gauge

- E - 1/2 - F

7-2098
\$25.98 LQ



Marpac Premier Ammeter

- 60 - 0 - 60

7-2091
\$25.98 LQ



Marpac Premier Oil Pressure

- 0 - 80 PSI

7-2095
\$25.98 LQ



Marpac Premier Voltmeter

- 8 - 18 Volts

7-2090
\$25.98 LQ



Marpac Premier O/B Water Pressure Gauge Kit

- 30 PSI

7-2094
\$62.98 LQ



Marpac Premier Water Temperature

- I/O

7-2092
\$25.98 LQ



- O/B

7-2093
\$25.98 LQ

Marpac 60 MPH GPS Speedometers

- No external GPS antenna required.
- Premium LED back-lit dials.
- Ultra-fast Satellite acquisition time (TTFF) 1 second from Hot start.
- Speed accuracy of +/- 1 MPH.
- Ideal replacement for speed sensing devices (pitot tube and paddle wheel) that fail over time.
- Perfect for slow moving vessels where pitot tubes just don't work.
- Deutsch connectors.
- Fits standard 3-3/8" gauge mounting hole.
- Black aluminum bezel with Blue and Water Graphics.



Order No.	Description	Price
7-2016	White Face	\$99.98 LQ
7-2056	Black Face	\$99.98 LQ

Faria Dress White Gauges



- Perimeter-lighted white dial with bold black graphics, white aluminum bezel, contoured black pointer and flat glass lens.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.



Order No.	Mfg. No. / Description	Price
3511340	(13149) Ammeter, 60-0-60	\$39.98 G
3511305	(13113) Cylinder Head Temperature with Sender, 60° - 220° F	\$44.98 R
3511285	(13101) Fuel Level Gauge, E - 1/2 - F	\$33.98 R
3511315	(13121) Hourmeter, 10,000 hrs., 12 - 32 VDC	\$63.98 R
3511290	(13102) Oil Pressure Gauge, 80 PSI	\$33.98 R
3511335	(13145) Oil Pressure Gauge, 100 PSI	\$38.98 LQ
3511945	(33112) Speedometer, Mechanical, 55 MPH	\$52.98 R
3511950	(33113) Speedometer, Mechanical, 80 MPH	\$52.98 R
3511355	(13153) SystemCheck Indicator	\$126.98 LQ
3511935	(33103) Tachometer, Gas, Inboard and I/O, 6,000 RPM	\$103.98 R
3511940	(33104) Tachometer, All Outboard, 7,000 RPM	\$103.98 R
3511975	(33150) Tachometer with SystemCheck Indicator, Gas, J/E Outboard, 7,000 RPM	\$173.98 R
3511380	(13190) Trim Gauge, Yamaha, 1997 thru 2000	\$38.98 LQ
3511325	(13123) Trim Gauge, J/E and Suzuki Outboard	\$33.98 R
3511320	(13122) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$33.98 R
3511330	(13124) Trim Gauge, OMC Cobra, Volvo SX	\$38.98 LQ
3511310	(13120) Voltmeter, 10 - 16 VDC	\$33.98 R
3511295	(13108) Water Pressure Gauge Kit, 30 PSI	\$65.98 R
3511300	(13110) Water Temperature Gauge, 100° - 250° F	\$33.98 R

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (55 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	Price
351009	(KT9797)	\$230.98 R

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (55 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	Price
351005	(KT9794)	\$203.98 F

Faria Euro White Gauges



- Perimeter-lighted white dial with bold black graphics, black aluminum bezel, contoured black pointer and flat glass lens.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.



Order No.	Mfg. No. / Description	Price
3511125	(12910) Cylinder Head Temperature with Sender, 60° - 220° F	\$49.98 G
3511105	(12901) Fuel Level Gauge, E - 1/2 - F	\$31.98 R
3511140	(12913) Hourmeter, 10,000 hrs., 12 - 32 VDC	\$63.98 R
3511110	(12902) Oil Pressure Gauge, 80 PSI	\$31.98 R
3511165	(12945) Oil Pressure Gauge, 100 PSI	\$36.98 LQ
3511875	(32910) Speedometer, Mechanical, 80 MPH	\$59.98 H
3511170	(12953) SystemCheck Indicator	\$119.98 LQ
3511855	(32904) Tachometer, Gas, Inboard and I/O, 6,000 RPM	\$100.98 R
3511860	(32905) Tachometer, All Outboard, 7,000 RPM	\$100.98 R
3511890	(32950) Tachometer with SystemCheck Indicator, Gas, J/E Outboard, 7,000 RPM	\$170.98 R
3511885	(32932) Tachometer with Hourmeter, Gas, Inboard, 6,000 RPM	\$187.98 G
3511150	(12916) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$31.98 R
3511130	(12911) Voltmeter, 10 - 16 VDC	\$31.98 R
3511115	(12903) Water Pressure Gauge Kit, 30 PSI	\$73.98 H
3511180	(12975) Water Pressure Gauge Kit, 60 PSI	\$70.98 LQ
3511120	(12904) Water Temperature Gauge, 100° - 250° F	\$31.98 R

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (55 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	Price
351010	(KT9798)	\$255.98 F

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (55 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	Price
351006	(KT9795)	\$203.98 F

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Faria Euro Gauges



- Perimeter-lighted black dial with bold white graphics, black aluminum bezel, contoured white pointer and flat glass lens.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.



351012

	Order No.	Mfg. No. / Description	Price
Fun & Flotation	3511035	(12822) Ammeter, 60-0-60	\$31.98 R
Anchor & Dock	3511025	(12819) Cylinder Head Temperature with Sender, 60° - 220° F	\$42.98 R
	3511000	(12801) Fuel Level Gauge, E - 1/2 - F	\$31.98 R
Safety	3511045	(12824) Hourmeter, 10,000 hrs., 12 - 32 VDC	\$63.98 R
	3511005	(12803) Oil Pressure Gauge, 80 PSI	\$31.98 R
Electronics	3511820	(32810) Speedometer, Mechanical, 55 MPH	\$51.98 R
	3511805	(32804) Tachometer, Gas, Inboard and I/O, 6,000 RPM	\$100.98 R
Trolling Motors	3511810	(32805) Tachometer, All Outboard, 7,000 RPM	\$100.98 R
	3511845	(32850) Tachometer with SystemCheck Indicator, Gas, J/E Outboard, 7,000 RPM	\$168.98 R
	3511835	(32832) Tachometer with Hourmeter, Gas, Inboard, 6,000 RPM	\$187.98 G
Lighting	3511055	(12827) Trim Gauge, J/E and Suzuki Outboard	\$31.98 R
	3511060	(12828) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$31.98 R
Electrical	3511030	(12821) Voltmeter, 10 - 16 VDC	\$31.98 R
	3511010	(12810) Water Pressure Gauge Kit, 30 PSI	\$62.98 R
Topside Acc.	3511085	(12875) Water Pressure Gauge Kit, 60 PSI	\$73.98 H
Cockpit & Deck	3511015	(12812) Water Temperature Gauge, 100° - 250° F	\$31.98 R

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (55 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	Price
351012	(KT9799)	\$255.98 F

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (55 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	Price
351008	(KT9796)	\$203.98 F

Faria Chesapeake Black Stainless Steel Gauges



- Perimeter-lighted black dial with stylish blue and white graphics, polished stainless steel bezel, contoured white pointer and domed glass lens.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.



351003

	Order No.	Mfg. No. / Description	Price
Steering, Controls	3511385	(13701) Fuel Level Gauge, E - 1/2 - F	\$41.98 R
Perform.	3511435	(13713) Hourmeter, 10,000 hrs., 12 - 32 VDC	\$71.98 R
Fuel System	3511390	(13702) Oil Pressure Gauge, 80 PSI	\$41.98 R
Engine & Parts	3511395	(13703) Oil Pressure Gauge, 100 PSI	\$50.98 G
Engine Care	3511450	(13753) SystemCheck Indicator	\$137.98 LQ
Propellers	3512010	(33710) Tachometer, Gas, Inboard and I/O, 6,000 RPM	\$125.98 R
Seating & Pedestals	3512015	(33718) Tachometer, All Outboard, 7,000 RPM	\$125.98 R
Tops & Covers	3512035	(33750) Tachometer with SystemCheck Indicator, Gas, J/E Outboard, 7,000 RPM	\$188.98 R
Pumps	3511415	(13707) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$41.98 R
Cleaning & Care	3511405	(13705) Voltmeter, 10 - 16 VDC	\$41.98 R
Paint & Paint Acc.	3511430	(13712) Water Pressure Gauge Kit, 30 PSI	\$70.98 R
Hardware, Fasteners	3511400	(13704) Water Temperature Gauge, 100° - 250° F	\$41.98 R
Trailer			
Misc.			
Comm.			

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (60 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	Price
351003	(KTF003)	\$262.98 R

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (60 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	Price
351004	(KTF004)	\$209.98 R

Faria Chesapeake White Stainless Steel Gauges



- Perimeter-lighted white dial with stylish blue and black graphics, polished stainless steel bezel, contoured black pointer and domed glass lens.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.



INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (60 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	Price
351001	(KTF001)	\$262.98 R

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (60 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	Price
351002	(KTF002)	\$209.98 R

Order No.	Mfg. No. / Description	Price
3511540	(13831) Ammeter, 60-0-60	\$45.98 G
3511510	(13806) Cylinder Head Temperature with Sender, 60° - 220° F	\$61.98 G
3511485	(13801) Fuel Level Gauge, E - 1/2 - F	\$41.98 R
3511535	(13813) Hourmeter, 10,000 hrs., 12 - 32 VDC	\$71.98 R
3511490	(13802) Oil Pressure Gauge, 80 PSI	\$41.98 R
3511495	(13803) Oil Pressure Gauge, 100 PSI	\$50.98 G
3512055	(33811) Speedometer, Mechanical, 60 MPH	\$66.98 R
3512065	(33819) Speedometer, Mechanical, 80 MPH	\$66.98 R
3512045	(33807) Tachometer, Gas, Inboard and I/O, 6,000 RPM	\$125.98 R
3512060	(33817) Tachometer, All Outboard, 7,000 RPM	\$125.98 R
3512085	(33850) Tachometer with SystemCheck Indicator, Gas, J/E Outboard, 7,000 RPM	\$188.98 R
3511570	(13890) Trim Gauge, Yamaha, 1997 thru 2000	\$48.98 LQ
3511525	(13809) Trim Gauge, J/E and Suzuki Outboard	\$49.98 H
3511515	(13807) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$41.98 R
3511520	(13808) Trim Gauge, OMC Cobra, Volvo SX	\$50.98 G
3511505	(13805) Voltmeter, 10 - 16 VDC	\$41.98 R
3511530	(13812) Water Pressure Gauge Kit, 30 PSI	\$69.98 R
3511555	(13875) Water Pressure Gauge Kit, 60 PSI	\$82.98 H
3511500	(13804) Water Temperature Gauge, 100° - 250° F	\$41.98 R

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck

Faria Professional Red Gauges



- Perimeter-lighted black dial with stylish red and white graphics, black aluminum bezel, teardrop white pointer and flat glass lens.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.

Order No.	Mfg. No. / Description	Price
3511705	(14631) Ammeter, 60-0-60	\$37.98 LQ
3511675	(14606) Cylinder Head Temperature with Sender, 60° - 220° F	\$64.98 G
3511655	(14601) Fuel Level Gauge, E - 1/2 - F	\$45.98 H
3511700	(14613) Hourmeter, 10,000 hrs., 12 - 32 VDC	\$73.98 G
3511660	(14602) Oil Pressure Gauge, 80 PSI	\$45.98 G
3512150	(34611) Speedometer, Mechanical, 60 MPH	\$60.98 G
3512160	(34619) Speedometer, Mechanical, 80 MPH	\$60.98 H
3512165	(34620) Speedometer, Mechanical, 100 MPH	\$58.98 LQ
3512140	(34607) Tachometer, Gas, Inboard and I/O, 6,000 RPM	\$117.98 H
3512155	(34617) Tachometer, All Outboard, 7,000 RPM	\$117.98 H
3512175	(34650) Tachometer with SystemCheck Indicator, Gas, J/E Outboard, 7,000 RPM	\$197.98 H
3511720	(14690) Trim Gauge, Yamaha, 1997 thru 2000	\$44.98 LQ
3511690	(14609) Trim Gauge, J/E and Suzuki Outboard	\$46.98 H
3511680	(14607) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$45.98 H
3511670	(14605) Voltmeter, 10 - 16 VDC	\$45.98 H
3511695	(14612) Water Pressure Gauge Kit, 30 PSI	\$75.98 H
3511715	(14675) Water Pressure Gauge Kit, 60 PSI	\$75.98 H
3511665	(14604) Water Temperature Gauge, 100° - 250° F	\$45.98 H

- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

Faria Coral Gauges



- Perimeter-lighted black dial with stylish white and blue graphics, black aluminum bezel with burnished leading edge, contoured white pointer and flat glass lens.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.



Order No.	Mfg. No. / Description	Price
3511200	(13001) Fuel Level Gauge, E - 1/2 - F	\$31.98 R
3511205	(13002) Oil Pressure Gauge, 80 PSI	\$31.98 R
3511905	(33009) Speedometer, Mechanical, 55 MPH	\$51.98 R
3511910	(33010) Speedometer, Mechanical, 80 MPH	\$59.98 H
3511895	(33004) Tachometer, Gas, Inboard and I/O, 6,000 RPM	\$99.98 R
3511900	(33005) Tachometer, All Outboard, 7,000 RPM	\$99.98 R
3511930	(33050) Tachometer with SystemCheck Indicator, Gas, J/E Outboard, 7,000 RPM	\$185.98 LQ
3511250	(13017) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$31.98 R
3511225	(13010) Voltmeter, 10 - 16 VDC	\$31.98 R
3511210	(13003) Water Pressure Gauge Kit, 30 PSI	\$62.98 R
3511270	(13075) Water Pressure Gauge Kit, 60 PSI	\$70.98 LQ
3511215	(13004) Water Temperature Gauge, 100° - 250° F	\$31.98 R

Faria Kronos Gauges



- Polished stainless steel bezel, flat lens, perimeter lighted spun aluminum dial with gold and black graphics. Gold increments and logo on dial are embossed. All instruments include two piece Newport Pointer with black hub.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Made in USA.
- CE Certified.
- Easy installation.

Order No.	Mfg. No. / Description	Price
351065	(19001) Fuel Level Gauge, E - 1/2 - F	\$49.98 G
351090	(19020) Hourmeter, 10,000 hrs., 12 - 32 VDC	\$82.98 G
351070	(19002) Oil Pressure Gauge, 80 PSI	\$49.98 G
351060	(39009) Speedometer, Mechanical, 60 MPH	\$78.98 G
351050	(39005) Tachometer, All Outboard, 7,000 RPM	\$146.98 G
351055	(39040) Tachometer with Hourmeter, Gas, Outboard, 7,000 RPM	\$215.98 G
351085	(19005) Trim Gauge, Mercury, Mariner, Mercruiser, Volvo DP, Yamaha, 2001 and Newer	\$49.98 G
351095	(19004) Voltmeter, 10 - 16 VDC	\$49.98 G
351075	(19007) Water Pressure Gauge Kit, 30 PSI	\$80.98 G
351080	(19003) Water Temperature Gauge, 100° - 250° F	\$49.98 G

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (60 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	Price
351014	(KTF024)	\$262.98 R

Sierra Sahara Gauges



- With crisp tan dials and fire-orange pointer tip, Sahara instruments provide a unique look for your dash.
- Combined red through-dial and white perimeter lighting provide great readability at night.
- Domed glass sheds water and resists scratching.
- Instruments available for most outboards, stern drives and gasoline-powered inboards.
- Scratch-resistant domed glass lenses.
- Enhanced illumination: through-dial and perimeter lighting for excellent readability at night.
- Low-range speedometers.
- U.S. and metric scales, with ISO symbols, where appropriate.

Order No.	Mfg. No. / Description	Size	Price
8020260	(59707P) Fuel Gauge	E - 1/2 - F	\$31.98 H
8020258	(59705P) Oil Pressure Gauge	0 - 80 PSI	\$32.98 H
8020256	(59703P) Tachometer, O/B & 4-Stroke Gas Engines	0 - 7,000 RPM	\$86.98 H
8020261	(59708P) Voltmeter (12 volt)	8 - 18 VDC	\$32.98 H

Sierra Premier Pro Black Gauges

- White and blue graphics on a black dial background makes Premier a smart choice for all modern and traditional boats.
- With Premier Fog resistant* range for peace of mind in any conditions.
- Instruments available for most outboards, stern drives and gasoline-powered inboards.
- Scratch-resistant domed glass lenses.
- Superior illumination: automotive type light piping for outstanding readability at night and no "halo" around edge of dial.
- U.S. and metric scales, with ISO symbols, where appropriate.
- *Meets or exceeds SAE J-1810.



Order No.	Mfg. No. / Description	Size	Price
8020274	(62720P) Oil Pressure Gauge 0 - 80 PSI	2"	\$51.98 H
8020278	(62724P) Tachometer, O/B & 4-Stroke Gas Engines 0 - 6,000 RPM	3"	\$112.98 H

Sierra Eclipse Gauges

- Smart white and blue graphics on a black dial background, these very low profile bezels follow the curve of the lens to eliminate water trapping. Design with domed glass sheds water and resists scratching.
- Instruments available for most outboards, stern drives and gasoline-powered inboards.
- Scratch-resistant domed glass lenses.
- Enhanced illumination: Through-dial and perimeter lighting for excellent readability at night.
- U.S. and metric scales, with ISO symbols, where appropriate.



Order No.	Mfg. No. / Description	Size	Price
8020318	(68391P) Hourmeter 10,000 hrs.	2"	\$58.98 H
8020334	(68410P) Systems Check Evinrude/Johnson	2"	\$130.98 H
8020335	(68411P) Systems Check Suzuki	2"	\$107.98 H

Sierra Amega Gauges

- Smart white and red graphics on a black dial background, these very low profile bezels follow the curve of the lens to eliminate water trapping. Design with domed glass sheds water and resists scratching.
- Instruments available for most outboards, stern drives and gasoline-powered inboards.
- Scratch-resistant domed glass lenses.
- Enhanced illumination: Through-dial and perimeter lighting for excellent readability at night.
- U.S. and metric scales, with ISO symbols, where appropriate.



Order No.	Mfg. No. / Description	Size	Price
8020289	(65205P) System Check Evinrude/Johnson	2"	\$130.98 H
8020265	(61748P) Trim Gauge, Yamaha Outboards, pre 2001	2"	\$31.98 H
8020264	(61238P) Water Pressure Kit (Outboard) 0 - 30 PSI	2"	\$69.98 H
8020312	(68357P) Water Pressure Kit (Outboard) 0 - 40 PSI	2"	\$69.98 H

AMEGA GAUGE KIT

- Amega gauge kit includes: Instrument display box, 58255P Tachometer, 57900P Speedometer, 57901P Voltmeter and 57902P Fuel Gauge.

Order No.	Description	Price
818774	Amega 4 Gauge Kit	\$149.98 F

Sierra Black Sterling Gauges

- With its rich luster and polish, Black Sterling instruments convey a look of utmost sophistication and add elegance to any dash. These instruments have fire-orange pointer tips and stainless graphics for a contemporary, ultra stylish look. Black Sterling instruments have clean, crisp black dials which highlight the stainless accents.
- Instruments available for most outboards, stern drives and gasoline-powered inboards.
- Scratch-resistant domed glass lenses.
- Enhanced illumination: Through-dial and perimeter lighting for excellent readability at night.
- U.S. and metric scales, with ISO symbols, where appropriate.



Order No.	Mfg. No. / Description	Size	Price
8020303	(67021P) Fuel Gauge E - 1/2 - F	2"	\$31.98 H
8020304	(67022P) Oil Pressure Gauge 0 - 80 PSI	2"	\$32.98 H
8020308	(67363P) Tachometer, O/B & 4-Stroke Gas Engines 0 - 7000 RPM	3"	\$90.98 H
8020309	(67365P) Trim Gauge, Evinrude/Johnson, Suzuki 4-Stroke, 2002 to Date	2"	\$33.98 H
8020305	(67023P) Trim Gauge, Mariner/Mercury, Yamaha, 2001 to Date	2"	\$33.98 H
8020301	(67019P) Voltmeter 8 - 18 VDC	2"	\$34.98 H
8020310	(67382P) Water Pressure Kit (Outboard) 40 PSI	2"	\$76.98 H
8020302	(67020P) Water Temperature Gauge (Electric) 100 - 240° F	2"	\$33.98 H

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailing
- Misc.
- Comm.

Sierra Lido Gauges



- Stylish stainless steel bezel design, black on white graphics, accurate and reliable, these tough instruments look good on all types of boats.
- A comprehensive family of instruments for outboards, stern drives and inboards, including diesels!
- Lido instruments feature crisp white dials and fire-orange pointer tips.
- Scratch-resistant domed glass lenses.
- Enhanced illumination: through-dial and perimeter lighting for excellent readability at night.
- U.S. and metric scales, with ISO symbols, where appropriate.

Order No.	Mfg. No. / Description	Size	Price
818825	(65496P) Fuel Gauge	E - 1/2 - F	\$29.98 F
818837	(65497P) Hourmeter	10,000 hrs.	\$54.98 F
818801	(61752P) Speedometer (Pitot Type)	10 - 50 MPH	\$60.98 F
816642	(64477FP) Tachometer (E/J Systems Check)	0 - 7000 RPM	\$219.98 F
818813	(65693P) Tachometer, O/B & 4-Stroke Gas Engines	0 - 7000 RPM	\$73.98 F
818814	(65129P) Tachometer/Hourmeter, O/B & 4 Stroke Gas Engines, 0 - 7000 RPM	3"	\$126.98 F
818875	(65503P) Trim Gauge	Honda Outboards	\$88.98 F
818887	(65504P) Trim Gauge, Mariner/Mercury, Yamaha 2001 and On	2"	\$29.98 F
818863	(65502P) Trim Gauge, Evinrude/Johnson, Suzuki 4-Stroke, 2002 to Date	2"	\$29.98 F
818849	(65506P) Voltmeter (12 volt)	8 - 18 VDC	\$29.98 F
818851	(65507P) Water Pressure Kit (Outboard), 20' Tubing	30 PSI	\$64.98 G
8020296	(65508P) Water Temperature Kit, For All Electric-Start Outboards	2"	\$67.98 H
8020297	(65509P) Water Temperature Gauge (I/O, I/B)	120 - 240° F	\$31.98 H

LIDO GAUGE KIT

- Lido gauge kit includes: Instrument display box, **818813** (65693P) Tachometer, **818801** (61752P) Speedometer, **818849** (65506P) Voltmeter and **818825** (65496P) Fuel Gauge.

Order No.	Description	Price
818768	Lido Gauge Kit	\$171.98 F

Marpac Universal Pitot Tube



- Calibrated for standard marine speedometers like Sierra, Faria, Marpac and others.
- Consistent pressure for accurate readings.
- Stable, yet flexible design prevents impact damage.
- Resists barnacle growth.
- Works from 5 - 80 mph.

Order No.	Description	Price
7-0893	Universal Pitot Tube	\$7.98 G

Boater Sports Speedometer Pitot Kit



- Universal speedometer pitot kit for use with marine speedometers up to 80 mph.
- Automatic kickup design.

Order No.	Mfg. No. / Description	Price
1-52618	(52618)	\$12.99 H

Faria Pitot Tube Assembly Kits



- Complete transom mount speedometer pick-up with escutcheon plate and mounting hardware (two choices of tubing length) for use with all marine speedometers.

Order No.	Mfg. No. / Description	Price
3512325	(91106) Universal, 20' Tubing	\$20.98 H
3512330	(91109) Universal	\$13.98 H


Sierra Pack O' Pitots



- Universal speedometer pick-ups.
- Unique slotted design replaces most brands without drilling.
- Automatic kick-up feature.
- For speeds up to 80 MPH.
- Package of 12.

Order No.	Mfg. No. / Description	Price
8020255	(59677P)	\$69.98 H

MPI Products Speedometer Pitot Tubing



- Black PVC tubing for connection between speedometer pickup and gauge.
- Size ID: 4 mm. Size OD: 6.2 mm.

Order No.	Mfg. No. / Description	Price
772207	(151-0407) Length 100'	\$33.98 H

Sierra Outboard Tachometer Harness



- Mercury/Mariner, 5-wire plug.
- Permits fast installation of tachometers.
- Eliminates field wiring problems.
- BIA color-coded harness.

Order No.	Mfg. No. / Description	Price
815499	(IH15105)	\$64.98 F

Sierra Adapter for Water Pressure/Temperature



- I.D. 1/8" NPT.

Order No.	Mfg. No. / Description	Price
815108	(61886P) Yamaha	\$63.98 I

Faria Temperature Sender



- Single station, 10-32 stud.
- American resistance. Ground: Standard.

Order No.	Mfg. No. / Description	Price
3512265	(90401) 1/8" NPTF Thread	\$12.98 H

Sierra Temperature Senders



- Terminal type: 10-32 stud.
- Temperature: 240°

SINGLE STATION

Order No.	Mfg. No. / Description	Price
185896	(18-5896) 1/8" - 27 NPT	\$21.37 H
367525	(TS26611) 1/4" - 18 NPT	\$17.29 H
367549	(TS26621) 3/8" - 18 NPT	\$18.89 H
367587	(TS26631) 1/2" - 14 NPT	\$18.69 H

DUAL STATION

Order No.	Mfg. No. / Description	Price
367626	(TS26651) 1/4" - 18 NPT	\$20.29 H
185897	(18-5897) 3/8" - 18 NPT	\$25.27 H
185898	(18-5898) 1/2" - 14 NPT	\$18.52 H

Sierra Oil Pressure Senders



SINGLE STATION

Order No.	Mfg. No. / Description	Price
185899	(18-5899) Replaces: 700425, OE No. 90806	\$33.45 H

DUAL STATION

- For 80 PSI gauge.

Order No.	Mfg. No. / Description	Price
815160	(OP24891) 1/8"-27 NPT Thread	\$42.98 I

Sierra Gauge Light Kit



- Fits all Sierra gauges, except Heavy Duty and 2" Mechanical Units.
- Includes: 12 volt clear 2-CP bulb with wedge base socket.
- OEM #6299573.

Order No.	Mfg. No. / Description	Price
815209	(IA62995) Gauge Light Kit	\$8.98 H
219483	(181135) Spare Wedge Base Bulb, Standard Pack 10	\$1.28 I

Cole Hersee Temperature Switch



- Self-grounding, normally Off.
- On at 184° to 216° F.
- Switches close a ground circuit to indicator lights or other warning devices that warn of a 'hot' or 'cold' condition.
- 1/2"-14 dry seal thread mounting stem. Mounting hex flat 15/16".

Order No.	Mfg. No. / Description	Price
300828	(84218-BX)	\$26.98 H

EMP Temperature Switch



Order No.	Mfg. No. / Description	Price
4-5897	(75-01942)	\$23.82 H

Faria Oil Pressure Senders



- 1/8" NPTF thread.
- American resistance.
- Single station.
- Ground: Standard.

Order No.	Mfg. No. / Description	Price
3512290	(90512) 80 PSI	\$41.98 R
3512295	(90519) 100 PSI	\$48.98 H


Cole Hersee Oil Pressure Switch



- Self-grounding, S.P.S.T. Normally ON.
- Molded, moisture repellent insulators.
- Conservative burst pressure: 750 psi.
- Contacts open at rising pressure, close at falling pressure.
- Mounting stem 1/8" - 27. 8-32 stud terminal.

Order No.	Mfg. No. / Description	Price
300830	(8610-BX)	\$10.98 LQ

Gauge Hole Plugs



- Snap-in design installs easily.
- Black plastic with attractive textured finish.

Order No.	Mfg. No. / Description	Price
2000069	(9656-B) Fits Standard 2-1/16" Gauge Hole	\$2.95 H
2000070	(9703-B) Fits Standard 3-3/8" Gauge Hole	\$4.50 R

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments**
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

World-Class Instrumentation for Modern Electronic Engines

The PowerView

- For modern electronic engines and equipment applications using the SAW J1939 Controller Area Network.
- Displays over 30 standard SAW J1939 parameters broadcast by engine and transmission Electronic Control Units (ECU's).
- Graphical display features wide operating temperature range for viewing (-40 to 167° F/75° C).
- Displays active and ECU-Stored faults with text description for diagnosing equipment malfunctions.
- Simple connection to optional components.

The PowerView Gauges

- Display SAE J1939 parameters broadcast by the PowerView System.
- Feature cutting-edge, stepper motor technology and robust functionality.
- Microprocessor-driven for high accuracy.
- Simple installation and wiring design.

Frank W. Murphy EG21 Series Electric Gauges



- Case: Polyester (PBT), impact and weather resistant with screw-on mounting clamp.
- Lens: Clear polycarbonate and UV stabilized.
- Bezel: Polished 316 stainless steel.
- Dial: Black with white markings; back-lite; dual scale with mirror band to reduce parallax reading errors.
- Air core movement: Silicon dampened pointer.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	Price
772330	(05702381) Oil Pressure, 0-80 psi 12 volt	\$45.98 H
772332	(05702397) Oil Pressure, 0-100 psi 12 volt	\$37.98 H
772334	(05702429) Oil Pressure, 0-300 psi 12 volt	\$39.98 H
772336	(05702445) Oil Pressure, 0-400 psi 12 volt	\$37.98 H
772338	(10701286) Temperature, 100-250° F 12 volt	\$37.98 H
772344	(65700106) Ammeter, 0-60 12 volt	\$38.98 H
772346	(65700112) Ammeter, 0-100 12 volt	\$63.98 H
777415	(65700259) Ammeter, 0-60 12 volt	\$29.98 H
772348	(65700118) Voltmeter 12 volt	\$37.98 H
772350	(65700124) Voltmeter 24 volt	\$39.98 H
772351	(05006166) Wire/Connector Assembly 24 volt	\$47.98 H

INDICATING ONLY

Order No.	Mfg. No. / Description	Price
772342	(10701290) Temperature, 100-250° F	\$43.98 H
772394	(05702401) Oil Pressure, 0-100 psi	\$51.98 H
772343	(05702421) Oil Pressure, 0-200 psi	\$66.98 LQ



Frank W. Murphy EG Series Temperature Senders



1-WIRE-TO-GROUND SENDER

Order No.	Mfg. No. / Description	Price
772497	(10702009) EST-250/300-1/2 250/300° F 1/2-14 NPT	\$22.98 H
772500	(10702010) EST-250/300-1/8 250/300° F 1/8-27 NPT	\$22.98 H

2-WIRE UNGROUNDED SENDER

Order No.	Mfg. No. / Description	Price
772512	(10702013) ES2T-250/300-1/2 250/300° F 1/2-14 NPT	\$30.98 H

2-WIRE UNGROUNDED SENDER, DRIVES 2 GAUGES

Order No.	Mfg. No. / Description	Price
772299	(10702016) ESDT-250/300-1/2 250/300° F 1/2-14 NPT	\$40.98 H



High-Resolution Display

A large display provides immediate viewing of critical engine data.



Enhanced Gauge Readout

A quick glance and you have all the details.

Call for Prices and Availability

Frank W. Murphy EGS21 Series Electric Gauges



- The EGS21 Series Switchgauge instrument has all of the features of the EG21 Series Gauge plus an adjustable set point Power Hall Effect switch output for operating alarms or equipment shutdown.
- The trip point is adjustable over 90% of the scale and has a set point indicator visible from the gauge face.
- Pressure, fuel, volts set on decreasing scale.
- Temperature and amps set on increasing scale.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	Price
772352	(05702389) Oil Pressure, 0-80 psi 12 volt	\$78.98 H
772354	(05702405) Oil Pressure, 0-100 psi 12 volt	\$74.98 H
772356	(05702437) Oil Pressure, 0-300 psi 12 volt	\$108.98 H
772358	(05702451) Oil Pressure, 0-400 psi 12 volt	\$74.98 H
772360	(10701292) Temperature, 100-250° F 12 volt	\$74.98 H
772362	(10701304) Temperature, 140-300° F 12 volt	\$74.98 H
772370	(65700121) Voltmeter 12 volt	\$74.98 H

Frank W. Murphy EG Series Pressure Senders



- The ESPM Series recommends mounting off-equipment.

Order No.	Mfg. No. / Description	Price
772396	(05701860) ESP-80 1-wire-to-ground 0-80 psi	\$37.98 H
772409	(05701867) ES2P-80 2-wire ungrounded 0-80 psi	\$43.98 H
772411	(05701857) ESP-100 1-wire-to-ground 0-100 psi	\$37.98 H
772423	(05701858) ES2P-100 2-wire ungrounded 0-100 psi	\$40.98 H
772430	(05701748) ES2PM-200 2-wire ungrounded 0-200 psi	\$134.98 H
772428	(05701751) ESPM-300 1-wire-to-ground 0-300 psi	\$109.98 H
772432	(05701750) ES2PM-300 2-wire ungrounded 0-300 psi	\$130.98 H
772435	(05702566) ESPMK-400 1-wire-to-ground 0-400 psi	\$208.98 H
772447	(05702565) ES2PMK-400 2-wire ungrounded 0-400 psi	\$229.98 H

Frank W. Murphy 2" Temperature Swichgages®



- Diaphragm-actuated, temperature-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- These vapor actuated gages feature a sealed capillary tube and a sensing bulb. When subjected to heat, the liquid in the sensing bulb changes to vapor creating pressure against the diaphragm mechanism. The diaphragm translates this vapor pressure into a mechanical gage reading.
- The gage pointer acts as a temperature indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contact(s) are grounded through the Swichgage case.
- Dial: Black with white markings.
- Case: Plated steel with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Fits standard 2-1/16" opening.
- 1/2" N.P.T.

TEMPERATURE: 130-250° F

Order No.	Mfg. No. / Description		Price
772302	(10702524) 20BTG-250-6	Indicating Only 6'	\$74.98 H
772303	(10702525) 20BTG-250-8	Indicating Only 8'	\$76.98 H
772304	(10702527) 20BTG-250-12	Indicating Only 12'	\$80.98 H
772306	(10702571) 20BTG-250-20	Indicating Only 20'	\$93.98 H
772308	(10702581) 20BTG-250-30	Indicating Only 30'	\$103.98 H
772309	(10702586) 20BTG-250-35	Indicating Only 35'	\$121.98 H
772310	(10702569) 20BTG-250-50	Indicating Only 50'	\$132.98 H
772325	(10702042) 20T-250-4	Swichgage 4'	\$79.98 H
772316	(10702043) 20T-250-6	Swichgage 6'	\$81.98 H
772318	(10702046) 20T-250-12	Swichgage 12'	\$88.98 H
772320	(10702050) 20T-250-20	Swichgage 20'	\$95.98 H
772322	(10702055) 20T-250-30	Swichgage 30'	\$106.98 H
772323	(10702056) 20T-250-35	Swichgage 35'	\$124.98 H
772324	(10702058) 20T-250-50	Swichgage 50'	\$136.98 H

TEMPERATURE: 130-220° F

Order No.	Mfg. No. / Description		Price
772311	(10702501) 20BTG-220-4	Indicating Only 4'	\$73.98 H
772312	(10702502) 20BTG-220-6	Indicating Only 6'	\$74.98 H
772340	(10702504) 20BTG-220-10	Indicating Only 10'	\$81.98 H
772341	(10701323) 20BTG-220-16	Indicating Only 16'	\$87.98 H

Frank W. Murphy Temperature Swichgages®



- Diaphragm-actuated, temperature-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- These vapor actuated gages feature a sealed capillary tube and a sensing bulb. When subjected to heat, the liquid in the sensing bulb changes to vapor creating pressure against the diaphragm mechanism. The diaphragm translates this vapor pressure into a mechanical gage reading.
- The gage pointer acts as a temperature indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contact(s) are isolated from ground.
- Dial: Black with white markings.
- Case: Glass filled/Polycarbonate, corrosion-resistant with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Temperature: 130-250° F.
- 1/2" N.P.T.

A20T - FITS STANDARD 2-1/16" OPENING

Order No.	Mfg. No. / Description		Price
772313	(10703160) A20T-250-6	6'	\$144.98 H
772314	(10703163) A20T-250-12	12'	\$150.98 H
772315	(10703167) A20T-250-20	20'	\$160.98 H
772321	(10703221) A20T-OS-250-25	25', Oil Sealed	\$216.98 H

A25T - FITS STANDARD 2-11/16" OPENING

Order No.	Mfg. No. / Description		Price
772347	(10703697) A25T-250-30	30'	\$163.98 H

Frank W. Murphy 2" Temperature Swichgage® with Snap-Switch



- Same as 20/25T with internal SPDT snap-switch for pre-alarm.
- Temperature: 130-250° F.

Order No.	Mfg. No. / Description		Price
772714	(10702113) 20TABS-250-6	6'	\$105.98 LQ

Frank W. Murphy 2" Pressure Swichgages®

- Diaphragm-actuated, pressure-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- The gage pointer acts as a pressure indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contacts are grounded through the Swichgage case and have self-cleaning motion to ensure electrical continuity.
- Dial: Black with white markings.
- Case: Plated steel with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description		Price
772677	(05703160) 20BPG-75	Indicating Only 0-75 psi	\$49.98 H
772684	(05703161) 20BPG-100	Indicating Only 0-100 psi	\$49.98 H
772687	(05703164) 20BPG-300	Indicating Only 0-300 psi	\$55.98 H
772679	(05702501) 20BPG-400	Indicating Only 0-400 psi	\$123.98 H
772650	(05703110) 20P-75	Swichgage 0-75 psi	\$57.98 H
772651	(05703115) 20P-100	Swichgage 0-100 psi	\$57.98 H
772663	(05703122) 20P-200	Swichgage 0-200 psi	\$64.98 H
772675	(05703124) 20P-300	Swichgage 0-300 psi	\$64.98 H



20P7 - LOCKOUT SWICHGAGES

- Same as 20P and 25P Series.
- They also include a front, semi-automatic lockout for startup override.
- This built-in device holds the pointer away from the contact on startup.
- When pressure exceeds the set point, the lockout is automatically disengaged.

Order No.	Mfg. No. / Description		Price
772652	(05090101) 20P7-75	0-75 psi	\$75.98 H

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Frank W. Murphy 2" Pressure Swichgages®



- Diaphragm-actuated, pressure-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- The gage pointer acts as a pressure indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contacts have self-cleaning motion to ensure electrical continuity.
- Dial: Black with white markings.
- Case: Glass filled/Polycarbonate, corrosion-resistant with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	Price
772337	(05704254) A20P-75 0-75 psi	\$107.98 H
772335	(05704255) A20P-100 0-100 psi	\$101.98 H
772331	(05702525) A20P-400 0-400 psi	\$181.98 H

Frank W. Murphy Model PSB Direct Mount Pressure Switches



- For critical pressure points.
- It has one limit contact that can be used to activate an alarm, actuate indicator lights or shut down equipment.
- The single-pole, double-throw (SPDT) snap switch is operated directly from the diaphragm, for quick acting and positive switching.
- Housing is weather sealed to prevent entry of moisture, dust, etc.
- Pressure connection: 1/8-27 NPT, brass.

Order No.	Mfg. No. / Description	Price
772388	(05704427) 0-75 psi Set To Trip: 15 psi	\$101.98 H
772345	(05704428) 0-100 psi Set To Trip: 20 psi	\$101.98 H

Frank W. Murphy Clamp Lite Assembly



- A20 Series Clamp Lite Assembly.
- 12 volt.

Order No.	Mfg. No. / Description	Price
772301	(05702176)	\$18.98 H

Frank W. Murphy Electronic Speed Switch



- A single set point speed switch with SPDT relay dry contact output.
- The trip point is set by a potentiometer.
- An LED indicates when the signal source is present. A second LED turns on when the trip point is reached.
- For installation within a weatherproof enclosure to protect it from rain, dust, etc.
- 12 volt.

Order No.	Mfg. No. / Description	Price
777396	(20700166) SS300-12	\$205.98 H

Frank W. Murphy Model TSB Direct Mount Temperature Switch



- For temperature sensing.
- It has one limit contact that can be used to activate an alarm, actuate indicator lights or shut down equipment.
- The single-pole, double-throw (SPDT) snap switch is operated directly from the diaphragm, for quick acting and positive switching.
- Housing is weather sealed to prevent entry of moisture, dust, etc.
- Standard switch trip point: 200° F (93° C).

Order No.	Mfg. No. / Description	Price
772317	(10705294) TSB-R200-1/2	\$218.98 H

Frank W. Murphy Direct Mount Temperature Swichgages®



- The SDB Series are direct-mounting Temperature Swichgage devices.
- They provide an accurate direct-reading gauge with an adjustable limit switch to activate alarms and/or shutdown.
- A knob on front of the Swichgage allows you to adjust the limit switch trip point.
- Pointer movement is actuated by a bi-metallic sensing element.
- When the indicating pointer on the SDB touches the adjustable contact, a one-wire-to-ground circuit is completed to shut down the equipment and/or actuate audible or visual alarms.
- When the temperature rises to the preset trip point, the pointer engages an internal SPDT snap-switch to close/open circuits.
- The most common use of the SDB Series is to monitor gas compressor temperatures.
- Engine exhaust temperature can also be monitored to indicate overloading or lean fuel mixtures; or use the SDB to help coordinate loads on twin-engine installations.

Order No.	Mfg. No. / Description	Price
772634	(10701038) 100° to 500° F Without Thermowell	\$433.98 H
772637	(10701198) 200° to 1,000° F 3/4" NPT Thermowell	\$918.98 H
772648	(10050025) Thermowell for 1/2" NPT	\$299.98 H

SDB500EX

- Enclosure is explosion-proof and CSA listed for Class I, Group C and D hazardous locations.

Order No.	Mfg. No. / Description	Price
772636	(10701071) 100° to 500° F 3/4" NPT Thermowell	\$1,013.98 H
772635	(10701040) 100° to 500° F Without Thermowell	\$717.98 H

Frank W. Murphy EL150 Series Level Swichgag[®]

772380

- A combination liquid level gauge and low limit switch; each unit includes a chamber with pivotal float, an indicating dial with pointer and a low level contact.
- When properly installed and maintained, the float operates the pointer which, in turn, both indicates level during normal operation, and closes a switching circuit if the level falls to the low-limit set point.
- Built for low pressure systems with maximum of 25 psi.
- Snap-switch: SPDT rated 10 amps @ 125V AC.

EL150K1 - LEVEL SWICHGAGE

- Case: Die cast aluminum, poly-urethane coated.
- Float: Brass. Lens: Polycarbonate.

Order No.	Mfg. No. / Description	Price
772380	(15700116)	\$141.98 H

EL150EX - LEVEL SWICHGAGE. EXPLOSION-PROOF MODEL

- Case: Sand cast aluminum, painted.
- Float: 304 stainless steel. Lens: Tempered glass.



Order No.	Mfg. No. / Description	Price
772386	(15700121)	\$711.98 LQ

Frank W. Murphy Level Control for Scrubbers



- BUOYGLAS float operates to 0.5 specific gravity.
- Stainless steel models meet NACE Requirements and carry Canadian registration numbers.
- Models rated for 2,000 psi (13.8 MPa) [138 bar] vessels.
- Models listed for Class I, Division 1 Locations.

Order No.	Mfg. No. / Description	Price
772382	(15700060) Model L1200	\$296.98 LQ

Frank W. Murphy LM300 Series Level Maintainer



- Maintains proper oil level.
- Manual float switch test.
- Low level alarm before shutdown.
- High visibility "Frog Eye" lens.
- Shutdown on low level, or high and low level.
- Optional pipe or universal mounting brackets.
- Optional inlet orifices for low to high pressure applications.
- Explosion-Proof Model.
- Low switch contacts for low level shutdown or alarm. Four wires, SPDT.

Order No.	Mfg. No. / Description	Price
772383	(15700172) LM301-EX	\$560.98 LQ

Frank W. Murphy L129 Series Lube Level Swichgag[®]

772381



772379

- A combination lube level indicating gauge and adjustable low and high limit switches.
- It provides protection against low oil level or high level caused by overflow or fuel or water seepage into the crankcase.
- A 6-3/4" deep sight gauge allows you check the condition and level of your oil without shutting down the equipment.
- Fingertip adjustable limit contacts, thru 4-7/8" range, make it simple to set high and low limit contacts.
- If the float touches the high or low limit contact, a normally open circuit will be completed which can activate alarms and/or shutdown the equipment.

L129 - LUBE LEVEL SWICHGAGE

- Designed for grounded, low voltage electrical systems.
- It features a one-wire-to-ground electrical circuit.

Order No.	Mfg. No. / Description	Price
772379	(15700104)	\$161.98 H

L129CK1 - LUBE LEVEL SWICHGAGE

- Designed for applications requiring a three-wire, above ground electrical circuit.
- It features ungrounded contacts and a conduit hub to protect electrical wiring.

Order No.	Mfg. No. / Description	Price
772381	(15700107)	\$206.98 H

Frank W. Murphy VS2 Series Shock and Vibration Switch



- Designed to detect shock/vibration in three planes of motion.
- These fully adjustable switches use a magnetic latch to ensure reliable operation.
- Housed in an explosion-proof enclosure with threaded cover.
- In place of the leaf type contacts, 2-SPDT snap switches are used in this model.

Order No.	Mfg. No. / Description	Price
772385	(20700049) VS2EX	\$540.98 LQ

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck

Instruments

- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailering
- Misc.
- Comm.

Frank W. Murphy Tattletale® Annunciators and Magnetic Switch



- The nerve centers that translate Switchgag contact operations into decisions and operate the alarm or shutdown device.
- They are the electrical load carrying devices for the alarm or shutdown device.
- Tattletale annunciators indicate which monitored function failed leading to the alarm or shutdown whereas magnetic switches do not.
- Magnetic switches operate basically as a latching relay.

MODEL 518APH

- Allows for Switchgag and/or N.C. contacts to be wired "Closed Loop".
- Any contact open or Switchgag contact close in the circuit shunt trips the 518APH.
- 12 volt.

Order No.	Mfg. No. / Description	Price
772395	(25700147)	\$68.98 H

MODEL 760A/761APH

- Use for distributor ignition or diesel.
- Time delay lockout of Switchgag contacts on start-up only; customer wired for delayed or immediate trip on shutdown.
- Breaks and makes circuits when tripped.
- 12 volt. 14 amp fuse.

Order No.	Mfg. No. / Description	Price
777409	(25700169) Resets Automatically Time Delay: 30 Seconds	\$152.98 H
777411	(25700198) Manual Reset Time Delay: 60 Seconds	\$129.98 H

MODEL 117

- Use to shutdown 12 volt thru 32 volt distributor ignition or diesel engines.
- Breaks circuit when tripped.
- Opens distributor coil circuit or power circuit to diesel run device.
- Automatically disconnects from battery after trip.
- 12 volt. 14 amp fuse.

Order No.	Mfg. No. / Description	Price
772300	(25700071) Manual Non-Indicating, No Time Delay	\$57.98 H

MODEL MS2100

- Multi purpose Tattletale with dry contacts that can be used to make two circuits and break another when tripped.
- Operates from 120 VAC or Capacitor Discharge Ignition.
- The operating coil is intermittent duty and must be disconnected by an external circuit when tripped.
- 120 VAC.

Order No.	Mfg. No. / Description	Price
772560	(25700415) Manual Indicating, No Time Delay	\$62.98 H

Frank W. Murphy Hydrostatic Head Level Switch



- A pressure sensitive diaphragm operates a snap-switch that can be wired directly to electric pilot circuits to control pumps at predetermined levels.
- Typical application is to start and stop electric driven pump(s) to maintain tank levels.
- It is also applicable to engine driven pumps.
- Suitable for atmospheric tanks in a non-hazardous area.
- Aluminum case.
- Maximum pressure rating: 25 psi.

Order No.	Mfg. No. / Description	Price
772384	(15700001) DF755	\$411.98 H

Frank W. Murphy Selectronic® Tattletale® Remote Alarm Annunciators



- A simple and inexpensive answer to your remote alarm annunciator needs.
- General purpose alarms suitable for a variety of applications.
- These compact Tattletale annunciators tell you by a flashing LED which variable malfunctioned.
- Many feature a pulsating Mini-Siren to audibly alert you to the malfunction.
- The audible alarm is silenced by depressing the Alarm Silence push button, but the visual signal remains in operation until the fault is corrected and the contacts are cleared.
- Use individually or gang for multiple applications.
- Flange mount.
- Accepts N.O. and/or N.C. contacts.
- Input voltage 8-32V AC or 8-40V DC.

Order No.	Mfg. No. / Description	Price
772374	(25700001) ST5AS-F 5 Alarm Points	\$564.98 H
772376	(25700009) ST10AS-F 10 Alarm Points	\$717.98 H

SINGLE POINT ITEM DELAYS

- Inhibit sensor input to ST Series annunciators.
- Compensators for momentary contact operation due to vessel movement, etc.

Order No.	Mfg. No. / Description	Price
772377	(20700001) TDST3-5 3 - 5 Second Time Delay	\$510.98 H
772375	(20700002) TDST8-10 8 - 10 Second Time Delay	\$234.98 H

Frank W. Murphy Bilge Level Switch System



- Operates bilge pumps or alarms.
- Uses proven "air cell" actuated system.
- Remote switch and moving parts kept unaffected by corrosion.
- Aluminum body and cover.
- Includes 3 assemblies: Bilge level switch, 4' tube kit (sensor line and fittings) and "air cell" (volume cell).

Order No.	Mfg. No. / Description	Price
772378	(15700193) BLSK1	\$413.98 H

Frank W. Murphy Tachometers and Tach/Hourmeters - AT and ATH Series



- Bright stainless steel bezel.
- A rugged, transistorized instrument with solid-state circuitry for indication of engine revolutions per minute.
- They are equipped with a bracket for mounting into a standard 3-3/8" dash mounting hole.
- A full 270° sweep of the pointer gives an accurate indication on a large easy-to-read scale and the dial can be illuminated for night reading.

ALTERNATOR SIGNAL TACHOMETER AND TACH/HOURMETER

- Designed to function from pulses generated by an alternator with 4, 8, 12, 14 or 16 poles on the rotor.
- 3-40 pulses/engine revolution. 12V DC, 200 Hz to 2667 Hz @ 4,000 RPM.

Order No.	Mfg. No. / Description	Price
772586	(20700134) ATA-40 Tachometer Only	\$141.98 H
772588	(20700137) ATHA-40 Tachometer/Hourmeter	\$192.98 H

MAGNETIC SENSOR SIGNAL TACHOMETER AND TACH/HOURMETER

- Designed to function with flywheels having anywhere from 50 to 304 teeth.
- 50-304 flywheel teeth. 11-28V DC, 3333 Hz to 20.27 kHz @ 4,000 RPM.

Order No.	Mfg. No. / Description	Price
772582	(20700227) ATS-40 Tachometer Only	\$141.98 H
772594	(20700142) ATHS-40 Tachometer/Hourmeter	\$192.98 H

Frank W. Murphy Magnetic Pickups



- A magnetic pickup is an AC generator.
- It is normally installed into the flywheel housing of an internal combustion engine, so that the starter ring gear acts upon it to generate a voltage pulse each time a gear tooth passes the end of the sensor.

Order No.	Mfg. No. / Description	Price
772601	(20700162) MP3298 Threaded 3" L Thread Size 5/8-18	\$94.98 H
772613	(20700160) MP7905 Threaded 4-1/2" L Thread Size 3/4-16	\$102.98 H

Frank W. Murphy MTH6 Digital Tachometer/Hourmeter



- Tachometer/hourmeter with overspeed shutdown or alarm switch.
- Reads RPM data from a magnetic pickup or battery charging alternator.
- Dial diameter: 3-1/2".
- Powered by 8 to 40V DC.
- Large 5-digit LCD display.
- Front panel programming.
- When reading from flywheel ring gear use **772601** (MP3298) or **772613** (MP7905) Magnetic Pickups.

Order No.	Mfg. No. / Description	Price
772574	(20700158)	\$527.98 H

Frank W. Murphy MT90 Selectronic® Digital Tachometer



- Offers high accuracy and dependability resulting from use of a quartz crystal time based and digital, solid-state electronics.
- Back light for night viewing.
- Easy calibration.
- Power supplied by magnetic pickup or 12, 24 or 32V DC battery system.
- Input source can be a magnetic pickup or engine alternator.
- Dial diameter: 3-5/8". Mounting hole: 3-7/16".

Order No.	Mfg. No. / Description	Price
772562	(20700019)	\$468.98 H

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Cole Hersee Engine Warning System Kit



Dual Alarm Module



Temperature Switch



Oil Pressure Switch



- Engine warning system kit includes: Dual alarm module, temperature switch and oil pressure switch.
- Dual Alarm Module features:
 - Rugged combination warning light and buzzer give audible and visible alert.
 - Red lens, long-life LED.
 - Mounting stem: 11/16" diameter, 17/32" long.
 - Body size: 1-7/8" L x 1" W x 1-11/32" H.
 - 12 volt.

Order No.	Mfg. No. / Description	Price
630497	Engine Warning System Kit	\$71.98 H
630992	(4112-RC-BP) Dual Alarm Module - Light and Buzzer	\$38.98 H

Aqualarm Bilge Water Level Detector



- A two lead, non polarity, normally open detector that closes when water rises and activates a visual and/or audible device.
- It makes an excellent Boat Alarm Detector for bilge high water alarms.

Order No.	Mfg. No. / Description	Price
228709	(20120)	\$48.98 G

Aqualarm Remote Fire Detector



- A normally open, two terminal, non-polarity switch which closes at a set fixed temperature set at 135° F.
- Multi-voltage, works with 12, 24 and 32 volts.
- Not recommended for the engine room because of high ambient temperatures.



Order No.	Mfg. No. / Description	Price
228684	(20512)	\$44.98 G

Aqualarm Low Oil Pressure Detector



- This Marine Boat Detector is a two terminal normally closed switch that opens at 10 psi and closes and when pressure falls below 10 psi.
- The base is 1/8" FPT.
- Multi-voltage 12v, 24v and 32v.



Order No.	Mfg. No. / Description	Price
228672	(20111)	\$34.98 G

Raritan Rudder Angle Indicator



- Easy to read panoramic meters.
- Useful aid for docking or close maneuvering.
- Economical steering aids and rudder position monitors.
- Constant monitoring of rudder angle position from 0 to 45 degrees.
- Ready for installation with all necessary components needed - meter, calibration box and sending unit.



Order No.	Mfg. No. / Description	Price
564117	(MK5) Dimensions: 5-1/8" W x 4" H	\$681.98 F
564155	(MKSII) Replacement Transmitter	\$256.98 F

Aqualarm Bilge Water Level Warning System



Bilge Water Level Detector



Red Enamel Bell

- System includes: Red enamel 6" bell and bilge water level detector.
- The Bilge Water Level Detector monitors bilge water level and sends a signal to the loud Bell and Bilge Alarm Red Light Warning Panel, when water reaches a predetermined level - indicating Bilge High Water.

Order No.	Mfg. No. / Description	Price
228658	(20131) 12 volt	\$119.98 G
228665	(20100) Red Enamel Bell Only	\$84.98 G

Aqualarm Cooling Water Flow Detectors



- Monitors Raw Water Flow to prevent engine damage due to overheating.
- It is a two wire, non- polarity switch that is normally closed and opens 1.5 to 12 GPM, depending on adjustment, raw water flow.
- It stays open until flow slows or ceases and then activates any audible or visual boat alarm.



Order No.	Mfg. No. / Description	Price
228734	(10233) 1" FPT	\$107.98 G
228696	(10271) 1-1/2" FPT	\$107.98 G

Aqualarm Engine Overheat Detector



- A two terminal, non polarity, normally open detector that closes when engine temperature reaches 200° F and activates a visual and/or audible device.
- Multi-voltage, works with 12, 24 and 32 volts.
- It is 1/2" MPT that installs into a 1/2" FPT plugged hole in the engine.



Order No.	Mfg. No. / Description	Price
228723	(20118)	\$33.98 G

Jastram Rudder Angle Indicator System



- This 3" diameter indicator is enclosed in a standard SAE housing for flush mount in consoles or pedestals.
- The front face of the indicator is completely watertight.
- The indicator draws less current than a pilot light and may be run off any boat's 12 to 40 volt DC current supply.
- Up to six stations may be used by simply connecting them in series.
- The indicator is fitted with internal, indirect illumination.

Order No.	Mfg. No. / Description	Price
677623	(JA-950166-1) RAI 301 Indicator, Master Meter	\$771.98 E
677635	(JA-950034-1) RAI 300 Indicator	\$370.98 E
677672	(JA701065-1) RFU 300 Rudder Feedback Unit	\$503.98 E

eGear Clip Compasses

eGear®



- 100 Count of assorted colors, Cookie Jar.

Order No.	Mfg. No. / Description	Price
586401	(2631027TA100)	\$499.98 LQ

Davis Illuminated Hand Bearing Compass - Illuminated

DAVIS



- Made of high impact, grey plastic housing.
- Simply align front and rear sights on an object and read off bearing.
- Use to take a quick bearing or position set, determine angular gain or loss on the competition while racing, check distance offshore, establish lee-bow set while cruising or racing in currents, determine drift vector, and plot a line of position.
- The stable, liquid-damped compass card is graduated in 5° segments.
- Bold graduations every 15° for easy reading.
- Large, contoured handle designed for sure, steady grip and angled forward for added control.
- Lanyard and instructions included.
- Solid-state LED illumination system floods the compass capsule and sight vane with soft light.
- The LED will last for the lifetime of the compass.
- Batteries, which are included, will last up to 10 times longer than with regular bulbs.
- Average LED "half-life" is approximately 10 years if operated continuously.
- Positive "push-on" switching action, with vinyl boot water protection.
- Battery housing has high watertight integrity.

Order No.	Mfg. No. / Description	Price
322611	(215)	\$55.98 Q

RitchieSport® X-10-M Bracket Mount Compasses

RITCHIE NAVIGATION

574017



574005



574029

- Designed for powerboats up to 16'.
- Easy-to-install on windshield or dash.
- Two-sided, self-adhesive mounting pads included.
- Reversible bracket adjusts through 300°.
- 2" Direct Reading, High-Visibility dials.
- Internal green night lighting.
- High temp composite construction for extended operating range.
- Built-in compensators.
- Hardened steel pivot and sapphire jewel movement.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574005	(X-10-M) No-Glare Gray with High-Visibility Blue Dial	\$39.98 F
574017	(X-10B-M) Traditional Black	\$39.98 F
574029	(X-10W-M) Designer White	\$39.98 F

Ritchie V-527 Explorer™ Dash Mount Compass

RITCHIE NAVIGATION



- 2-3/4" Direct Reading Dial.
- For small powerboats.
- Easily installed, fits 3" installation hole.
- Bezels styled to match popular gauge packages.
- Viewing is adjustable to 30.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Exclusive built-in NiteVu lighting.
- Built-in compensators.
- Hi-Temperature construction.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574168	(V-57.2) Traditional Black	\$79.98 F
574942	(EX-0005-2) Replacement Light Bulb - 12 volt	\$13.98 F

RitchieSport® X-21WW and X21BU Dash Mount Compasses

RITCHIE NAVIGATION

574043



574055

- 2" Direct Reading Dial.
- View adjusts up to 30.
- Exclusive built-in green NiteVu lighting.
- High temperature composite construction for extended operating range.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- DirectiveForce magnets.
- Easily installed, fits standard 2-1/16" instrument hole.
- Exclusive 5-year Ritchie warranty.
- Note: Does not have built-in compensators.

Order No.	Mfg. No. / Description	Price
574043	(X-21WW) Designer White with White Dial	\$49.98 F
574055	(X-21BU) Traditional Black with High-Visibility Blue Dial	\$49.98 F

Ritchie Trek Bracket Mount Compasses

RITCHIE NAVIGATION

573914



573902



573926

- Ideal for Runabouts, Center Consoles, Ski Boats, Flats Boats, Bass Boats, Cars, Trucks, RV's and ATV's.
- 2-1/4 Direct Reading Dial with large numerals for easy reading.
- High-impact rubber accent strip.
- Built-in compensators to correct for deviation.
- Extra large diaphragm and rugged construction provide extended operating temperature range.
- Strong directive force magnets and composite dial for fast performance.
- Built-in, 12 volt Green NiteVu Lighting.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
573902	(TR-31) Traditional Black	\$54.98 F
573914	(TR-31G) No-Glare Gray with High-Visibility Blue Dial	\$54.98 F
573926	(TR-31W) Designer White	\$54.98 F
574942	(EX-0005-2) Replacement Light Bulb - 12 volt	\$13.98 F

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailer

Misc.

Comm.

Ritchie Helmsman™ Compasses



- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck

- Designed for power or sailboats 25' to 35'.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574308	(HB-741) 3-3/4" CombiDamp Dial, Traditional Black	\$217.98 E
574322	(HD-745) Deck Mount, Traditional Black	\$232.98 E
574346	(HF-742) PowerDamp Dial, Flush Mount, Traditional Black	\$227.98 F
574360	(HF-743) CombiDamp Dial, Flush Mount, Traditional Black	\$227.98 F
574904	(SH-0029XSP) Red LED and Wire Assembly	\$18.98 F

Ritchie DNW-200 Navigator Binnacle Mount Compass



- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailer
- Misc.
- Comm.

- Designed for power or sailboats 28' to 45'.
- 4-1/2" dial with large numerals.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal gimbal systems for maximum stability during adverse pitch and roll conditions.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature construction for extended operating range.
- Custom fitted protective covers available.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574523	(DNW-200) Designer White	\$455.98 F

RitchieAngler Compasses



- Designed for powerboats up to 24'.
- 2-3/4" Direct Reading Dial.
- No-Glare Gray Finish with High-Visibility Blue Dial.
- Distinctive RitchieAngler Graphics.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal green night lighting built-in compensators to easily adjust for deviation.
- DirectiveForce magnets.
- Movable sun shield.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574093	(RA-93) Surface Mount, No-Glare Gray	\$74.98 F
574081	(RA-91) Bracket Mount, No-Glare Gray	\$74.98 F
574942	(EX-0005-2) Replacement Light Bulb - 12 volt	\$13.98 F

Ritchie Explorer™ Compasses



- Designed for powerboats up to 24'.
- 2-3/4" Direct Reading Dial.
- Exclusive built-in NiteVu lighting.
- Viewing is adjustable to 30°.
- Bezels styled to match popular gauge packages.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Built-in compensators.
- High temperature construction.
- Easily installed, fits installation hole.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574106	(B-51) Bracket Mount Traditional Black	\$74.98 F
574110	(B-51-W) Bracket Mount Designer White	\$74.98 F
574118	(S-53) Surface Mount Traditional Black	\$74.98 F
574119	(S-53W) Surface Mount Designer White	\$74.98 F
574144	(F-50) Flush Mount Traditional Black	\$75.98 F
574132	(F-50W) Flush Mount Designer White	\$75.98 F
574942	(EX-0005-2) Replacement Light Bulb - 12 volt	\$13.98 F

Ritchie Voyager® Compasses

RITCHIE
NAVIGATION

- Designed for powerboats up to 28'.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574170	(S-87) Surface Mount Traditional Black	\$152.98 F
574245	(F-82) PowerDamp Dial Traditional Black	\$152.98 F
574257	(F-83) CombiDamp Dial Traditional Black	\$152.98 F
574233	(F-83W) CombiDamp Dial Designer White	\$152.98 F
574904	(SH-0029XSP) Red LED and Wire Assembly	\$18.98 F

Ritchie B-81 Voyager® Bracket Mount Compasses

RITCHIE
NAVIGATION

- Designed for powerboats up to 28'.
- 3" CombiDamp Dial.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574208	(B-81) Traditional Black	\$160.98 F
574209	(B-81-WM) Traditional Black, Wheelmark	\$160.98 F
574904	(SH-0029XSP) Red LED and Wire Assembly	\$18.98 F

Ritchie SuperSports® Flush Mount Compasses

RITCHIE
NAVIGATION

- PowerDamp Plus, High-Visibility Blue Dial with extra large white numerals.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal gimbal systems for maximum stability during adverse pitch and roll conditions.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- Easily installed, fits 4" mounting hole.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574562	(SS-1002) 3-3/4" Dial Mounting Hole 4"	\$238.98 E
574563	(SS-1002W) 3-3/4" Dial Mounting Hole 4" White	\$238.98 E
574574	(SS-2000) 4-1/2" Dial Mounting Hole 4-3/4"	\$413.98 E
574577	(SS-2000W) 4-1/2" Dial Mounting Hole 4-3/4" White	\$413.98 E
574586	(SS-5000) 5" Dial Mounting Hole 6-1/4"	\$644.98 D
574590	(SS-5000W) 5" Dial Mounting Hole 6-1/4" White	\$644.98 D

Ritchie FNW-203 Navigator Flush Mount Compass

RITCHIE
NAVIGATION

- Designed for power or sailboats 28' to 45'.
- 4-1/2" CombiDamp Dial with large numerals.
- Exclusive built-in green NiteVu night illumination.
- Movable sun shield.
- 45 Degree lubber lines.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Built-in compensators to easily adjust for deviation.
- Powerful DirectiveForce magnets for fast heading lock-on.
- High temperature composite construction for extended operating range.
- Easily installed, fits 4-3/4" mounting hole.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574548	(FNW-203) Designer White	\$391.98 F

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

- Fun & Flotation
- Anchor & Dock
- Safety
- Electronics
- Trolling Motors
- Lighting
- Electrical
- Topside Acc.
- Cockpit & Deck
- Instruments
- Steering, Controls
- Perform.
- Fuel System
- Engine & Parts
- Engine Care
- Propellers
- Seating & Pedestals
- Tops & Covers
- Pumps
- Cleaning & Care
- Paint & Paint Acc.
- Hardware, Fasteners
- Trailing
- Misc.
- Comm.

Ritchie HB-845 Helmsman™ Steel Boat Compass



- 3-3/4" PowerDamp Dial.
- Exclusive built-in green NiteVu lighting.
- Special reinforced bracket with quadrantal correctors.
- Hardened steel pivot and sapphire jewel movement.
- 45 Degree lubber lines.
- Full internal gimbals.
- Built-in standard compensators and booster magnets on base.
- Movable sun shield.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574396	(HB-845) Traditional Black	\$498.98 F
574904	(SH-0029XSP) Red LED and Wire Assembly	\$18.98 F

Ritchie Globemaster® Shock-Mounted Binnacle Compasses



- PowerDamp Performance Dial.
- A practical combination of compass and special mounting bracket is offered in this model.
- Special one piece cast bronze bracket mount model with black finish.
- Includes quadrantal correction spheres.
- Bracket mount steel boat. 5° increments.
- Built-in semi-circular compensators.
- Full internal gimbals.
- Night lighting - 12 volt.
- High capacity roller diaphragm for extended temperature operating ranges.
- Hardened steel pivot and sapphire jewel movement.
- 90° lubber lines for easy reading of reciprocal headings.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574649	(B-453) 5" Dial, Base Diameter 8-7/16" x 19" x 7-3/8"	\$1,440.98 F
574651	(B-463) 6" Dial, Base Diameter 9-1/2" x 20-1/2" x 8-3/8"	\$1,610.98 F
573609	(GM-0023 ASY) Repl. Lamp Assembly without Bracket	\$26.98 F

Ritchie Bulbs and Assemblies

CLEAR BULB - 12 VOLT

- For Explorer and RitchieAngler (except Model V-57).

Order No.	Mfg. No. / Description	Price
574942	(EX-0005-2) Package of 2	\$13.98 F

RED L.E.D. AND WIRE ASSEMBLY

- For Voyager and Helmsman sunshade lights & top lights (Bulkhead models).

Order No.	Mfg. No. / Description	Price
574904	(SH-0029XSP)	\$18.98 F

LAMP ASSEMBLY WITHOUT BRACKET - 12 VOLT

Order No.	Mfg. No. / Description	Price
573609	(GM-0023 ASY) For Globemaster	\$26.98 F

Ritchie Globemaster® Shock-Mounted Binnacle Compasses



- PowerDamp High Performance Dial.
- Black wrinkle finish metal binnacle.
- Should be installed in enclosed bridge decks or pilot houses.
- 5° increments.
- Built-in semi-circular compensators.
- 90° lubber lines for easy reading.
- Night lighting - 12 volt.
- Special anti-vibration mount isolates dials to protect pivot and jewel.
- Hardened steel pivot and sapphire jewel movement.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574675	(C-453) 5" Dial, Base Diameter 8-7/16"	\$1,041.98 F
574676	(C-463) 6" Dial, Base Diameter 9-1/2"	\$1,268.98 F
573609	(GM-0023 ASY) Repl. Lamp Assembly without Bracket	\$26.98 F

Ritchie Globemaster® Shock-Mounted Binnacle Compasses



- PowerDamp Performance Dial.
- A practical combination of compass and special mounting bracket is offered in this model.
- Special one piece cast bronze bracket mount model with black finish.
- Includes quadrantal correction spheres.
- Bracket mount steel boat. 5° increments.
- Built-in semi-circular compensators.
- Full internal gimbals.
- Night lighting - 12 volt.
- High capacity roller diaphragm for extended temperature operating ranges.
- Hardened steel pivot and sapphire jewel movement.
- 90° lubber lines for easy reading of reciprocal headings.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	Price
574601	(YB-500) 5" Dial, Base Diameter 6-7/8" x 19" x 8-1/4"	\$1,080.98 F
574613	(YB-600) 6" Dial, Base Diameter 8" x 20-1/2" x 9-5/8"	\$1,323.98 F
573609	(GM-0023 ASY) Repl. Lamp Assembly without Bracket	\$26.98 F

Ritchie Compass Displays



Order No.	Mfg. No. / Description	Price
101993	(DP12-M) Holds Up to Six Explorer Compasses	\$470.98 G
101991	(SA-0036NC) Holds Up to Six Compasses	Price On Request